

B14_1985DAILYAMBIENT_00_SNSN_05960

P.O.



ACIDIC PRECIPITATION IN ONTARIO STUDY ISSN 0824-880X

1985 DAILY AMBIENT AIR CONCENTRATION LISTINGS ISSN 0835-4510

Atmospheric Processes Studies Unit
Air Quality and Meteorology Section
Air Resources Branch
Toronto, Ontario
Canada, M5S 1Z8

APRIL, 1987

ARB-089-87-AQM

A.P.I.O.S. Coordination Office
Ontario Ministry of the Environment
6th Floor, 40 St. Clair Ave. W.,
Toronto, Ontario
Canada, M4V 1P5

c 1987 Her Majesty the Queen in Right of Ontario

TD
195.54
.06
D35
1987
MOE

TD
195.54
.06
D35
1987

1985 daily ambient air
concentration listings.

77844

Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact Service Ontario Publications at copyright@ontario.ca

ACIDIC PRECIPITATION IN ONTARIO STUDY ISSN 0824-880X

1985 DAILY AMBIENT AIR CONCENTRATION LISTINGS ISSN 0835-4510

Atmospheric Processes Studies Unit
Air Quality and Meteorology Section
Air Resources Branch
Toronto, Ontario
Canada, M5S 1Z8

APRIL, 1987

ARB-089-87-AQM

A.P.I.O.S. Coordination Office
Ontario Ministry of the Environment
6th Floor, 40 St. Clair Ave. W.,
Toronto, Ontario
Canada, M4V 1P5

c 1987 Her Majesty the Queen in Right of Ontario

ACKNOWLEDGEMENTS

This report was prepared by Diane Green of the APIOS Atmospheric Deposition and Chemistry Program. However, the data themselves are a product of the combined efforts of many individuals. Precipitation samples were collected by a large number of site operators, whose names cannot be individually mentioned here, under the coordination of the APIOS environmental technicians Steve Elliott (in Southwestern Region), Dave Allcock (in Southeastern Region), Wim Smits (in Northwestern Region) and J.P. Varto (in Central Region). Sample handling was carried out by Dan Orr and Scott Kennedy, and overall network coordination by Bill Bardswick of the Air Resources Branch. Chemical analyses were performed at the Laboratory Services Branch under the coordination of Frank Tomassini and Barry Loescher. Invaluable clerical and computer assistance were provided by Koshy Mathew and William Chang respectively, of C.C and C. Computer Systems Inc. All enquiries regarding the reported data should be directed to Neville Reid, Coordinator, Atmospheric Deposition and Chemistry Program, at (416) 965-1634.

TABLE OF CONTENTS

	<u>Page</u>
PART I INTRODUCTION	II
PART II STATION DESCRIPTION AND LOCATION MAP	V
PART III SOUTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Longwoods Conservation Area	1
PART IV CENTRAL REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Dorset Lab	21
PART V SOUTHEASTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Charleston Lake Provincial Park	41
PART VI NORTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Fernberg	57

PART I

INTRODUCTION

INTRODUCTION

The data listed herein are a summary of the 1985 results acquired from the APIOS daily ambient air sampling network. Collection of daily ambient air samples began in the Southwestern Region (Longwoods) on March 3, 1981; in the Central Region (Dorset) on July 25, 1980; in the Southeastern Region (Charleston Lake) on March 23, 1981; and in the Northwestern Region (Fernberg) on October 2, 1981. All data presented in this report have been screened for validity. Remarks and qualifications have been appended to records, and/or results where necessary. The screening procedure involves the application of gross limit checks by comparing each analytical result with a calculated upper limit. Gross limit checks were applied to the results. Upper limits were determined as $M + 2S$ where median (M) and scale (S) represent robust estimates of mean and standard deviation respectively. Scale of the distribution was estimated from interquartile distance, i.e. $S = 0.74$ (3rd quartile - 1st quartile) based upon logarithmically transformed results. In a situation where the distribution is significantly bounded by reported detection limits, S may be estimated as follows, $S = 1.48$ (3rd quartile - 2nd quartile). All lower gross limits were specified as zero. Upper limits were calculated for each region. Also, the structure of each sample was examined by conducting a principal components analysis and plotting each sample's scores (PC I vs PC II)¹. Samples that were determined to be obvious outliers were flagged as unreliable.

The sampler utilized for daily air sampling is the Metrex Sequential Air Sampler type SAS 8-25. The sampler is loaded once weekly with 7 active filter packs and 1 passive filter pack. Each active filter pack is exposed for 24 hours beginning at 0800 h local time and terminating at 0800 h local time the next day, except at Fernberg, 0700 h local time is utilized, because the zone time is one hour later at Fernberg than at the other three stations. The passive filter pack is for blank correction. Sampling details are described in another document².

-
- 1 Harris, R.J. (1975). A Primer of Multivariate Statistics. Academic Press, New York, 332 pp.
 - 2 Chan, W.H., Orr, D.B. and Vet, R.J. (1982). Acidic Precipitation in Ontario Study - An Overview: The Event Wet/Dry Deposition Network. Ontario Ministry of the Environment Report #ARB-11-82-ARSP.

Station Identification

The station identification is defined by four descriptive fields (e.g. - Dorset/Daily/Sequential #2). The first field refers to the sampling location. The second and third fields describe the sampling interval and the instrumentation used respectively. The last numeric field refers to the index code utilized on the location map.

Daily Ambient Air Concentration Listings

All analytical results presented in this report were corrected for passive loadings unless otherwise specified. If a passive result is reported as less than the analytical detection limit, then a value corresponding to one half the detection limit is utilized for passive correction. If the passive result is equal to or exceeds the active result, then a zero is reported. Each filter pack is loaded with a teflon filter, a nylon filter and a pair of Whatman 41 filters with the first two filter types being upstream and the last filter type being downstream. The teflon filter is analysed for particulate SO_4^{2-} , NO_3^- and NH_4^+ . The nylon filter is analysed for gaseous HNO_3 and SO_2 retention, and the Whatman 41 filter (impregnated with K_2CO_3 - glycerol) is analysed for gaseous SO_2 . The reported parameter "TOTL NO_3 " represents total nitrates and is calculated by the summation of N- HNO_3 and N- NO_3 . If a detection limit is encountered in the calculation of "TOTL NO_3 ", then a value corresponding to one half the detection limit is utilized. The parameter "SULPHUR DIOXIDE" represents the summation of gaseous SO_2 on Whatman 41 and on nylon filters. In the presented data listings the parameter "NITRIC" represents nitric acid. Remark codes (e.g. U, A, and G) appended to individual results are defined in a later section.

Field Comment Code Index

- | | |
|-------------------------------------|--------------------------------|
| A - Sampler malfunction | E - Filter placement incorrect |
| B - Hydro failure (known/suspected) | F - Sample not submitted |
| C - Flow volumn suspected | Q - Other |
| D - Contamination (known/suspected) | |

Office Comment Code Index

- F - Abnormal flow volume - flow volume rate less than 14,400 litres per day or greater than 43,200 litres per day
- Z - Abnormal sampling period
- X - Sample lost

Result Remark Code Index

- > - actual result greater than value reported
- < - actual result less than value reported
- T - actual result less than criterion of detection
- W - no response, minimum possible result reported
- A - approximate value
- U - unreliable result
- P - not corrected for passive
- P - not corrected for passive - reported value is a detection limit
- G - outlier of gross Limit Checks

PART II

STATION DESCRIPTION AND LOCATION MAP

Figure 1

APIOS Event Wet/Dry Deposition Network Station Locations




TABLE 1

APIOS EVENT WET/DRY DEPOSITION NETWORK SITE LOCATIONS

<u>AREA</u>	<u>MOE REGION</u>	<u>STATION NAME</u>	<u>INSTRUMENTATION</u>	<u>ELEVATION</u> (m above MSL)	<u>LATITUDE</u> (North)	<u>LONGITUDE</u> (West)	<u>UTM COORDINATES</u> (Northing)	<u>(Easting)</u>
London	Southwestern	Longwoods	Wet and Dry	239	42°53'	81°29'	4747850	460700
		Melbourne	Wet	213	42°47'	81°33'	4736850	454600
		North Easthope	Wet	375	43°24'	80°53'	4805650	508650
		Wellesley	Wet	344	43°28'	80°46'	4812650	519500
Dorset	Central	Dorset	Wet and Dry	320	45°13'	78°56'	5009650	662400
		Nithgrove	Wet	325	45°12'	79°04'	5006800	651600
		Balsam Lake	Wet	259	44°38'	78°51'	4943400	670070
		Raven Lake	Wet	274	44°37'	78°54'	4941600	665750
Kingston	Southeastern	Charleston Lake	Wet and Dry	92	44°30'	76°03'	4927500	417150
		Graham Lake	Wet	130	44°35'	75°52'	4936750	431450
		Railton	Wet	156	44°23'	76°36'	4914700	373200
		Whitman Creek*	Wet	137	44°29'	76°49'	4927200	355100
		Wilmer*	Wet	145	44°27'	76°32'	4921500	378250
Atikokan	Northwestern	Fernberg	Wet and Dry	506	47°50'	91°52'	5316000	585000
		Forbes Twsp.	Wet	324	48°38'	89°37'	5388000	308000
		Quetico Centre	Wet	420	48°45'	91°12'	5399000	632000
		Lac La Croix*	Wet	368	48°21'	92°12'	5356000	558200

* Whitman Creek site removed from network November 1984; installed Wilmer October 1985 (replacing Whitman Creek)

Lac La Croix site removed from network March, 1984

PART III

SOUTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 2,85	JAN 1,85	800	800	1	25480.0	16527	2	1	
JAN 3,85	JAN 2,85	800	800	1	26920.0	16528	2	1	
JAN 4,85	JAN 3,85	800	800	1	27080.0	16529	2	1	
JAN 5,85	JAN 4,85	800	800	1	26820.0	16530	2	1	
JAN 6,85	JAN 5,85	800	800	1	26170.0	16531	2	1	
JAN 7,85	JAN 6,85	800	800	1	26410.0	16532	2	1	
JAN 8,85	JAN 7,85	800	800	1	27500.0	16533	2	1	
JAN 9,85	JAN 8,85	930	800	1	24840.0	16535	2	1	
JAN 10,85	JAN 9,85	800	800	1	25760.0	16536	2	1	
JAN 11,85	JAN 10,85	800	800	1	27580.0	16537	2	1	
JAN 12,85	JAN 11,85	800	800	1	27210.0	16538	2	1	
JAN 13,85	JAN 12,85	800	800	1	27440.0	16539	2	1	
JAN 14,85	JAN 13,85	800	800	1	27730.0	16540	2	1	
JAN 15,85	JAN 14,85	800	800	1	27250.0	16541	2	1	
JAN 16,85	JAN 15,85	800	800	1	28040.0	16543	2	1	
JAN 16,85	JAN 16,85	800	****	1	8320.0	16544	2	1	A
JAN 17,85	JAN 16,85	****	800	1	16790.0	16545	2	1	A
JAN 18,85	JAN 17,85	800	800	1	26010.0	16546	2	1	
JAN 19,85	JAN 18,85	800	800	1	26450.0	16547	2	1	
JAN 20,85	JAN 19,85	800	800	1	27110.0	16548	2	1	
JAN 21,85	JAN 20,85	800	800	1	26110.0	16549	2	1	
JAN 22,85	JAN 21,85	800	800	1	27850.0	16550	2	1	
JAN 23,85	JAN 22,85	1000	800	1	21820.0	16552	2	1	
JAN 24,85	JAN 23,85	800	800	1	22500.0	16553	2	1	
JAN 25,85	JAN 24,85	800	800	1	24270.0	16554	2	1	
JAN 26,85	JAN 25,85	800	800	1	26630.0	16555	2	1	
JAN 27,85	JAN 26,85	800	800	1	26140.0	16556	2	1	
JAN 28,85	JAN 27,85	800	800	1	26550.0	16557	2	1	
JAN 29,85	JAN 28,85	800	800	1	26490.0	16558	2	1	
JAN 30,85	JAN 29,85	800	800	1	27450.0	16559	2	1	
JAN 31,85	JAN 30,85	800	800	1	24250.0	16561	2	1	
FEB 1,85	JAN 31,85	800	800	1	24600.0	16562	2	1	
FEB 2,85	FEB 1,85	800	800	1	27150.0	16563	2	1	
FEB 3,85	FEB 2,85	800	800	1	26350.0	16564	2	1	
FEB 4,85	FEB 3,85	800	800	1	27790.0	16565	2	1	
FEB 5,85	FEB 4,85	800	800	1	26640.0	16566	2	1	
FEB 6,85	FEB 5,85	800	800	1	27210.0	16568	2	1	
FEB 7,85	FEB 6,85	800	800	1	23300.0	16569	2	1	
FEB 8,85	FEB 7,85	800	800	1	25880.0	16570	2	1	
FEB 9,85	FEB 8,85	800	800	1	26570.0	16571	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 2,85	JAN 1,85	5.12	1.87	0.13	0.511	0.07	0.10	0.20
JAN 3,85	JAN 2,85	2.00	2.65	0.08	0.590	0.42	0.09	0.50
JAN 4,85	JAN 3,85	6.24	3.79	0.05	0.776	1.09	0.18	1.14
JAN 5,85	JAN 4,85	42.26	5.13	0.16	1.720	0.96	0.19	1.12
JAN 6,85	JAN 5,85	8.77	2.92	0.05	0.903	0.65	0.14	0.70
JAN 7,85	JAN 6,85	13.15	6.25	0.73	1.936	0.56	0.09	1.29
JAN 8,85	JAN 7,85	10.99	4.37	0.39	1.223	0.24	0.09	0.63
JAN 9,85	JAN 8,85	3.23	1.01	0.00	0.307	0.05	0.00	0.05
JAN 10,85	JAN 9,85	1.17	1.37	<T	0.560	0.36	0.18	0.37
JAN 11,85	JAN 10,85	9.55	1.82	0.05	0.853	0.53	0.17	0.58
JAN 12,85	JAN 11,85	2.54	1.25	0.03	0.534	0.23	0.12	0.26
JAN 13,85	JAN 12,85	17.98	2.51	0.10	1.313	0.83	0.17	0.93
JAN 14,85	JAN 13,85	19.56	3.39	0.36	1.345	0.83	0.12	1.19
JAN 15,85	JAN 14,85	8.84	2.57	0.19	1.001	0.43	0.12	0.62
JAN 16,85	JAN 15,85	6.88	2.86	0.03	0.813	0.31	0.23	0.34
JAN 16,85	JAN 16,85	5.41	4.06	0.06	1.713	1.11	0.30	1.17
JAN 17,85	JAN 16,85	36.80	3.66	0.34	0.806	0.21	0.23	0.55
JAN 18,85	JAN 17,85	58.81	8.27	1.31	2.395	0.42	0.34	1.74
JAN 19,85	JAN 18,85	44.26	9.65	0.66	3.536	1.04	0.29	1.70
JAN 20,85	JAN 19,85	10.01	2.31	0.25	0.615	0.12	0.24	0.37
JAN 21,85	JAN 20,85	7.93	2.64	0.04	0.572	0.30	0.10	0.34
JAN 22,85	JAN 21,85	22.79	3.46	0.11	1.114	0.52	0.14	0.63
JAN 23,85	JAN 22,85	7.27	2.70	0.30	0.751	0.14	0.00	0.44
JAN 24,85	JAN 23,85	12.17	5.69	0.56	2.102	1.03	0.24	1.59
JAN 25,85	JAN 24,85	31.42	4.99	0.90	2.206	0.95	0.26	1.85
JAN 26,85	JAN 25,85	8.03	2.45	0.47	0.799	0.22	0.43	0.69
JAN 27,85	JAN 26,85	12.39	3.14	0.57	0.900	0.29	0.21	0.86
JAN 28,85	JAN 27,85	32.49	4.52	0.78	1.593	0.60	0.24	1.39
JAN 29,85	JAN 28,85	1.51	1.48	0.06	0.685	0.28	0.09	0.34
JAN 30,85	JAN 29,85	10.79	4.63	0.60	2.172	1.22	0.00	1.82
JAN 31,85	JAN 30,85	48.64	9.78	2.26	2.520	0.38	0.07	2.64
FEB 1,85	JAN 31,85	50.84	10.53	2.78	3.044	0.33	0.15	3.11
FEB 2,85	FEB 1,85	4.88	2.88	0.15	1.607	1.07	0.06	1.22
FEB 3,85	FEB 2,85	6.61	3.69	0.54	1.371	0.50	0.10	1.04
FEB 4,85	FEB 3,85	23.75	6.01	0.98	2.469	1.36	0.10	2.34
FEB 5,85	FEB 4,85	31.54	8.38	0.82	3.561	2.34	0.10	3.15
FEB 6,85	FEB 5,85	6.30	4.09	1.12	1.350	0.33	0.00	1.45
FEB 7,85	FEB 6,85	12.68	4.68	1.12	1.209	0.04	0.39	1.16
FEB 8,85	FEB 7,85	2.06	1.74	0.27	0.381	0.15	0.12	0.42
FEB 9,85	FEB 8,85	1.66	1.21	0.07	0.654	0.41	0.15	0.48

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 10,85	FEB 9,85	800	800	1	26490.0	16572	2	1	
FEB 11,85	FEB 10,85	800	800	1	25120.0	16573	2	1	
FEB 12,85	FEB 11,85	800	800	1	23970.0	16574	2	1	
FEB 13,85	FEB 12,85	800	800	1	24320.0	16576	2	1	
FEB 14,85	FEB 13,85	800	800	1	17400.0	16577	2	1	
FEB 15,85	FEB 14,85	800	800	1	24930.0	16578	2	1	
FEB 16,85	FEB 15,85	800	800	1	26320.0	16579	2	1	
FEB 17,85	FEB 16,85	800	800	1	26320.0	16580	2	1	
FEB 18,85	FEB 17,85	800	800	1	25700.0	16581	2	1	
FEB 19,85	FEB 18,85	800	800	1	26290.0	16582	2	1	
FEB 20,85	FEB 19,85	800	800	1	27700.0	16583	2	1	
FEB 21,85	FEB 20,85	838	800	1	22270.0	16585	2	1	
FEB 22,85	FEB 21,85	800	800	1	25070.0	16586	2	1	
FEB 23,85	FEB 22,85	800	800	1	22260.0	16587	2	1	
FEB 24,85	FEB 23,85	800	800	1	22590.0	16588	2	1	
FEB 25,85	FEB 24,85	800	800	1	22780.0	16589	2	1	
FEB 26,85	FEB 25,85	800	800	1	24990.0	16590	2	1	
FEB 27,85	FEB 26,85	800	800	1	26390.0	16592	2	1	
FEB 28,85	FEB 27,85	800	800	1	24010.0	16593	2	1	
MAR 1,85	FEB 28,85	800	800	1	26690.0	16594	2	1	
MAR 2,85	MAR 1,85	800	800	1	25450.0	16595	2	1	
MAR 3,85	MAR 2,85	800	800	1	26820.0	16596	2	1	
MAR 4,85	MAR 3,85	800	800	1	26350.0	16597	2	1	
MAR 5,85	MAR 4,85	800	800	1	26130.0	16598	2	1	
MAR 6,85	MAR 5,85	800	800	1	28270.0	16600	2	1	
MAR 7,85	MAR 6,85	800	800	1	26560.0	16601	2	1	
MAR 8,85	MAR 7,85	800	800	1	24950.0	16602	2	1	
MAR 9,85	MAR 8,85	800	800	1	26560.0	16603	2	1	
MAR 10,85	MAR 9,85	800	800	1	26930.0	16604	2	1	
MAR 11,85	MAR 10,85	800	800	1	26060.0	16605	2	1	
MAR 12,85	MAR 11,85	800	800	1	24150.0	16606	2	1	
MAR 13,85	MAR 12,85	800	800	1	24090.0	16608	2	1	
MAR 14,85	MAR 13,85	800	800	1	24970.0	16609	2	1	
MAR 15,85	MAR 14,85	800	800	1	26840.0	16610	2	1	
MAR 16,85	MAR 15,85	800	800	1	27150.0	16611	2	1	
MAR 17,85	MAR 16,85	800	800	1	27340.0	16612	2	1	
MAR 18,85	MAR 17,85	800	800	1	27210.0	16613	2	1	
MAR 19,85	MAR 18,85	800	800	1	27480.0	16614	2	1	
MAR 20,85	MAR 19,85	800	800	1	28530.0	16616	2	1	
MAR 21,85	MAR 20,85	800	800	1	19190.0	16617	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 10,85	FEB 9,85	14.24	2.65	1.30	0.686	0.14	0.60	1.44
FEB 11,85	FEB 10,85	37.16	6.69	1.22	2.037	0.26	0.36	1.48
FEB 12,85	FEB 11,85	44.45	6.64	2.51	1.509	0.17	0.50	2.68
FEB 13,85	FEB 12,85	P 6.18	P 2.63	P 0.39	P 0.717	P 0.11	P 0.58	P 0.50
FEB 14,85	FEB 13,85	12.19	2.59	0.21	0.906	0.25	0.42	0.46
FEB 15,85	FEB 14,85	20.61	1.93	0.28	0.617	0.13	0.33	0.41
FEB 16,85	FEB 15,85	27.58	4.56	0.97	1.876	0.86	0.43	1.83
FEB 17,85	FEB 16,85	17.41	5.78	1.47	1.849	0.48	0.28	1.94
FEB 18,85	FEB 17,85	14.86	2.96	0.58	1.727	1.10	0.21	1.68
FEB 19,85	FEB 18,85	25.12	3.43	0.59	1.041	1.10	0.13	1.69
FEB 20,85	FEB 19,85	8.18	2.68	0.44	1.710	1.20	0.12	1.64
FEB 21,85	FEB 20,85	26.78	7.28	1.60	3.513	1.92	0.00	3.53
FEB 22,85	FEB 21,85	33.59	6.51	1.08	2.010	0.72	0.22	1.80
FEB 23,85	FEB 22,85	6.13	4.05	0.75	1.666	0.55	0.74	1.30
FEB 24,85	FEB 23,85	5.11	4.04	0.44	1.553	0.64	0.33	1.09
FEB 25,85	FEB 24,85	4.38	2.60	0.24	0.851	0.10	0.15	0.34
FEB 26,85	FEB 25,85	4.80	4.33	0.41	1.336	0.18	0.10	0.59
FEB 27,85	FEB 26,85	6.85	7.70	0.95	2.015	0.03	0.14	0.98
FEB 28,85	FEB 27,85	2.37	2.51	0.06	0.740	0.23	0.11	0.29
MAR 1,85	FEB 28,85	12.61	3.53	0.38	1.681	0.93	0.13	1.31
MAR 2,85	MAR 1,85	13.56	5.43	0.41	2.745	1.49	0.10	1.91
MAR 3,85	MAR 2,85	0.89	2.65	0.13	0.756	0.12	0.10	0.25
MAR 4,85	MAR 3,85	4.81	2.02	0.08	0.599	0.32	0.14	0.41
MAR 5,85	MAR 4,85	11.23	2.68	0.28	0.703	0.18	0.17	0.46
MAR 6,85	MAR 5,85	2.59	2.20	0.13	0.476	0.08	0.05	0.21
MAR 7,85	MAR 6,85	5.31	2.19	0.20	0.626	0.36	0.16	0.56
MAR 8,85	MAR 7,85	21.89	5.94	0.68	2.099	1.00	0.17	1.68
MAR 9,85	MAR 8,85	5.77	4.98	0.65	2.132	0.93	0.16	1.59
MAR 10,85	MAR 9,85	7.88	2.35	0.26	1.481	0.99	0.27	1.25
MAR 11,85	MAR 10,85	7.59	2.31	0.29	1.482	1.08	0.20	1.37
MAR 12,85	MAR 11,85	8.62	2.24	0.42	0.699	0.24	0.18	0.66
MAR 13,85	MAR 12,85	1.47	1.17	0.05	0.327	<T 0.01	0.00	0.07
MAR 14,85	MAR 13,85	6.66	2.53	0.29	1.143	0.68	0.25	0.97
MAR 15,85	MAR 14,85	4.88	2.35	0.30	0.858	0.29	0.15	0.59
MAR 16,85	MAR 15,85	1.14	1.26	U 10.11	0.545	0.44	0.15	*****
MAR 17,85	MAR 16,85	7.72	2.75	0.31	1.135	0.51	0.15	0.83
MAR 18,85	MAR 17,85	8.96	1.40	0.04	0.350	0.05	0.30	0.09
MAR 19,85	MAR 18,85	7.16	1.57	0.11	0.678	0.58	0.19	0.70
MAR 20,85	MAR 19,85	10.63	4.35	0.13	3.317	2.61	0.00	2.74
MAR 21,85	MAR 20,85	1.17	1.26	0.06	0.332	0.16	0.01	0.22

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 22,85	MAR 21,85	800	800	1	27510.0	16618	2	1	
MAR 23,85	MAR 22,85	800	800	1	27050.0	16619	2	1	
MAR 24,85	MAR 23,85	800	800	1	26570.0	16620	2	1	
MAR 25,85	MAR 24,85	800	800	1	26090.0	16621	2	1	
MAR 26,85	MAR 25,85	800	800	1	26880.0	16622	2	1	
MAR 27,85	MAR 26,85	800	800	1	27330.0	16624	2	1	
MAR 28,85	MAR 27,85	800	800	1	23340.0	16625	2	1	
MAR 29,85	MAR 28,85	800	800	1	23610.0	16626	2	1	
MAR 30,85	MAR 29,85	800	800	1	25770.0	16627	2	1	
MAR 31,85	MAR 30,85	800	800	1	27340.0	16628	2	1	
APR 1,85	MAR 31,85	800	800	1	22530.0	16629	2	1	
APR 2,85	APR 1,85	800	1147	1	29890.0	16630	2	1	
APR 3,85	APR 2,85	1156	800	1	21850.0	16632	2	1	A
APR 4,85	APR 3,85	800	800	1	21760.0	16633	2	1	A
APR 5,85	APR 4,85	800	800	1	26180.0	16634	2	1	
APR 6,85	APR 5,85	800	800	1	24410.0	16635	2	1	
APR 7,85	APR 6,85	800	800	1	27200.0	16636	2	1	
APR 8,85	APR 7,85	800	800	1	25480.0	16637	2	1	
APR 9,85	APR 8,85	800	800	1	27370.0	16638	2	1	
APR 10,85	APR 9,85	800	800	1	28160.0	16640	2	1	
APR 11,85	APR 10,85	800	800	1	25430.0	16641	2	1	
APR 12,85	APR 11,85	800	800	1	26970.0	16642	2	1	
APR 13,85	APR 12,85	800	800	1	26770.0	16643	2	1	
APR 14,85	APR 13,85	800	800	1	26840.0	16644	2	1	
APR 15,85	APR 14,85	800	800	1	25250.0	16645	2	1	
APR 16,85	APR 15,85	800	800	1	25450.0	16646	2	1	
APR 17,85	APR 16,85	800	800	1	27260.0	16648	2	1	
APR 18,85	APR 17,85	800	800	1	26820.0	16649	2	1	
APR 19,85	APR 18,85	800	800	1	25870.0	16650	2	1	
APR 20,85	APR 19,85	800	800	1	24570.0	16651	2	1	
APR 21,85	APR 20,85	800	800	1	25390.0	16652	2	1	
APR 22,85	APR 21,85	800	800	1	27150.0	16653	2	1	
APR 23,85	APR 22,85	800	800	1	25610.0	16654	2	1	
APR 24,85	APR 23,85	800	800	1	26550.0	16656	2	1	
APR 25,85	APR 24,85	800	800	1	24120.0	16657	2	1	
APR 26,85	APR 25,85	800	800	1	26120.0	16658	2	1	
APR 27,85	APR 26,85	800	800	1	26950.0	16659	2	1	
APR 28,85	APR 27,85	800	700	1	26690.0	16660	2	1	
APR 29,85	APR 28,85	700	700	1	26460.0	16661	2	1	
APR 30,85	APR 29,85	700	700	1	26580.0	16662	2	1	

5

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 22,85	MAR 21,85	5.72	1.31	0.10	0.610	0.50	0.01	0.60
MAR 23,85	MAR 22,85	11.38	3.04	0.16	1.796	1.45	0.08	1.61
MAR 24,85	MAR 23,85	7.72	2.90	0.12	2.204	1.46	0.16	1.58
MAR 25,85	MAR 24,85	2.85	1.77	0.13	0.789	0.31	0.12	0.44
MAR 26,85	MAR 25,85	0.58	1.16	0.07	0.568	0.34	0.08	0.41
MAR 27,85	MAR 26,85	11.02	4.29	0.45	2.002	1.11	0.00	1.56
MAR 28,85	MAR 27,85	4.88	7.38	0.24	3.688	1.79	0.24	2.03
MAR 29,85	MAR 28,85	7.43	3.94	0.18	1.845	0.72	0.19	0.91
MAR 30,85	MAR 29,85	5.48	4.47	0.35	1.450	0.13	0.18	0.48
MAR 31,85	MAR 30,85	1.98	1.98	0.12	0.807	0.33	0.09	0.45
APR 1,85	MAR 31,85	2.72	1.91	0.24	0.611	0.05	0.20	0.28
APR 2,85	APR 1,85	3.59	1.78	0.15	0.501	<T 0.01	0.15	0.16
APR 3,85	APR 2,85	1.85	2.02	0.28	0.617	0.17	0.14	0.45
APR 4,85	APR 3,85	1.70	1.61	0.28	0.683	0.16	0.19	0.44
APR 5,85	APR 4,85	9.39	3.10	0.35	1.571	1.00	0.20	1.35
APR 6,85	APR 5,85	4.71	2.95	0.38	0.695	0.17	0.17	0.55
APR 7,85	APR 6,85	5.85	2.32	2.38	0.771	0.05	0.15	2.43
APR 8,85	APR 7,85	4.19	2.01	0.24	0.701	<W 0.00	0.08	0.24
APR 9,85	APR 8,85	0.48	2.31	0.07	0.638	<W 0.00	0.04	0.08
APR 10,85	APR 9,85	3.03	2.95	0.14	0.781	0.14	0.00	0.28
APR 11,85	APR 10,85	5.91	5.31	0.60	1.756	0.66	0.00	1.26
APR 12,85	APR 11,85	3.42	3.68	0.43	1.148	0.49	0.11	0.92
APR 13,85	APR 12,85	31.26	6.28	0.67	3.162	1.93	0.49	2.60
APR 14,85	APR 13,85	13.26	5.00	0.34	2.409	1.52	0.15	1.86
APR 15,85	APR 14,85	21.67	9.27	1.26	2.592	0.45	0.24	1.70
APR 16,85	APR 15,85	22.91	7.47	0.89	2.391	1.01	0.27	1.91
APR 17,85	APR 16,85	P 3.20	P 2.31	P 0.10	P 0.526	P 0.33	P 0.29	P 0.43
APR 18,85	APR 17,85	P 11.63	P 2.69	P 0.24	P 0.662	P 0.30	P 0.45	P 0.54
APR 19,85	APR 18,85	P 10.02	P 13.99	P 0.74	P 2.126	P 1.45	P 0.66	P 2.19
APR 20,85	APR 19,85	P 9.23	P 11.44	P 0.68	P 4.172	P 2.08	P 0.90	P 2.76
APR 21,85	APR 20,85	P 9.19	P 9.37	P 1.45	P 7.582	P 2.95	P 0.79	P 4.40
APR 22,85	APR 21,85	P 8.94	P 15.17	P 0.01	P 6.906	P 1.38	P 0.04	P 1.39
APR 23,85	APR 22,85	P 10.75	P 14.88	P 1.16	P 4.881	P 1.77	P 0.66	P 2.93
APR 24,85	APR 23,85	24.92	G 20.68	1.65	G 5.362	2.53	0.34	4.19
APR 25,85	APR 24,85	7.94	9.71	0.89	3.156	1.21	0.01	2.11
APR 26,85	APR 25,85	4.04	2.49	0.55	0.857	0.60	0.00	1.15
APR 27,85	APR 26,85	4.62	1.64	0.49	0.533	0.34	0.00	0.83
APR 28,85	APR 27,85	2.60	1.65	0.17	0.492	0.29	0.01	0.46
APR 29,85	APR 28,85	0.96	1.14	0.11	0.326	0.10	0.00	0.20
APR 30,85	APR 29,85	6.30	3.09	0.19	0.983	0.35	0.01	0.54

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
MAY 1,85	APR 30,85	700	700	1	26940.0	16664	2	1		
MAY 2,85	MAY 1,85	700	700	1	25620.0	16665	2	1		
MAY 3,85	MAY 2,85	700	700	1	26920.0	16666	2	1		
MAY 4,85	MAY 3,85	700	700	1	23170.0	16667	2	1	Q	
MAY 5,85	MAY 4,85	700	700	1	25630.0	16668	2	1		
MAY 6,85	MAY 5,85	700	700	1	23040.0	16669	2	1		
MAY 7,85	MAY 6,85	700	700	1	23520.0	16670	2	1		
MAY 8,85	MAY 7,85	700	700	1	26070.0	16672	2	1		
MAY 9,85	MAY 8,85	700	700	1	27840.0	16673	2	1		
MAY 10,85	MAY 9,85	700	700	1	27150.0	16674	2	1		
MAY 11,85	MAY 10,85	700	700	1	26710.0	16675	2	1		
MAY 12,85	MAY 11,85	700	700	1	26180.0	16676	2	1		
MAY 13,85	MAY 12,85	700	700	1	25740.0	16677	2	1		
MAY 14,85	MAY 13,85	700	700	1	26510.0	16678	2	1		
MAY 15,85	MAY 14,85	700	700	1	27350.0	16680	2	1		
MAY 16,85	MAY 15,85	700	700	1	25200.0	16681	2	1		
MAY 17,85	MAY 16,85	700	700	1	25690.0	16682	2	1		
MAY 18,85	MAY 17,85	700	700	1	26820.0	16683	2	1		
MAY 19,85	MAY 18,85	700	700	1	27260.0	16684	2	1		
MAY 20,85	MAY 19,85	700	700	1	26460.0	16685	2	1		
MAY 21,85	MAY 20,85	700	700	1	24670.0	16686	2	1		
MAY 22,85	MAY 21,85	700	700	1	27729.0	16688	2	1		
MAY 23,85	MAY 22,85	700	700	1	27374.0	16689	2	1		
MAY 24,85	MAY 23,85	700	700	1	26522.0	16690	2	1		
MAY 25,85	MAY 24,85	700	700	1	27035.0	16691	2	1		
MAY 26,85	MAY 25,85	700	700	1	24394.0	16692	2	1		
MAY 27,85	MAY 26,85	700	700	1	25215.0	16693	2	1		
MAY 28,85	MAY 27,85	700	700	1	23869.0	16694	2	1		
MAY 29,85	MAY 28,85	700	700	1	27205.0	16696	2	1		
MAY 30,85	MAY 29,85	700	700	1	26868.0	16697	2	1		
MAY 31,85	MAY 30,85	700	700	1	24432.0	16698	2	1		
JUN 1,85	MAY 31,85	700	700	1	25720.0	16699	2	1		
JUN 2,85	JUN 1,85	700	700	1	25829.0	16700	2	1		
JUN 3,85	JUN 2,85	700	700	1	25908.0	16701	2	1		
JUN 4,85	JUN 3,85	700	700	1	26304.0	16702	2	1		
JUN 5,85	JUN 4,85	700	700	1	25690.0	16704	2	1		
JUN 6,85	JUN 5,85	700	700	1	27027.0	16705	2	1		
JUN 7,85	JUN 6,85	700	700	1	26017.0	16706	2	1		
JUN 8,85	JUN 7,85	700	700	1	27195.0	16707	2	1		
JUN 9,85	JUN 8,85	700	700	1	25225.0	16708	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 1,85	APR 30,85	8.07	6.20	0.72	0.868	1.19	0.00	1.91
MAY 2,85	MAY 1,85	3.89	1.26	0.26	0.226	0.38	0.02	0.64
MAY 3,85	MAY 2,85	1.48	1.45	0.14	0.280	0.20	0.09	0.33
MAY 4,85	MAY 3,85	0.77	2.08	0.10	0.353	0.76	0.10	0.86
MAY 5,85	MAY 4,85	6.68	5.00	0.40	1.221	0.91	0.06	1.39
MAY 6,85	MAY 5,85	3.60	9.90	0.45	2.920	0.12	0.89	0.57
MAY 7,85	MAY 6,85	6.19	7.96	0.20	3.180	1.13	0.27	1.33
MAY 8,85	MAY 7,85	5.87	3.92	0.21	1.037	0.30	0.27	0.51
MAY 9,85	MAY 8,85	7.51	3.74	0.27	1.070	1.11	0.26	1.39
MAY 10,85	MAY 9,85	15.99	8.73	0.89	2.626	1.39	0.15	2.28
MAY 11,85	MAY 10,85	19.11	14.23	1.15	3.979	1.54	0.23	2.69
MAY 12,85	MAY 11,85	7.36	14.06	1.02	3.621	0.92	0.43	1.94
MAY 13,85	MAY 12,85	3.80	8.16	0.59	2.177	0.56	0.67	1.15
MAY 14,85	MAY 13,85	2.25	1.14	0.31	0.379	0.34	0.42	0.65
MAY 15,85	MAY 14,85	31.02	3.95	0.45	0.860	0.64	0.11	1.09
MAY 16,85	MAY 15,85	8.58	8.66	0.38	3.384	1.50	0.12	1.88
MAY 17,85	MAY 16,85	3.35	6.58	0.37	1.646	1.79	0.16	2.16
MAY 18,85	MAY 17,85	1.18	2.43	0.07	0.607	0.30	0.07	0.37
MAY 19,85	MAY 18,85	0.35	0.63	0.08	0.176	0.12	0.07	0.28
MAY 20,85	MAY 19,85	5.76	4.69	0.39	2.685	0.84	0.11	1.24
MAY 21,85	MAY 20,85	2.09	3.41	0.20	1.005	0.56	0.08	0.76
MAY 22,85	MAY 21,85	0.12	0.40	0.11	0.073	0.09	0.00	0.20
MAY 23,85	MAY 22,85	3.51	2.67	0.35	0.689	0.36	0.04	0.71
MAY 24,85	MAY 23,85	2.15	2.04	0.59	0.410	0.36	0.04	0.95
MAY 25,85	MAY 24,85	3.14	3.37	0.64	0.624	0.43	0.04	1.07
MAY 26,85	MAY 25,85	2.31	5.17	0.80	1.798	1.24	0.49	2.04
MAY 27,85	MAY 26,85	2.58	7.54	0.96	2.672	0.72	0.28	1.67
MAY 28,85	MAY 27,85	1.05	3.19	0.18	1.199	0.31	0.29	0.48
MAY 29,85	MAY 28,85	1.85	1.44	0.16	0.299	0.25	0.00	0.41
MAY 30,85	MAY 29,85	4.19	1.87	0.49	0.470	0.41	0.02	0.90
MAY 31,85	MAY 30,85	4.10	16.09	0.76	4.661	0.66	0.30	1.41
JUN 1,85	MAY 31,85	3.37	5.72	0.43	1.307	0.45	0.60	0.87
JUN 2,85	JUN 1,85	2.78	3.45	0.42	1.544	0.86	0.21	1.29
JUN 3,85	JUN 2,85	1.23	1.74	0.48	0.535	0.21	0.09	0.69
JUN 4,85	JUN 3,85	0.28	0.61	0.15	0.176	0.10	0.05	0.25
JUN 5,85	JUN 4,85	1.68	1.39	0.37	0.196	0.38	0.17	0.75
JUN 6,85	JUN 5,85	2.76	3.76	0.81	0.691	0.45	0.02	1.26
JUN 7,85	JUN 6,85	1.76	2.60	0.29	0.674	0.44	0.09	0.73
JUN 8,85	JUN 7,85	11.74	11.06	0.75	2.796	1.35	0.16	2.11
JUN 9,85	JUN 8,85	7.29	18.86	1.78	U 10.890	1.37	0.33	3.15

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 10,85	JUN 9,85	700	700	1	25928.0	16709	2	1	
JUN 11,85	JUN 10,85	700	700	1	26245.0	16710	2	1	
JUN 12,85	JUN 11,85	700	700	1	26275.0	16712	2	1	
JUN 13,85	JUN 12,85	700	700	1	26354.0	16713	2	1	
JUN 14,85	JUN 13,85	700	700	1	25898.0	16714	2	1	
JUN 15,85	JUN 14,85	700	700	1	26374.0	16715	2	1	
JUN 16,85	JUN 15,85	700	700	1	24285.0	16716	2	1	
JUN 17,85	JUN 16,85	700	700	1	24314.0	16717	2	1	
JUN 18,85	JUN 17,85	700	700	1	23602.0	16718	2	1	
JUN 19,85	JUN 18,85	700	700	1	26730.0	16720	2	1	
JUN 20,85	JUN 19,85	700	700	1	24176.0	16721	2	1	
JUN 21,85	JUN 20,85	700	700	1	25235.0	16722	2	1	
JUN 22,85	JUN 21,85	700	700	1	26502.0	16723	2	1	
JUN 23,85	JUN 22,85	700	700	1	25176.0	16724	2	1	
JUN 24,85	JUN 23,85	700	700	1	26027.0	16725	2	1	
JUN 25,85	JUN 24,85	700	700	1	26869.0	16726	2	1	
JUN 26,85	JUN 25,85	700	700	1	26700.0	16728	2	1	
JUN 27,85	JUN 26,85	700	700	1	26364.0	16729	2	1	
JUN 28,85	JUN 27,85	700	700	1	27215.0	16730	2	1	
JUN 29,85	JUN 28,85	700	700	1	26730.0	16731	2	1	
JUN 30,85	JUN 29,85	700	700	1	26205.0	16732	2	1	
JUL 1,85	JUN 30,85	700	700	1	25423.0	16733	2	1	
JUL 2,85	JUL 1,85	700	700	1	24275.0	16734	2	1	
JUL 3,85	JUL 2,85	700	700	1	24413.0	16736	2	1	
JUL 4,85	JUL 3,85	700	700	1	25057.0	16737	2	1	
JUL 5,85	JUL 4,85	700	700	1	25779.0	16738	2	1	
JUL 6,85	JUL 5,85	700	700	1	24403.0	16739	2	1	
JUL 7,85	JUL 6,85	700	700	1	24928.0	16740	2	1	
JUL 8,85	JUL 7,85	700	700	1	24097.0	16741	2	1	
JUL 9,85	JUL 8,85	700	700	1	24235.0	16742	2	1	
JUL 10,85	JUL 9,85	700	700	1	25364.0	16744	2	1	
JUL 11,85	JUL 10,85	700	700	1	27383.0	16745	2	1	
JUL 12,85	JUL 11,85	700	700	1	27136.0	16746	2	1	
JUL 13,85	JUL 12,85	700	700	1	26631.0	16747	2	1	
JUL 14,85	JUL 13,85	700	700	1	26819.0	16748	2	1	
JUL 15,85	JUL 14,85	700	700	1	24225.0	16749	2	1	
JUL 16,85	JUL 15,85	700	700	1	24859.0	16750	2	1	
JUL 17,85	JUL 16,85	800	800	1	24750.0	16752	2	1	
JUL 18,85	JUL 17,85	800	800	1	25057.0	16753	2	1	
JUL 19,85	JUL 18,85	800	800	1	25136.0	16754	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 10,85	JUN 9,85	2.00	3.85	0.31	0.956	0.35	0.33	0.66
JUN 11,85	JUN 10,85	0.63	0.75	0.22	0.205	0.12	0.13	0.33
JUN 12,85	JUN 11,85	0.20	0.96	0.06	0.192	0.19	0.00	0.25
JUN 13,85	JUN 12,85	0.85	1.45	0.07	0.352	0.06	0.12	0.13
JUN 14,85	JUN 13,85	1.25	1.44	0.16	0.310	0.14	0.82	0.30
JUN 15,85	JUN 14,85	4.21	3.27	0.41	1.082	0.70	0.38	1.11
JUN 16,85	JUN 15,85	9.40	10.43	1.18	2.719	0.14	0.38	1.32
JUN 17,85	JUN 16,85	2.46	10.01	0.58	3.179	0.33	0.21	0.92
JUN 18,85	JUN 17,85	2.61	6.88	0.60	2.480	0.70	0.35	1.30
JUN 19,85	JUN 18,85	8.61	2.01	0.23	0.497	0.00	0.00	0.23
JUN 20,85	JUN 19,85	0.83	1.21	0.16	0.322	0.00	0.17	0.16
JUN 21,85	JUN 20,85	0.79	2.75	0.40	0.705	0.35	0.16	0.75
JUN 22,85	JUN 21,85	13.03	12.20	1.07	2.869	0.57	0.23	1.64
JUN 23,85	JUN 22,85	5.57	5.69	0.55	1.630	0.10	0.24	0.65
JUN 24,85	JUN 23,85	4.31	4.16	0.45	1.192	0.09	0.12	0.55
JUN 25,85	JUN 24,85	2.43	1.35	0.20	0.401	0.05	0.11	0.25
JUN 26,85	JUN 25,85	0.12	0.42	0.07	0.076	0.00	0.00	0.07
JUN 27,85	JUN 26,85	3.88	2.05	0.36	0.485	0.33	0.00	0.69
JUN 28,85	JUN 27,85	1.96	2.21	0.42	0.396	0.41	0.00	0.83
JUN 29,85	JUN 28,85	0.31	1.31	0.28	0.263	0.32	0.00	0.60
JUN 30,85	JUN 29,85	1.16	1.88	0.21	0.478	0.53	0.11	0.73
JUL 1,85	JUN 30,85	2.40	5.51	0.58	1.811	0.72	0.16	1.30
JUL 2,85	JUL 1,85	21.10	20.15	1.76	4.893	0.39	0.37	2.15
JUL 3,85	JUL 2,85	6.35	16.27	1.43	4.109	0.05	0.05	1.48
JUL 4,85	JUL 3,85	3.33	4.00	0.56	1.080	0.34	0.25	0.90
JUL 5,85	JUL 4,85	4.96	11.18	1.07	2.456	0.22	0.20	1.29
JUL 6,85	JUL 5,85	2.01	5.75	0.55	1.591	0.32	0.18	0.87
JUL 7,85	JUL 6,85	1.80	2.74	0.45	0.775	0.06	0.21	0.51
JUL 8,85	JUL 7,85	1.18	2.34	0.35	0.968	0.25	0.26	0.60
JUL 9,85	JUL 8,85	1.41	7.60	0.85	3.025	0.35	0.30	1.20
JUL 10,85	JUL 9,85	0.09	2.96	0.31	0.652	0.17	0.00	0.48
JUL 11,85	JUL 10,85	0.03	0.48	0.08	0.120	0.09	0.03	0.17
JUL 12,85	JUL 11,85	0.50	0.48	0.14	0.084	0.19	0.07	0.33
JUL 13,85	JUL 12,85	1.41	4.66	0.58	1.118	0.64	0.07	1.22
JUL 14,85	JUL 13,85	12.09	18.46	1.65	4.168	0.18	0.22	1.83
JUL 15,85	JUL 14,85	2.10	5.25	0.68	1.952	0.43	0.28	1.11
JUL 16,85	JUL 15,85	0.06	3.43	0.24	1.047	0.08	0.07	0.32
JUL 17,85	JUL 16,85	0.00	0.45	0.08	0.082	0.04	0.00	0.12
JUL 18,85	JUL 17,85	0.59	2.08	0.24	0.440	0.17	0.14	0.41
JUL 19,85	JUL 18,85	5.11	7.92	0.75	1.981	0.30	0.42	1.05

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 20,85	JUL 19,85	800	800	1	23344.0	16755	2	1	
JUL 21,85	JUL 20,85	800	800	1	24799.0	16756	2	1	
JUL 22,85	JUL 21,85	800	800	1	24334.0	16757	2	1	
JUL 23,85	JUL 22,85	800	800	1	25067.0	16758	2	1	
JUL 24,85	JUL 23,85	800	800	1	24700.0	16760	2	1	
JUL 25,85	JUL 24,85	800	800	1	25420.0	16761	2	1	
JUL 26,85	JUL 25,85	800	800	1	25070.0	16762	2	1	
JUL 27,85	JUL 26,85	800	800	1	24690.0	16763	2	1	
JUL 28,85	JUL 27,85	800	800	1	25800.0	16764	2	1	
JUL 29,85	JUL 28,85	800	800	1	25260.0	16765	2	1	
JUL 30,85	JUL 29,85	800	800	1	26590.0	16766	2	1	
JUL 31,85	JUL 30,85	800	800	1	26680.0	16768	2	1	
AUG 1,85	JUL 31,85	800	800	1	23630.0	16769	2	1	
AUG 2,85	AUG 1,85	800	800	1	25720.0	16770	2	1	
AUG 3,85	AUG 2,85	800	800	1	24940.0	16771	2	1	
AUG 4,85	AUG 3,85	800	800	1	24310.0	16772	2	1	
AUG 5,85	AUG 4,85	800	800	1	24260.0	16773	2	1	
AUG 6,85	AUG 5,85	800	800	1	23520.0	16774	2	1	
AUG 7,85	AUG 6,85	800	800	1	22572.0	16776	2	1	
AUG 8,85	AUG 7,85	800	800	1	21483.0	16777	2	1	
AUG 9,85	AUG 8,85	800	800	1	24631.0	16778	2	1	
AUG 10,85	AUG 9,85	800	800	1	24186.0	16779	2	1	
AUG 11,85	AUG 10,85	800	800	1	24265.0	16780	2	1	
AUG 12,85	AUG 11,85	800	800	1	22631.0	16781	2	1	
AUG 13,85	AUG 12,85	800	800	1	24275.0	16782	2	1	
AUG 14,85	AUG 13,85	800	800	1	23344.0	16784	2	1	
AUG 15,85	AUG 14,85	800	800	1	22720.0	16785	2	1	
AUG 16,85	AUG 15,85	800	800	1	22087.0	16786	2	1	
AUG 17,85	AUG 16,85	800	800	1	22988.0	16787	2	1	
AUG 18,85	AUG 17,85	800	800	1	22948.0	16788	2	1	
AUG 19,85	AUG 18,85	800	800	1	22542.0	16789	2	1	
AUG 20,85	AUG 19,85	800	800	1	23938.0	16790	2	1	
AUG 21,85	AUG 20,85	800	800	1	23830.0	16792	2	1	
AUG 22,85	AUG 21,85	800	800	1	23520.0	16793	2	1	
AUG 23,85	AUG 22,85	800	800	1	23220.0	16794	2	1	
AUG 24,85	AUG 23,85	800	800	1	22550.0	16795	2	1	
AUG 25,85	AUG 24,85	800	800	1	21230.0	16796	2	1	
AUG 26,85	AUG 25,85	800	800	1	22440.0	16797	2	1	
AUG 27,85	AUG 26,85	800	800	1	21580.0	16798	2	1	
AUG 28,85	AUG 27,85	800	800	1	23370.0	16800	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 20,85	JUL 19,85	6.85	17.10	1.42	4.660	0.69	0.62	2.11
JUL 21,85	JUL 20,85	0.13	2.51	0.33	0.657	0.07	0.18	0.40
JUL 22,85	JUL 21,85	2.62	4.16	0.25	1.224	0.07	0.27	0.33
JUL 23,85	JUL 22,85	0.08	0.21	0.09	0.051	<T	0.10	0.12
JUL 24,85	JUL 23,85	0.38	0.82	0.20	0.062	0.20	0.00	0.40
JUL 25,85	JUL 24,85	25.35	18.14	1.47	2.893	0.04	0.24	1.51
JUL 26,85	JUL 25,85	6.58	10.42	0.82	1.936	0.05	0.40	0.87
JUL 27,85	JUL 26,85	0.27	2.15	0.15	0.164	0.04	0.20	0.19
JUL 28,85	JUL 27,85	0.50	1.05	0.16	0.156	0.12	0.15	0.28
JUL 29,85	JUL 28,85	4.06	7.57	0.71	1.842	0.19	0.32	0.90
JUL 30,85	JUL 29,85	2.37	5.68	0.61	1.515	0.20	0.15	0.80
JUL 31,85	JUL 30,85	0.16	0.98	0.09	0.095	0.29	0.00	0.38
AUG 1,85	JUL 31,85	1.26	1.74	0.25	0.202	0.23	0.34	0.48
AUG 2,85	AUG 1,85	0.95	1.60	0.06	0.254	0.10	0.12	0.16
AUG 3,85	AUG 2,85	0.12	0.89	0.18	0.062	0.20	0.05	0.39
AUG 4,85	AUG 3,85	1.51	3.67	0.51	0.618	0.42	0.09	0.93
AUG 5,85	AUG 4,85	5.94	20.08	1.34	4.699	0.47	0.29	1.81
AUG 6,85	AUG 5,85	12.18	14.59	1.18	3.573	0.25	0.64	1.43
AUG 7,85	AUG 6,85	5.89	15.96	0.84	3.967	<T	0.45	0.84
AUG 8,85	AUG 7,85	3.09	7.92	0.90	2.143	0.14	0.43	1.04
AUG 9,85	AUG 8,85	1.94	3.86	0.36	0.905	0.23	0.21	0.59
AUG 10,85	AUG 9,85	4.37	7.37	0.80	1.790	0.54	0.21	1.34
AUG 11,85	AUG 10,85	5.65	15.17	0.94	2.845	0.04	1.16	0.99
AUG 12,85	AUG 11,85	0.94	1.77	0.09	0.620	0.08	0.27	0.17
AUG 13,85	AUG 12,85	6.14	5.15	0.55	1.351	0.41	0.29	0.97
AUG 14,85	AUG 13,85	3.65	15.69	0.78	3.773	0.17	0.12	0.96
AUG 15,85	AUG 14,85	1.21	8.20	0.66	2.270	0.08	0.34	0.74
AUG 16,85	AUG 15,85	0.55	3.54	0.33	1.033	0.05	0.26	0.38
AUG 17,85	AUG 16,85	0.32	2.49	0.27	0.514	0.18	0.07	0.45
AUG 18,85	AUG 17,85	6.40	2.02	0.27	0.679	0.29	0.16	0.56
AUG 19,85	AUG 18,85	3.35	5.07	0.64	1.445	0.44	0.21	1.08
AUG 20,85	AUG 19,85	7.33	12.96	0.80	3.011	0.08	0.32	0.87
AUG 21,85	AUG 20,85	3.58	12.22	0.77	3.056	0.41	1.83	1.18
AUG 22,85	AUG 21,85	0.07	1.03	0.07	0.152	0.12	0.02	0.19
AUG 23,85	AUG 22,85	0.06	1.77	0.12	0.208	0.24	0.07	0.36
AUG 24,85	AUG 23,85	1.70	5.24	0.33	0.946	0.56	0.20	0.89
AUG 25,85	AUG 24,85	8.40	13.81	1.06	3.253	<T	0.50	1.07
AUG 26,85	AUG 25,85	1.69	7.31	0.72	1.931	<T	0.25	0.76
AUG 27,85	AUG 26,85	2.81	4.22	0.30	1.382	0.27	0.30	0.57
AUG 28,85	AUG 27,85	0.00	0.82	0.06	0.089	0.08	0.00	0.14

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

PAGE : 13

STATION NAME : LONGWOODS/DAILY/AIR				#02					
REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 29,85	AUG 28,85	800	800	1	22910.0	16801	2	1	
AUG 30,85	AUG 29,85	800	800	1	22030.0	16802	2	1	
AUG 31,85	AUG 30,85	800	800	1	23470.0	16803	2	1	
SEP 1,85	AUG 31,85	800	800	1	23150.0	16804	2	1	
SEP 2,85	SEP 1,85	800	800	1	21800.0	16805	2	1	
SEP 3,85	SEP 2,85	800	800	1	21110.0	16806	2	1	
SEP 4,85	SEP 3,85	800	800	1	22701.0	16808	2	1	
SEP 5,85	SEP 4,85	800	800	1	21839.0	16809	2	1	
SEP 6,85	SEP 5,85	800	800	1	22839.0	16810	2	1	
SEP 7,85	SEP 6,85	800	800	1	22453.0	16811	2	1	
SEP 8,85	SEP 7,85	800	800	1	22582.0	16812	2	1	
SEP 9,85	SEP 8,85	800	800	1	22265.0	16813	2	1	
SEP 10,85	SEP 9,85	800	800	1	22027.0	16814	2	1	
SEP 11,85	SEP 10,85	800	800	1	25136.0	16816	2	1	
SEP 12,85	SEP 11,85	800	800	1	22176.0	16817	2	1	
SEP 13,85	SEP 12,85	800	800	1	22988.0	16818	2	1	
SEP 14,85	SEP 13,85	800	800	1	23730.0	16819	2	1	
SEP 15,85	SEP 14,85	800	800	1	22928.0	16820	2	1	
SEP 16,85	SEP 15,85	800	800	1	22275.0	16821	2	1	
SEP 17,85	SEP 16,85	800	800	1	23520.0	16823	2	1	
SEP 18,85	SEP 17,85	800	800	1	22130.0	16824	2	1	
SEP 19,85	SEP 18,85	800	800	1	20580.0	16825	2	1	
SEP 20,85	SEP 19,85	800	800	1	23070.0	16826	2	1	
SEP 21,85	SEP 20,85	800	800	1	22630.0	16827	2	1	
SEP 22,85	SEP 21,85	800	800	1	21980.0	16828	2	1	
SEP 23,85	SEP 22,85	800	800	1	21350.0	16829	2	1	
SEP 24,85	SEP 23,85	800	800	1	22910.0	16830	2	1	
SEP 25,85	SEP 24,85	830	800	1	23620.0	16832	2	1	
SEP 26,85	SEP 25,85	800	800	1	24620.0	16833	2	1	
SEP 27,85	SEP 26,85	800	800	1	22380.0	16834	2	1	
SEP 28,85	SEP 27,85	800	800	1	22870.0	16835	2	1	
SEP 29,85	SEP 28,85	800	800	1	22840.0	16836	2	1	
SEP 30,85	SEP 29,85	800	800	1	23320.0	16837	2	1	
OCT 1,85	SEP 30,85	800	800	1	22610.0	16838	2	1	
OCT 2,85	OCT 1,85	800	800	1	22334.0	16840	2	1	
OCT 3,85	OCT 2,85	800	800	1	21176.0	16841	2	1	
OCT 4,85	OCT 3,85	800	800	1	23730.0	16842	2	1	
OCT 5,85	OCT 4,85	800	800	1	24205.0	16843	2	1	
OCT 6,85	OCT 5,85	800	800	1	24176.0	16844	2	1	
OCT 7,85	OCT 6,85	800	800	1	24225.0	16845	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 29,85	AUG 28,85	5.91	10.05	0.67	2.131	0.38	0.27	1.06
AUG 30,85	AUG 29,85	6.25	30.33	1.14	6.222	<T 0.04	0.51	1.18
AUG 31,85	AUG 30,85	0.37	3.88	0.25	1.090	0.07	0.35	0.32
SEP 1,85	AUG 31,85	1.05	2.30	0.32	0.651	0.31	0.14	0.64
SEP 2,85	SEP 1,85	5.25	13.17	1.11	3.191	0.19	0.28	1.29
SEP 3,85	SEP 2,85	0.79	1.57	0.17	0.394	0.16	0.24	0.33
SEP 4,85	SEP 3,85	7.32	11.20	0.92	1.731	0.47	0.00	1.39
SEP 5,85	SEP 4,85	5.08	11.68	0.79	2.818	0.59	0.18	1.37
SEP 6,85	SEP 5,85	6.20	11.74	0.74	2.585	0.32	0.21	1.06
SEP 7,85	SEP 6,85	4.08	7.00	0.71	1.872	0.39	0.22	1.10
SEP 8,85	SEP 7,85	6.62	15.20	1.43	3.898	0.58	0.35	2.01
SEP 9,85	SEP 8,85	0.29	3.78	0.24	1.428	0.49	0.22	0.73
SEP 10,85	SEP 9,85	2.49	7.63	0.74	2.487	0.50	0.31	1.25
SEP 11,85	SEP 10,85	0.05	1.60	0.23	0.380	0.02	0.00	0.25
SEP 12,85	SEP 11,85	2.48	1.27	0.05	0.295	<T 0.03	0.05	0.08
SEP 13,85	SEP 12,85	1.02	1.70	0.05	0.426	<T 0.03	<T 0.00	0.08
SEP 14,85	SEP 13,85	2.37	2.07	0.06	0.497	0.05	0.13	0.11
SEP 15,85	SEP 14,85	3.01	2.97	0.10	0.591	0.12	0.04	0.22
SEP 16,85	SEP 15,85	1.12	2.57	0.20	0.563	0.19	0.04	0.39
SEP 17,85	SEP 16,85	5.79	12.17	0.97	2.681	0.07	0.00	1.03
SEP 18,85	SEP 17,85	12.51	18.89	1.82	4.104	<T 0.03	0.32	1.84
SEP 19,85	SEP 18,85	6.41	11.86	0.00	2.894	0.68	0.49	0.68
SEP 20,85	SEP 19,85	13.26	18.38	1.89	4.012	0.19	0.43	2.07
SEP 21,85	SEP 20,85	13.00	20.95	1.77	4.090	0.25	0.40	2.01
SEP 22,85	SEP 21,85	3.00	2.33	0.22	0.481	0.66	0.32	0.88
SEP 23,85	SEP 22,85	9.01	29.51	1.83	1.279	0.16	0.42	1.98
SEP 24,85	SEP 23,85	14.85	18.77	1.47	4.182	0.11	0.39	1.58
SEP 25,85	SEP 24,85	5.94	2.42	0.22	0.553	0.24	0.00	0.46
SEP 26,85	SEP 25,85	7.01	3.54	0.50	0.704	0.40	0.08	0.90
SEP 27,85	SEP 26,85	8.71	8.99	0.57	2.427	0.07	0.18	0.64
SEP 28,85	SEP 27,85	0.90	4.69	0.24	1.523	0.46	0.09	0.70
SEP 29,85	SEP 28,85	3.34	7.41	0.71	2.159	0.66	0.13	1.37
SEP 30,85	SEP 29,85	6.34	10.04	0.53	2.962	0.43	0.17	0.96
OCT 1,85	SEP 30,85	28.91	20.97	1.71	4.127	0.05	0.35	1.76
OCT 2,85	OCT 1,85	3.86	2.65	0.31	0.516	0.19	0.00	0.50
OCT 3,85	OCT 2,85	3.26	3.83	0.39	0.604	0.43	0.27	0.82
OCT 4,85	OCT 3,85	6.21	5.69	0.72	1.972	0.99	0.20	1.71
OCT 5,85	OCT 4,85	12.15	7.15	1.48	1.726	0.19	0.48	1.67
OCT 6,85	OCT 5,85	5.99	2.40	0.14	0.705	0.14	1.27	0.27
OCT 7,85	OCT 6,85	2.12	1.86	0.19	0.600	0.20	0.32	0.39

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
OCT 8,85	OCT 7,85	800	800	1	23295.0	16846	2	1	
OCT 9,85	OCT 8,85	800	800	1	23770.0	16848	2	1	
OCT 10,85	OCT 9,85	800	800	1	22948.0	16849	2	1	
OCT 11,85	OCT 10,85	800	800	1	21869.0	16850	2	1	
OCT 12,85	OCT 11,85	800	800	1	24037.0	16851	2	1	
OCT 13,85	OCT 12,85	800	800	1	21602.0	16852	2	1	
OCT 14,85	OCT 13,85	800	800	1	22433.0	16853	2	1	
OCT 15,85	OCT 14,85	800	800	1	21136.0	16854	2	1	
OCT 16,85	OCT 15,85	800	800	1	24116.0	16856	2	1	
OCT 17,85	OCT 16,85	800	800	1	22898.0	16857	2	1	
OCT 18,85	OCT 17,85	800	800	1	22295.0	16858	2	1	
OCT 19,85	OCT 18,85	800	800	1	22047.0	16859	2	1	
OCT 20,85	OCT 19,85	800	800	1	22414.0	16860	2	1	
OCT 21,85	OCT 20,85	800	800	1	23631.0	16861	2	1	
OCT 22,85	OCT 21,85	800	800	1	22928.0	16862	2	1	
OCT 23,85	OCT 22,85	800	800	1	20760.0	16864	2	1	
OCT 24,85	OCT 23,85	800	800	1	20978.0	16865	2	1	
OCT 25,85	OCT 24,85	800	800	1	23513.0	16866	2	1	
OCT 26,85	OCT 25,85	800	800	1	23374.0	16867	2	1	
OCT 27,85	OCT 26,85	800	800	1	24126.0	16868	2	1	
OCT 28,85	OCT 27,85	800	800	1	22968.0	16869	2	1	
OCT 29,85	OCT 28,85	800	800	1	23037.0	16870	2	1	
OCT 30,85	OCT 29,85	800	800	1	24592.0	16872	2	1	
OCT 31,85	OCT 30,85	800	800	1	23869.0	16873	2	1	
NOV 1,85	OCT 31,85	800	800	1	24037.0	16874	2	1	
NOV 2,85	NOV 1,85	800	800	1	24344.0	16875	2	1	
NOV 3,85	NOV 2,85	800	800	1	21651.0	16876	2	1	
NOV 4,85	NOV 3,85	800	800	1	20047.0	16877	2	1	
NOV 5,85	NOV 4,85	800	800	1	21176.0	16878	2	1	
NOV 6,85	NOV 5,85	800	800	1	22879.0	16880	2	1	
NOV 7,85	NOV 6,85	800	800	1	20582.0	16881	2	1	
NOV 8,85	NOV 7,85	800	800	1	22641.0	16882	2	1	
NOV 9,85	NOV 8,85	800	800	1	23602.0	16883	2	1	
NOV 10,85	NOV 9,85	800	800	1	20156.0	16884	2	1	
NOV 11,85	NOV 10,85	800	800	1	19968.0	16885	2	1	
NOV 12,85	NOV 11,85	800	800	1	20325.0	16886	2	1	
NOV 13,85	NOV 12,85	800	800	1	18810.0	16888	2	1	
NOV 14,85	NOV 13,85	800	800	1	21040.0	16889	2	1	
NOV 15,85	NOV 14,85	800	800	1	21610.0	16890	2	1	
NOV 16,85	NOV 15,85	800	800	1	23260.0	16891	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 8,85	OCT 7,85	15.77	5.07	0.75	1.440	0.36	0.59	1.11
OCT 9,85	OCT 8,85	P 11.16	P 5.89	P 0.46	P 1.483	P 0.38	P 3.74	P 0.84
OCT 10,85	OCT 9,85	P 11.88	P 10.50	P 0.68	P 3.857	P 1.45	P 0.83	P 2.12
OCT 11,85	OCT 10,85	P 2.52	P 2.97	P 0.26	P 0.960	P 0.31	P 0.69	P 0.57
OCT 12,85	OCT 11,85	P 1.86	P 1.50	P 0.22	P 0.510	P 0.31	P 0.67	P 0.53
OCT 13,85	OCT 12,85	P 13.22	P 8.43	P 0.35	P 3.217	P 0.88	P 0.74	P 1.23
OCT 14,85	OCT 13,85	P 1.52	P 2.14	P 0.36	P 0.925	P 0.38	P 0.67	P 0.74
OCT 15,85	OCT 14,85	P 7.70	P 4.73	P 0.41	P 3.170	P 1.69	P 0.76	P 2.10
OCT 16,85	OCT 15,85	6.23	2.04	0.42	0.561	0.14	0.44	0.56
OCT 17,85	OCT 16,85	1.02	1.27	0.05	0.318	0.13	0.07	0.18
OCT 18,85	OCT 17,85	12.65	3.73	0.61	0.966	0.46	0.25	1.07
OCT 19,85	OCT 18,85	8.26	9.21	0.75	2.995	0.83	0.25	1.58
OCT 20,85	OCT 19,85	9.04	3.13	0.18	1.072	0.15	0.29	0.33
OCT 21,85	OCT 20,85	5.30	1.32	0.10	0.372	0.14	0.19	0.24
OCT 22,85	OCT 21,85	9.16	2.97	0.53	0.939	0.48	0.24	1.01
OCT 23,85	OCT 22,85	8.83	4.97	0.63	1.688	0.39	0.00	1.01
OCT 24,85	OCT 23,85	11.42	4.15	0.72	1.146	0.20	1.81	0.92
OCT 25,85	OCT 24,85	5.84	3.54	0.52	1.256	0.24	0.00	0.76
OCT 26,85	OCT 25,85	2.28	0.90	0.25	0.504	0.69	0.00	0.93
OCT 27,85	OCT 26,85	9.63	2.41	0.65	0.944	0.57	0.00	1.23
OCT 28,85	OCT 27,85	1.54	1.01	0.20	0.295	0.14	0.00	0.34
OCT 29,85	OCT 28,85	2.88	1.05	0.08	0.295	0.28	0.00	0.36
OCT 30,85	OCT 29,85	6.04	1.93	0.16	0.378	0.56	0.26	0.72
OCT 31,85	OCT 30,85	6.54	1.49	0.17	0.420	0.73	0.05	0.90
NOV 1,85	OCT 31,85	11.83	2.60	0.41	0.958	0.93	0.00	1.34
NOV 2,85	NOV 1,85	14.23	2.69	0.38	0.607	0.50	0.01	0.88
NOV 3,85	NOV 2,85	3.49	1.97	0.19	0.845	0.29	0.15	0.48
NOV 4,85	NOV 3,85	5.19	0.78	0.15	0.376	0.06	0.21	0.21
NOV 5,85	NOV 4,85	2.41	0.50	0.11	0.498	0.16	1.05	0.27
NOV 6,85	NOV 5,85	0.00	1.32	0.03	0.570	0.18	0.00	0.21
NOV 7,85	NOV 6,85	5.83	7.68	0.54	2.164	0.09	0.06	0.63
NOV 8,85	NOV 7,85	8.00	1.95	0.16	1.062	0.52	0.05	0.68
NOV 9,85	NOV 8,85	6.91	2.72	0.24	1.463	1.01	0.05	1.25
NOV 10,85	NOV 9,85	3.36	2.69	0.21	1.403	0.68	0.11	0.89
NOV 11,85	NOV 10,85	1.35	1.66	0.11	0.828	0.33	0.06	0.44
NOV 12,85	NOV 11,85	2.62	3.94	0.39	1.146	0.47	0.00	0.86
NOV 13,85	NOV 12,85	8.01	5.43	0.74	1.664	0.15	0.03	0.89
NOV 14,85	NOV 13,85	3.15	3.57	0.39	1.131	0.23	0.21	0.62
NOV 15,85	NOV 14,85	2.56	2.46	0.27	0.846	0.20	0.07	0.46
NOV 16,85	NOV 15,85	3.95	2.46	0.15	0.733	0.38	0.11	0.53

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 17,85	NOV 16,85	800	800	1	20940.0	16892	2	1	
NOV 18,85	NOV 17,85	800	800	1	20870.0	16893	2	1	
NOV 19,85	NOV 18,85	800	800	1	20870.0	16895	2	1	
NOV 20,85	NOV 19,85	800	800	1	21910.0	16896	2	1	
NOV 21,85	NOV 20,85	800	800	1	23200.0	16897	2	1	
NOV 22,85	NOV 21,85	800	800	1	23400.0	16898	2	1	
NOV 23,85	NOV 22,85	800	800	1	21580.0	16899	2	1	
NOV 24,85	NOV 23,85	800	800	1	21440.0	16900	2	1	
NOV 25,85	NOV 24,85	800	800	1	22280.0	16901	2	1	
NOV 26,85	NOV 25,85	800	800	1	23080.0	16902	2	1	
NOV 27,85	NOV 26,85	920	800	1	18315.0	16904	2	1	
NOV 28,85	NOV 27,85	800	800	1	20829.0	16905	2	1	
NOV 29,85	NOV 28,85	800	800	1	20255.0	16906	2	1	
NOV 30,85	NOV 29,85	800	800	1	21889.0	16907	2	1	
DEC 1,85	NOV 30,85	800	800	1	17731.0	16908	2	1	
DEC 2,85	DEC 1,85	800	800	1	20741.0	16909	2	1	
DEC 3,85	DEC 2,85	800	800	1	22760.0	16910	2	1	
DEC 4,85	DEC 3,85	800	800	1	22028.0	16912	2	1	
DEC 5,85	DEC 4,85	800	800	1	22295.0	16913	2	1	
DEC 6,85	DEC 5,85	800	800	1	20681.0	16914	2	1	
DEC 7,85	DEC 6,85	800	800	1	21889.0	16915	2	1	
DEC 8,85	DEC 7,85	800	800	1	22334.0	16916	2	1	
DEC 9,85	DEC 8,85	800	800	1	18761.0	16917	2	1	
DEC 10,85	DEC 9,85	800	800	1	19226.0	16918	2	1	
DEC 11,85	DEC 10,85	800	800	1	18760.0	16920	2	1	
DEC 12,85	DEC 11,85	800	800	1	18959.0	16921	2	1	
DEC 13,85	DEC 12,85	800	800	1	21849.0	16922	2	1	
DEC 14,85	DEC 13,85	800	800	1	23166.0	16923	2	1	
DEC 15,85	DEC 14,85	800	800	1	22790.0	16924	2	1	
DEC 16,85	DEC 15,85	800	800	1	22513.0	16925	2	1	
DEC 17,85	DEC 16,85	800	800	1	22622.0	16926	2	1	
DEC 18,85	DEC 17,85	800	800	1	23285.0	16928	2	1	
DEC 19,85	DEC 18,85	800	800	1	22117.0	16929	2	1	
DEC 20,85	DEC 19,85	800	800	1	21008.0	16930	2	1	
DEC 21,85	DEC 20,85	800	800	1	21552.0	16931	2	1	
DEC 22,85	DEC 21,85	800	800	1	22829.0	16932	2	1	
DEC 23,85	DEC 22,85	800	800	1	20196.0	16933	2	1	
DEC 24,85	DEC 23,85	800	800	1	20077.0	16934	2	1	
DEC 25,85	DEC 24,85	800	800	1	22760.0	16936	2	1	
DEC 26,85	DEC 25,85	800	800	1	22661.0	16937	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 18

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 17,85	NOV 16,85	4.82	3.40	0.37	1.017	0.18	0.12	0.55
NOV 18,85	NOV 17,85	3.40	5.66	0.68	2.530	1.14	0.12	1.82
NOV 19,85	NOV 18,85	52.53	7.01	0.92	1.937	0.23	0.00	1.16
NOV 20,85	NOV 19,85	6.65	3.30	0.41	1.115	0.23	0.44	0.64
NOV 21,85	NOV 20,85	7.22	2.55	0.25	1.139	0.40	0.08	0.65
NOV 22,85	NOV 21,85	2.40	3.43	0.13	1.151	0.61	0.00	0.74
NOV 23,85	NOV 22,85	19.67	5.29	0.74	2.001	0.43	0.08	1.18
NOV 24,85	NOV 23,85	30.69	6.87	0.76	3.472	1.56	0.13	2.31
NOV 25,85	NOV 24,85	3.23	4.23	0.06	1.882	0.76	0.12	0.81
NOV 26,85	NOV 25,85	7.24	2.31	0.13	1.113	0.70	0.12	0.83
NOV 27,85	NOV 26,85	6.35	3.56	0.06	1.511	0.60	0.00	0.66
NOV 28,85	NOV 27,85	1.64	2.12	0.11	0.832	0.51	0.49	0.63
NOV 29,85	NOV 28,85	3.02	7.07	0.85	1.645	0.79	0.36	1.63
NOV 30,85	NOV 29,85	5.50	7.09	1.03	2.093	0.74	0.29	1.77
DEC 1,85	NOV 30,85	5.82	8.41	0.29	3.120	1.49	0.58	1.78
DEC 2,85	DEC 1,85	9.36	3.43	0.42	0.751	0.23	0.50	0.64
DEC 3,85	DEC 2,85	1.46	1.24	0.00	0.256	0.07	0.58	0.07
DEC 4,85	DEC 3,85	1.71	3.60	0.00	0.524	0.77	0.23	0.77
DEC 5,85	DEC 4,85	28.72	6.56	0.18	2.446	1.90	0.00	2.09
DEC 6,85	DEC 5,85	0.78	8.67	0.30	4.063	2.38	0.59	2.67
DEC 7,85	DEC 6,85	47.30	9.24	0.54	3.988	2.21	0.28	2.75
DEC 8,85	DEC 7,85	26.03	G 13.09	1.99	4.020	0.79	0.00	2.78
DEC 9,85	DEC 8,85	33.21	G 13.55	1.28	G 5.279	1.61	0.38	2.89
DEC 10,85	DEC 9,85	11.50	8.34	1.81	3.318	2.61	0.06	4.42
DEC 11,85	DEC 10,85	17.20	8.65	1.90	2.774	0.06	0.68	1.96
DEC 12,85	DEC 11,85	6.14	4.81	0.26	2.692	1.47	0.72	1.73
DEC 13,85	DEC 12,85	23.50	5.09	1.07	1.684	0.62	0.35	1.69
DEC 14,85	DEC 13,85	3.74	3.60	0.49	1.232	0.60	0.16	1.09
DEC 15,85	DEC 14,85	24.61	3.57	0.46	0.923	0.57	0.16	1.03
DEC 16,85	DEC 15,85	32.90	3.88	0.69	1.545	0.76	0.17	1.44
DEC 17,85	DEC 16,85	21.65	3.19	0.62	1.118	0.37	0.43	0.98
DEC 18,85	DEC 17,85	20.88	3.83	1.01	0.883	0.26	0.00	1.27
DEC 19,85	DEC 18,85	17.21	3.99	0.37	0.953	0.78	0.09	1.16
DEC 20,85	DEC 19,85	59.90	7.30	0.43	2.300	1.70	0.00	2.13
DEC 21,85	DEC 20,85	30.78	6.51	1.85	2.126	1.02	0.00	2.87
DEC 22,85	DEC 21,85	30.15	5.36	1.35	1.624	0.66	0.00	2.01
DEC 23,85	DEC 22,85	39.03	7.89	1.33	2.207	<T 0.04	0.00	1.36
DEC 24,85	DEC 23,85	10.84	4.45	0.97	1.323	0.06	0.10	1.04
DEC 25,85	DEC 24,85	6.78	2.30	0.19	0.683	0.20	0.00	0.39
DEC 26,85	DEC 25,85	24.43	3.98	0.49	1.370	0.52	0.36	1.01

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR #02 PAGE : 19

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 27,85	DEC 26,85	800	800	1	20453.0	16938	2	1	
DEC 28,85	DEC 27,85	800	800	1	22275.0	16939	2	1	
DEC 29,85	DEC 28,85	800	800	1	22127.0	16940	2	1	
DEC 30,85	DEC 29,85	800	800	1	21374.0	16941	2	1	
DEC 31,85	DEC 30,85	800	800	1	21265.0	16942	2	1	
JAN 1,86	DEC 31,85	800	800	1	21681.0	16944	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 20

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
DEC 27,85	DEC 26,85	13.51	3.19	0.50	0.833	0.15	0.15	0.65
DEC 28,85	DEC 27,85	22.64	2.57	0.44	0.843	0.33	0.41	0.76
DEC 29,85	DEC 28,85	46.14	2.81	0.58	1.120	0.83	0.19	1.40
DEC 30,85	DEC 29,85	22.10	4.18	0.68	1.744	1.01	0.29	1.69
DEC 31,85	DEC 30,85	15.60	3.45	0.93	1.224	0.72	0.24	1.65
JAN 1,86	DEC 31,85	P 29.70	P 4.47	P 0.59	P 1.545	P 0.47	P 0.28	P 1.06

PART IV

CENTRAL REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 2,85	JAN 1,85	800	800	1	26536.0	26926	2	1	
JAN 3,85	JAN 2,85	800	800	1	27464.0	26927	2	1	
JAN 4,85	JAN 3,85	800	800	1	26854.0	26928	2	1	
JAN 5,85	JAN 4,85	900	800	1	25318.0	26938	2	1	
JAN 6,85	JAN 5,85	800	800	1	25991.0	26939	2	1	
JAN 7,85	JAN 6,85	800	800	1	27791.0	26940	2	1	
JAN 8,85	JAN 7,85	800	800	1	26809.0	26941	2	1	
JAN 9,85	JAN 8,85	800	800	1	28327.0	26947	2	1	
JAN 10,85	JAN 9,85	800	800	1	25091.0	26948	2	1	
JAN 11,85	JAN 10,85	800	800	1	24773.0	26949	2	1	
JAN 12,85	JAN 11,85	800	800	1	24709.0	26950	2	1	
JAN 13,85	JAN 12,85	800	800	1	22564.0	26951	2	1	
JAN 14,85	JAN 13,85	800	800	1	24445.0	26952	2	1	
JAN 15,85	JAN 14,85	800	800	1	25973.0	26953	2	1	
JAN 16,85	JAN 15,85	800	800	1	28264.0	26963	2	1	
JAN 17,85	JAN 16,85	800	800	1	24545.0	26964	2	1	
JAN 18,85	JAN 17,85	800	800	1	23700.0	26965	2	1	
JAN 19,85	JAN 18,85	800	800	1	23464.0	26966	2	1	
JAN 20,85	JAN 19,85	800	800	1	26736.0	26967	2	1	
JAN 21,85	JAN 20,85	800	800	1	27682.0	26968	2	1	
JAN 22,85	JAN 21,85	800	800	1	25173.0	26969	2	1	
JAN 23,85	JAN 22,85	800	800	1	26900.0	26979	2	1	
JAN 24,85	JAN 23,85	800	800	1	24791.0	26980	2	1	
JAN 25,85	JAN 24,85	800	800	1	24154.0	26981	2	1	
JAN 26,85	JAN 25,85	800	800	1	26954.0	26982	2	1	
JAN 27,85	JAN 26,85	800	800	1	27764.0	26983	2	1	
JAN 28,85	JAN 27,85	800	800	1	26054.0	26984	2	1	
JAN 29,85	JAN 28,85	800	800	1	26718.0	26985	2	1	
JAN 30,85	JAN 29,85	800	800	1	28409.0	26994	2	1	
JAN 31,85	JAN 30,85	800	800	1	25391.0	26995	2	1	
FEB 1,85	JAN 31,85	800	800	1	25073.0	26996	2	1	
FEB 2,85	FEB 1,85	800	800	1	27954.0	26997	2	1	
FEB 3,85	FEB 2,85	800	800	1	28309.0	26998	2	1	
FEB 4,85	FEB 3,85	800	800	1	26554.0	26999	2	1	
FEB 5,85	FEB 4,85	800	800	1	25445.0	27000	2	1	
FEB 6,85	FEB 5,85	800	800	1	26491.0	44008	2	1	
FEB 7,85	FEB 6,85	800	800	1	26527.0	44009	2	1	
FEB 8,85	FEB 7,85	800	800	1	27700.0	44010	2	1	
FEB 9,85	FEB 8,85	800	800	1	27582.0	44011	2	1	
FEB 10,85	FEB 9,85	800	800	1	27773.0	44012	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 2,85	JAN 1,85	1.37	1.02	0.06	0.132	<W	0.06	0.06
JAN 3,85	JAN 2,85	0.85	0.66	0.10	0.128	<W	0.17	0.10
JAN 4,85	JAN 3,85	0.90	1.87	0.23	0.429	<W	0.10	0.24
JAN 5,85	JAN 4,85	9.46	1.98	0.29	0.526	<W	0.00	0.29
JAN 6,85	JAN 5,85	7.85	1.40	<T 0.03	0.174	<W	0.14	0.03
JAN 7,85	JAN 6,85	1.91	0.62	0.05	0.123	<W	0.03	0.05
JAN 8,85	JAN 7,85	<T 0.19	0.83	0.11	0.118	<T 0.03	<T 0.03	0.14
JAN 9,85	JAN 8,85	5.03	1.28	0.03	0.137	<T 0.02	0.11	0.05
JAN 10,85	JAN 9,85	8.37	1.24	0.07	0.230	<W	0.17	0.08
JAN 11,85	JAN 10,85	3.86	1.82	0.11	0.374	<W	0.21	0.11
JAN 12,85	JAN 11,85	9.51	1.06	0.10	0.173	<W	0.17	0.10
JAN 13,85	JAN 12,85	3.06	1.11	0.08	0.127	<W	0.18	0.08
JAN 14,85	JAN 13,85	7.43	1.56	0.56	1.050	0.26	0.21	0.81
JAN 15,85	JAN 14,85	5.05	2.43	0.25	0.680	0.08	0.16	0.33
JAN 16,85	JAN 15,85	1.50	2.16	0.05	0.314	0.07	0.11	0.12
JAN 17,85	JAN 16,85	9.15	2.49	0.22	0.423	<W	0.45	0.22
JAN 18,85	JAN 17,85	5.55	3.13	0.22	0.670	<W	0.34	0.22
JAN 19,85	JAN 18,85	8.28	6.10	0.81	1.699	0.05	0.26	0.87
JAN 20,85	JAN 19,85	11.90	2.77	0.49	0.575	<W	0.11	0.49
JAN 21,85	JAN 20,85	8.91	1.67	0.10	0.190	<W	0.07	0.10
JAN 22,85	JAN 21,85	21.09	1.40	0.05	0.114	<W	0.16	0.05
JAN 23,85	JAN 22,85	6.72	1.16	0.08	0.101	<W	0.03	0.08
JAN 24,85	JAN 23,85	6.86	1.38	0.07	0.253	<W	0.35	0.07
JAN 25,85	JAN 24,85	1.47	2.61	0.58	0.740	<W	0.20	0.58
JAN 26,85	JAN 25,85	18.92	3.27	0.28	0.426	<W	0.10	0.28
JAN 27,85	JAN 26,85	6.82	3.07	0.39	0.532	<W	0.17	0.39
JAN 28,85	JAN 27,85	25.95	5.99	1.29	1.580	<W	0.45	1.29
JAN 29,85	JAN 28,85	4.74	4.16	0.32	0.590	<W	0.14	0.33
JAN 30,85	JAN 29,85	10.90	2.15	0.07	0.233	<T 0.02	0.07	0.09
JAN 31,85	JAN 30,85	8.32	3.08	0.43	0.409	<W	0.12	0.43
FEB 1,85	JAN 31,85	9.58	3.87	0.65	0.689	<W	0.24	0.65
FEB 2,85	FEB 1,85	8.43	1.61	0.13	0.189	<W	0.07	0.13
FEB 3,85	FEB 2,85	4.46	1.98	0.13	0.377	0.04	0.11	0.16
FEB 4,85	FEB 3,85	4.23	2.79	0.60	0.688	<W	0.11	0.60
FEB 5,85	FEB 4,85	0.77	2.09	0.25	0.427	<W	0.08	0.25
FEB 6,85	FEB 5,85	5.60	2.19	0.15	0.255	<W	0.06	0.15
FEB 7,85	FEB 6,85	3.68	2.23	0.12	0.289	<W	0.13	0.13
FEB 8,85	FEB 7,85	20.42	1.48	0.06	0.154	<W	0.13	0.07
FEB 9,85	FEB 8,85	1.57	0.98	<T 0.03	0.129	<W	0.17	0.03
FEB 10,85	FEB 9,85	0.65	0.73	<T 0.03	0.087	0.10	0.09	0.13

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 11,85	FEB 10,85	800	800	1	26064.0	44013	2	1	
FEB 12,85	FEB 11,85	800	800	1	27800.0	44014	2	1	Q
FEB 13,85	FEB 12,85	800	800	1	22782.0	44024	2	1	Q
FEB 14,85	FEB 13,85	800	800	1	23464.0	44025	2	1	
FEB 15,85	FEB 14,85	800	800	1	25036.0	44026	2	1	
FEB 16,85	FEB 15,85	800	800	1	25182.0	44027	2	1	
FEB 17,85	FEB 16,85	800	800	1	27673.0	44028	2	1	
FEB 18,85	FEB 17,85	800	800	1	25645.0	44029	2	1	
FEB 19,85	FEB 18,85	800	800	1	26709.0	44030	2	1	
FEB 20,85	FEB 19,85	800	800	1	27813.0	44040	2	1	
FEB 21,85	FEB 20,85	800	800	1	26673.0	44041	2	1	
FEB 22,85	FEB 21,85	800	800	1	25729.0	44042	2	1	
FEB 23,85	FEB 22,85	800	800	1	24392.0	44043	2	1	
FEB 24,85	FEB 23,85	800	800	1	24533.0	44044	2	1	
FEB 25,85	FEB 24,85	800	800	1	25262.0	44045	2	1	
FEB 26,85	FEB 25,85	800	800	1	28224.0	44046	2	1	
FEB 27,85	FEB 26,85	800	800	1	26934.0	44056	2	1	
FEB 28,85	FEB 27,85	800	800	1	28551.0	44057	2	1	Q
MAR 1,85	FEB 28,85	800	800	1	27121.0	44058	2	1	
MAR 2,85	MAR 1,85	800	800	1	26290.0	44059	2	1	
MAR 3,85	MAR 2,85	800	800	1	28645.0	44060	2	1	
MAR 4,85	MAR 3,85	800	800	1	29019.0	44061	2	1	
MAR 5,85	MAR 4,85	800	800	1	27748.0	44062	2	1	
MAR 6,85	MAR 5,85	800	800	1	28729.0	44072	2	1	
MAR 7,85	MAR 6,85	800	800	1	26402.0	44073	2	1	
MAR 8,85	MAR 7,85	800	800	1	24121.0	44074	2	1	
MAR 9,85	MAR 8,85	800	800	1	24402.0	44075	2	1	
MAR 10,85	MAR 9,85	800	800	1	26075.0	44076	2	1	
MAR 11,85	MAR 10,85	800	800	1	26318.0	44077	2	1	
MAR 12,85	MAR 11,85	800	800	1	25290.0	44078	2	1	
MAR 13,85	MAR 12,85	800	800	1	26056.0	44088	2	1	
MAR 14,85	MAR 13,85	800	800	1	25701.0	44089	2	1	
MAR 15,85	MAR 14,85	800	800	1	26168.0	44090	2	1	
MAR 16,85	MAR 15,85	800	800	1	27280.0	44091	2	1	
MAR 17,85	MAR 16,85	800	800	1	25664.0	44092	2	1	
MAR 18,85	MAR 17,85	800	800	1	27467.0	44093	2	1	
MAR 19,85	MAR 18,85	800	800	1	26897.0	44094	2	1	
MAR 20,85	MAR 19,85	800	800	1	25009.0	44104	2	1	
MAR 21,85	MAR 20,85	800	800	1	26906.0	44105	2	1	
MAR 22,85	MAR 21,85	800	800	1	26664.0	44106	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 11,85	FEB 10,85	5.54	1.54	0.14	0.213	0.09	0.18	0.22
FEB 12,85	FEB 11,85	*****	0.98	0.39	0.239	0.10	0.24	0.49
FEB 13,85	FEB 12,85	3.52	0.53	0.37	0.395	<W 0.00	0.25	0.37
FEB 14,85	FEB 13,85	12.53	3.50	0.41	0.407	<W 0.00	0.37	0.42
FEB 15,85	FEB 14,85	1.75	1.16	0.08	0.250	<W 0.00	0.15	0.08
FEB 16,85	FEB 15,85	5.40	1.52	0.09	0.229	<W 0.00	0.23	0.09
FEB 17,85	FEB 16,85	22.91	5.46	1.19	1.252	<W 0.00	0.21	1.19
FEB 18,85	FEB 17,85	1.43	3.24	0.32	0.575	<W 0.00	0.14	0.32
FEB 19,85	FEB 18,85	9.06	2.89	0.78	0.706	<W 0.00	0.21	0.79
FEB 20,85	FEB 19,85	22.18	3.13	0.34	0.388	<W 0.00	0.03	0.34
FEB 21,85	FEB 20,85	5.38	4.99	0.92	2.004	0.65	0.06	1.56
FEB 22,85	FEB 21,85	39.96	7.00	1.36	1.835	0.29	1.74	1.65
FEB 23,85	FEB 22,85	2.34	3.29	0.58	0.346	<W 0.00	0.23	0.58
FEB 24,85	FEB 23,85	2.61	0.94	0.10	0.079	<W 0.00	0.48	0.10
FEB 25,85	FEB 24,85	2.88	1.03	0.07	0.081	<W 0.00	0.38	0.07
FEB 26,85	FEB 25,85	4.23	3.30	0.31	0.476	<T 0.02	0.17	0.33
FEB 27,85	FEB 26,85	11.00	7.65	1.12	1.587	<W 0.00	0.00	1.12
FEB 28,85	FEB 27,85	6.04	1.93	0.13	0.223	<W 0.00	0.12	0.13
MAR 1,85	FEB 28,85	5.65	3.25	0.68	1.405	0.77	0.27	1.44
MAR 2,85	MAR 1,85	10.19	2.78	0.63	1.545	0.84	0.21	1.47
MAR 3,85	MAR 2,85	2.10	1.99	0.11	0.205	<W 0.00	0.05	0.11
MAR 4,85	MAR 3,85	1.23	1.52	0.07	0.154	<W 0.00	0.12	0.07
MAR 5,85	MAR 4,85	2.31	1.77	0.16	0.310	<T 0.01	0.05	0.17
MAR 6,85	MAR 5,85	4.43	1.99	0.15	0.265	<W 0.00	0.00	0.15
MAR 7,85	MAR 6,85	5.52	1.60	0.20	0.207	<W 0.00	0.08	0.20
MAR 8,85	MAR 7,85	26.55	3.07	0.71	0.803	0.21	0.13	0.92
MAR 9,85	MAR 8,85	12.79	0.58	0.72	0.637	<W 0.00	1.28	0.73
MAR 10,85	MAR 9,85	4.04	1.23	0.14	0.501	<W 0.00	0.35	0.14
MAR 11,85	MAR 10,85	3.52	1.18	0.39	0.925	0.44	0.65	0.83
MAR 12,85	MAR 11,85	8.45	2.97	0.45	1.307	0.42	0.20	0.87
MAR 13,85	MAR 12,85	1.47	1.39	0.10	0.130	<W 0.00	0.00	0.10
MAR 14,85	MAR 13,85	10.32	1.83	0.19	0.239	<W 0.00	0.00	0.19
MAR 15,85	MAR 14,85	2.46	1.50	0.09	0.168	<W 0.00	0.00	0.09
MAR 16,85	MAR 15,85	3.38	1.14	0.02	0.110	<W 0.00	0.00	0.02
MAR 17,85	MAR 16,85	7.57	2.46	0.41	0.746	0.15	0.00	0.56
MAR 18,85	MAR 17,85	2.96	0.95	0.05	0.105	<T 0.03	0.00	0.08
MAR 19,85	MAR 18,85	2.59	1.19	0.08	0.269	0.13	0.36	0.22
MAR 20,85	MAR 19,85	11.90	4.28	0.52	1.942	1.27	0.00	1.79
MAR 21,85	MAR 20,85	3.11	1.01	0.07	0.235	<T 0.03	<T 0.00	0.10
MAR 22,85	MAR 21,85	0.29	0.57	0.05	0.181	<W 0.00	0.00	0.05

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 23,85	MAR 22,85	800	800	1	26533.0	44107	2	1	
MAR 24,85	MAR 23,85	800	800	1	27047.0	44108	2	1	
MAR 25,85	MAR 24,85	800	800	1	27009.0	44109	2	1	
MAR 26,85	MAR 25,85	800	800	1	27308.0	44110	2	1	
MAR 27,85	MAR 26,85	800	800	1	27009.0	44120	2	1	
MAR 28,85	MAR 27,85	800	800	1	22056.0	44121	2	1	
MAR 29,85	MAR 28,85	800	800	1	21392.0	44122	2	1	
MAR 30,85	MAR 29,85	800	800	1	25327.0	44123	2	1	
MAR 31,85	MAR 30,85	800	800	1	27411.0	44124	2	1	
APR 1,85	MAR 31,85	800	1000	1	26514.0	44125	2	1	
APR 2,85	APR 1,85	1000	920	1	25794.0	44126	2	1	
APR 3,85	APR 2,85	920	800	1	24953.0	44136	2	1	
APR 4,85	APR 3,85	800	800	1	21972.0	44137	2	1	
APR 5,85	APR 4,85	800	1130	1	24617.0	44138	2	1	
APR 6,85	APR 5,85	1130	1130	1	23168.0	44139	2	1	
APR 7,85	APR 6,85	1130	1130	1	26860.0	44140	2	1	
APR 8,85	APR 7,85	1130	1130	1	27000.0	44141	2	1	
APR 9,85	APR 8,85	1130	830	1	24748.0	44142	2	1	
APR 10,85	APR 9,85	830	800	1	27290.0	44152	2	1	
APR 11,85	APR 10,85	800	800	1	22420.0	44153	2	1	
APR 12,85	APR 11,85	800	800	1	26037.0	44154	2	1	
APR 13,85	APR 12,85	800	800	1	26505.0	44155	2	1	
APR 14,85	APR 13,85	800	800	1	27196.0	44156	2	1	
APR 15,85	APR 14,85	800	800	1	25654.0	44157	2	1	
APR 16,85	APR 15,85	800	800	1	23495.0	44158	2	1	
APR 17,85	APR 16,85	800	800	1	27448.0	44166	2	1	
APR 18,85	APR 17,85	800	800	1	26458.0	44167	2	1	
APR 19,85	APR 18,85	800	800	1	22336.0	44168	2	1	
APR 20,85	APR 19,85	800	800	1	24514.0	44169	2	1	
APR 21,85	APR 20,85	800	800	1	26178.0	44170	2	1	
APR 22,85	APR 21,85	800	800	1	25355.0	44171	2	1	
APR 23,85	APR 22,85	800	800	1	26271.0	44172	2	1	
APR 24,85	APR 23,85	800	800	1	27103.0	44180	2	1	
APR 25,85	APR 24,85	800	800	1	25514.0	44181	2	1	
APR 26,85	APR 25,85	800	800	1	24579.0	44182	2	1	
APR 27,85	APR 26,85	800	800	1	27140.0	44183	2	1	
APR 28,85	APR 27,85	800	800	1	26458.0	44184	2	1	
APR 29,85	APR 28,85	800	730	1	25860.0	44185	2	1	
APR 30,85	APR 29,85	830	800	1	26234.0	44186	2	1	
MAY 1,85	APR 30,85	800	800	1	26692.0	44194	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 23,85	MAR 22,85	1.00	0.91	0.11	0.289	<T	0.03	0.14
MAR 24,85	MAR 23,85	2.63	1.26	0.08	0.265	<W	0.00	0.09
MAR 25,85	MAR 24,85	0.23	0.67	0.05	0.145	<W	0.00	0.05
MAR 26,85	MAR 25,85	4.95	1.32	0.05	0.177	<W	0.00	0.05
MAR 27,85	MAR 26,85	10.60	3.26	0.70	1.338		0.86	1.57
MAR 28,85	MAR 27,85	5.65	7.03	0.75	2.341		0.60	1.35
MAR 29,85	MAR 28,85	1.18	3.65	0.12	0.661	<W	0.00	0.12
MAR 30,85	MAR 29,85	4.29	2.81	0.13	0.237	<W	0.00	0.13
MAR 31,85	MAR 30,85	1.41	0.95	0.05	0.115	<W	0.00	0.05
APR 1,85	MAR 31,85	1.05	1.44	0.20	0.307	<W	0.00	0.20
APR 2,85	APR 1,85	11.85	2.25	0.16	0.242	<W	0.00	0.16
APR 3,85	APR 2,85	1.94	1.89	0.17	0.182	<W	0.00	0.17
APR 4,85	APR 3,85	4.97	3.15	0.21	0.423	<W	0.00	0.21
APR 5,85	APR 4,85	1.76	2.48	0.10	0.322	<W	0.00	0.10
APR 6,85	APR 5,85	2.32	2.64	0.34	0.638	<W	0.00	0.34
APR 7,85	APR 6,85	0.72	1.68	0.04	0.240	<W	0.00	0.04
APR 8,85	APR 7,85	1.60	0.26	<W 0.00	0.007	<T	0.02	0.02
APR 9,85	APR 8,85	1.18	1.70	0.03	0.260	<T	0.00	0.03
APR 10,85	APR 9,85	1.33	0.48	0.07	0.357	<W	0.00	0.07
APR 11,85	APR 10,85	3.07	2.33	0.41	1.861		0.36	0.77
APR 12,85	APR 11,85	0.50	0.62	0.14	0.489	<W	0.00	0.14
APR 13,85	APR 12,85	2.58	2.76	0.16	0.546	<W	0.00	0.16
APR 14,85	APR 13,85	1.06	2.43	0.28	0.505	<T	0.02	0.30
APR 15,85	APR 14,85	6.31	G 10.02	1.14	2.406	<T	0.02	1.16
APR 16,85	APR 15,85	3.27	4.56	0.64	1.297	<T	0.02	0.66
APR 17,85	APR 16,85	5.18	3.07	0.28	0.679	<W	0.00	0.28
APR 18,85	APR 17,85	0.89	2.12	0.13	0.517		0.05	0.18
APR 19,85	APR 18,85	2.80	4.30	0.41	1.110	<W	0.00	0.41
APR 20,85	APR 19,85	3.19	8.04	0.24	1.776	<W	0.00	0.24
APR 21,85	APR 20,85	1.12	5.97	0.19	1.377	<W	0.00	0.19
APR 22,85	APR 21,85	1.60	8.96	0.63	2.259		0.07	0.70
APR 23,85	APR 22,85	1.82	G 9.64	0.49	2.418		0.06	0.55
APR 24,85	APR 23,85	3.32	G 9.60	0.71	2.151		0.09	0.81
APR 25,85	APR 24,85	4.64	G 11.96	0.99	G 2.686		0.05	1.04
APR 26,85	APR 25,85	1.10	2.81	0.37	0.795	<T	0.01	0.38
APR 27,85	APR 26,85	3.06	1.18	0.13	0.287	<T	0.01	0.14
APR 28,85	APR 27,85	1.27	1.06	0.05	0.158	<T	0.01	0.06
APR 29,85	APR 28,85	4.68	2.21	0.07	0.229	<W	0.00	0.07
APR 30,85	APR 29,85	5.53	0.65	0.09	0.306	<T	0.01	0.10
MAY 1,85	APR 30,85	3.43	3.94	0.82	0.844		0.19	1.00

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAY 2,85	MAY 1,85	800	800	1	26318.0	44195	2	1	
MAY 3,85	MAY 2,85	800	800	1	26944.0	44196	2	1	
MAY 4,85	MAY 3,85	800	800	1	27159.0	44197	2	1	
MAY 5,85	MAY 4,85	800	800	1	24850.0	44198	2	1	
MAY 6,85	MAY 5,85	800	800	1	23159.0	44199	2	1	
MAY 7,85	MAY 6,85	800	800	1	24505.0	44200	2	1	
MAY 8,85	MAY 7,85	800	800	1	26738.0	44201	2	1	
MAY 9,85	MAY 8,85	900	800	1	26533.0	44212	2	1	
MAY 10,85	MAY 9,85	800	800	1	27495.0	44213	2	1	
MAY 11,85	MAY 10,85	800	800	1	25720.0	44214	2	1	
MAY 12,85	MAY 11,85	800	800	1	26981.0	44215	2	1	
MAY 13,85	MAY 12,85	800	800	1	26542.0	44216	2	1	
MAY 14,85	MAY 13,85	800	800	1	26794.0	44217	2	1	
MAY 15,85	MAY 14,85	800	800	1	27346.0	44223	2	1	
MAY 16,85	MAY 15,85	800	800	1	26084.0	44224	2	1	
MAY 17,85	MAY 16,85	800	800	1	26374.0	44225	2	1	
MAY 18,85	MAY 17,85	800	800	1	25925.0	44226	2	1	
MAY 19,85	MAY 18,85	800	800	1	27626.0	44227	2	1	
MAY 20,85	MAY 19,85	800	800	1	25607.0	44228	2	1	
MAY 21,85	MAY 20,85	800	800	1	24766.0	44229	2	1	
MAY 22,85	MAY 21,85	800	800	1	26486.0	44237	2	1	
MAY 23,85	MAY 22,85	800	800	1	26673.0	44238	2	1	
MAY 24,85	MAY 23,85	800	800	1	26439.0	44239	2	1	
MAY 25,85	MAY 24,85	800	800	1	27682.0	44240	2	1	
MAY 26,85	MAY 25,85	800	800	1	26318.0	44241	2	1	
MAY 27,85	MAY 26,85	800	800	1	25019.0	44242	2	1	
MAY 28,85	MAY 27,85	800	800	1	28860.0	44243	2	1	
MAY 29,85	MAY 28,85	800	800	1	26906.0	44252	2	1	
MAY 30,85	MAY 29,85	800	800	1	26271.0	44253	2	1	
MAY 31,85	MAY 30,85	800	800	1	24701.0	44254	2	1	
JUN 1,85	MAY 31,85	800	800	1	23224.0	44255	2	1	
JUN 2,85	JUN 1,85	800	800	1	22150.0	44256	2	1	
JUN 3,85	JUN 2,85	800	800	1	24243.0	44257	2	1	
JUN 4,85	JUN 3,85	800	800	1	23776.0	44258	2	1	
JUN 5,85	JUN 4,85	800	800	1	23813.0	44266	2	1	
JUN 6,85	JUN 5,85	800	800	1	26930.0	44267	2	1	
JUN 7,85	JUN 6,85	800	800	1	24234.0	44268	2	1	
JUN 8,85	JUN 7,85	800	800	1	25019.0	44269	2	1	
JUN 9,85	JUN 8,85	800	800	1	22972.0	44270	2	1	
JUN 10,85	JUN 9,85	800	800	1	23897.0	44271	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 2,85	MAY 1,85	1.15	0.95	0.04	0.277	<W	0.00	0.04
MAY 3,85	MAY 2,85	1.57	1.12	0.07	0.311	<W	0.00	0.07
MAY 4,85	MAY 3,85	0.01	0.52	0.03	0.161	<W	0.00	0.03
MAY 5,85	MAY 4,85	1.51	1.05	0.29	0.826		0.08	0.37
MAY 6,85	MAY 5,85	0.77	1.60	0.41	1.001		0.11	0.52
MAY 7,85	MAY 6,85	0.20	0.70	0.08	0.389	<W	0.00	0.08
MAY 8,85	MAY 7,85	2.15	<W 0.00	0.07	0.263	<W	0.00	0.07
MAY 9,85	MAY 8,85	0.26	1.02	0.03	0.378	<W	0.00	0.03
MAY 10,85	MAY 9,85	9.00	8.84	1.06	1.629	8	0.52	1.58
MAY 11,85	MAY 10,85	4.23	11.86	0.62	2.908		0.11	0.73
MAY 12,85	MAY 11,85	13.03	14.35	1.06	3.328		0.20	1.25
MAY 13,85	MAY 12,85	15.20	14.59	1.21	3.571		0.11	1.32
MAY 14,85	MAY 13,85	0.18	0.94	0.14	0.207	<T	0.02	0.16
MAY 15,85	MAY 14,85	0.52	2.71	0.13	0.586		0.04	0.17
MAY 16,85	MAY 15,85	2.75	9.51	0.73	2.388		0.05	0.78
MAY 17,85	MAY 16,85	1.56	6.00	0.96	1.366		0.03	0.99
MAY 18,85	MAY 17,85	0.04	0.55	0.05	0.088		0.01	0.06
MAY 19,85	MAY 18,85	0.01	1.34	0.03	0.146		0.01	0.04
MAY 20,85	MAY 19,85	0.87	2.35	0.09	0.597		0.10	0.19
MAY 21,85	MAY 20,85	0.10	2.02	0.18	0.607		0.02	0.20
MAY 22,85	MAY 21,85	1.53	1.63	0.01	0.305	<T	0.00	0.02
MAY 23,85	MAY 22,85	1.02	1.24	0.04	0.340	<T	0.03	0.07
MAY 24,85	MAY 23,85	0.61	1.56	0.07	0.532	<T	0.02	0.09
MAY 25,85	MAY 24,85	2.60	3.04	0.16	0.888		0.08	0.24
MAY 26,85	MAY 25,85	0.72	1.41	0.09	0.278	<T	0.02	0.11
MAY 27,85	MAY 26,85	0.45	2.12	0.14	0.393	<T	0.01	0.15
MAY 28,85	MAY 27,85	*****	2.12	*****	*****	<T	0.01	*****
MAY 29,85	MAY 28,85	0.01	0.34	0.00	0.057	<T	0.00	0.00
MAY 30,85	MAY 29,85	0.04	0.58	0.04	0.135		0.05	0.09
MAY 31,85	MAY 30,85	8.35	17.17	0.97	4.040	<T	0.01	0.98
JUN 1,85	MAY 31,85	2.00	6.47	0.38	1.390	<T	0.02	0.41
JUN 2,85	JUN 1,85	0.17	2.13	0.05	0.430	<T	0.01	0.07
JUN 3,85	JUN 2,85	0.16	0.83	0.08	0.218	<T	0.02	0.10
JUN 4,85	JUN 3,85	2.18	0.97	0.05	0.180	<W	0.00	0.05
JUN 5,85	JUN 4,85	0.66	1.48	0.03	0.358	<T	0.01	0.04
JUN 6,85	JUN 5,85	1.19	2.57	0.18	0.586		0.04	0.22
JUN 7,85	JUN 6,85	0.22	1.86	0.06	0.352	<T	0.03	0.09
JUN 8,85	JUN 7,85	1.22	1.80	0.21	0.451		0.10	0.32
JUN 9,85	JUN 8,85	4.21	10.45	0.73	2.613		0.10	0.83
JUN 10,85	JUN 9,85	1.27	4.90	0.33	1.037		0.21	0.54

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 11,85	JUN 10,85	800	800	1	24589.0	44272	2	1	
JUN 12,85	JUN 11,85	800	800	1	*****	44282	2	1	CA
JUN 13,85	JUN 12,85	800	800	1	24304.0	44283	2	1	
JUN 14,85	JUN 13,85	800	800	1	24411.0	44284	2	1	
JUN 15,85	JUN 14,85	800	800	1	23268.0	44285	2	1	
JUN 16,85	JUN 15,85	800	800	1	23330.0	44286	2	1	
JUN 17,85	JUN 16,85	800	800	1	21009.0	44287	2	1	
JUN 18,85	JUN 17,85	800	800	1	22455.0	44288	2	1	
JUN 19,85	JUN 18,85	800	800	1	22098.0	44298	2	1	
JUN 20,85	JUN 19,85	800	800	1	23054.0	44299	2	1	
JUN 21,85	JUN 20,85	800	800	1	22964.0	44300	2	1	
JUN 22,85	JUN 21,85	800	800	1	24536.0	44301	2	1	
JUN 23,85	JUN 22,85	800	1230	1	22375.0	44302	2	1	B
JUN 24,85	JUN 23,85	1230	1230	1	23420.0	44303	2	1	Q
JUN 25,85	JUN 24,85	1230	1130	1	22214.0	44304	2	1	Q
JUN 26,85	JUN 25,85	1130	800	1	19795.0	44315	2	1	Q
JUN 27,85	JUN 26,85	800	800	1	23902.0	44316	2	1	
JUN 28,85	JUN 27,85	800	800	1	24277.0	44317	2	1	
JUN 29,85	JUN 28,85	800	800	1	24384.0	44318	2	1	
JUN 30,85	JUN 29,85	800	800	1	23232.0	44319	2	1	
JUL 1,85	JUN 30,85	800	800	1	23232.0	44320	2	1	
JUL 2,85	JUL 1,85	800	800	1	24036.0	44321	2	1	
JUL 3,85	JUL 2,85	800	800	1	22089.0	44331	2	1	
JUL 4,85	JUL 3,85	800	800	1	23536.0	44332	2	1	
JUL 5,85	JUL 4,85	800	800	1	23777.0	44333	2	1	
JUL 6,85	JUL 5,85	800	800	1	23071.0	44334	2	1	
JUL 7,85	JUL 6,85	800	800	1	21482.0	44335	2	1	
JUL 8,85	JUL 7,85	800	800	1	22080.0	44336	2	1	
JUL 9,85	JUL 8,85	800	800	1	23009.0	44337	2	1	
JUL 10,85	JUL 9,85	800	800	1	25152.0	44347	2	1	
JUL 11,85	JUL 10,85	800	800	1	24446.0	44348	2	1	
JUL 12,85	JUL 11,85	800	800	1	24214.0	44349	2	1	
JUL 13,85	JUL 12,85	800	800	1	23580.0	44350	2	1	
JUL 14,85	JUL 13,85	800	900	1	23428.0	44351	2	1	
JUL 15,85	JUL 14,85	900	900	1	22259.0	44352	2	1	
JUL 16,85	JUL 15,85	900	800	1	20982.0	44353	2	1	
JUL 17,85	JUL 16,85	800	800	1	22661.0	44363	2	1	
JUL 18,85	JUL 17,85	800	800	1	23330.0	44364	2	1	
JUL 19,85	JUL 18,85	800	800	1	23330.0	44365	2	1	Q
JUL 20,85	JUL 19,85	800	800	1	23839.0	44366	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 10

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 11,85	JUN 10,85	<T	0.03	0.58	0.03	0.134	<T 0.02	<T 0.03	0.06
JUN 12,85	JUN 11,85	*****	*****	*****	*****	*****	*****	*****	*****
JUN 13,85	JUN 12,85		2.04	2.06	0.04	0.392	<T 0.01	0.14	0.05
JUN 14,85	JUN 13,85		1.96	1.03	0.02	0.237	<T 0.01	0.22	0.03
JUN 15,85	JUN 14,85		7.76	3.62	0.03	0.453	<T 0.01	0.15	0.04
JUN 16,85	JUN 15,85		2.55	6.78	0.33	1.866	0.13	0.15	0.46
JUN 17,85	JUN 16,85		0.36	6.72	0.08	1.561	<T 0.01	0.16	0.10
JUN 18,85	JUN 17,85		0.40	6.86	0.29	1.393	<T 0.01	0.24	0.30
JUN 19,85	JUN 18,85		0.01	1.68	0.07	0.420	<T 0.00	0.00	0.07
JUN 20,85	JUN 19,85		0.12	1.09	0.03	0.284	<T 0.01	0.09	0.04
JUN 21,85	JUN 20,85		0.39	1.27	0.05	0.339	<T 0.00	0.05	0.06
JUN 22,85	JUN 21,85		2.35	3.27	0.31	0.857	0.13	0.09	0.44
JUN 23,85	JUN 22,85		2.19	4.48	0.33	1.219	0.06	0.19	0.39
JUN 24,85	JUN 23,85		0.24	1.24	0.13	0.332	0.05	0.09	0.17
JUN 25,85	JUN 24,85		0.09	0.46	0.03	0.103	<T 0.01	0.05	0.05
JUN 26,85	JUN 25,85		0.00	0.36	0.00	0.103	0.00	0.00	0.00
JUN 27,85	JUN 26,85		0.01	0.34	0.00	0.085	0.03	0.00	0.03
JUN 28,85	JUN 27,85		0.01	0.83	0.03	0.218	0.03	0.00	0.06
JUN 29,85	JUN 28,85		0.54	0.83	0.04	0.237	0.03	0.00	0.07
JUN 30,85	JUN 29,85		0.01	0.78	0.05	0.228	0.01	0.00	0.06
JUL 1,85	JUN 30,85		0.01	1.34	0.18	0.443	0.02	0.00	0.20
JUL 2,85	JUL 1,85		1.84	7.87	0.51	1.957	0.06	0.31	0.58
JUL 3,85	JUL 2,85		1.93	11.23	0.64	2.412	0.00	0.43	0.64
JUL 4,85	JUL 3,85		0.05	1.41	0.10	0.182	0.01	0.06	0.12
JUL 5,85	JUL 4,85		2.55	6.44	0.39	1.642	0.02	0.27	0.42
JUL 6,85	JUL 5,85		3.29	13.23	0.71	2.808	0.00	0.37	0.71
JUL 7,85	JUL 6,85		2.00	3.17	0.31	U 7.322	0.00	0.25	0.31
JUL 8,85	JUL 7,85		0.48	0.64	0.07	0.183	0.00	0.16	0.08
JUL 9,85	JUL 8,85		0.05	0.75	0.09	0.110	0.00	0.06	0.10
JUL 10,85	JUL 9,85		0.00	2.11	0.15	0.588	<T 0.00	0.00	0.15
JUL 11,85	JUL 10,85		0.96	0.37	0.04	0.114	<T 0.01	0.08	0.05
JUL 12,85	JUL 11,85		0.37	0.38	0.02	0.115	<T 0.01	0.04	0.03
JUL 13,85	JUL 12,85		0.60	1.49	0.26	0.468	0.09	0.88	0.35
JUL 14,85	JUL 13,85		3.68	9.82	1.02	2.178	<T 0.02	0.25	1.04
JUL 15,85	JUL 14,85		0.13	14.83	0.41	3.214	<T 0.00	0.17	0.41
JUL 16,85	JUL 15,85		0.26	3.96	0.17	1.181	<T 0.02	0.37	0.19
JUL 17,85	JUL 16,85		0.01	0.54	0.03	0.156	<T 0.00	0.00	0.03
JUL 18,85	JUL 17,85		0.04	0.31	0.04	<T 0.034	<T 0.02	0.04	0.07
JUL 19,85	JUL 18,85		1.62	1.59	0.34	0.312	0.14	0.17	0.48
JUL 20,85	JUL 19,85		3.81	25.13	0.72	2.508	<T 0.02	0.41	0.75

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

808

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 21,85	JUL 20,85	800	800	1	23125.0	44367	2	1	
JUL 22,85	JUL 21,85	800	800	1	24134.0	44368	2	1	
JUL 23,85	JUL 22,85	800	800	1	23357.0	44369	2	1	
JUL 24,85	JUL 23,85	800	800	1	23152.0	44379	2	1	
JUL 25,85	JUL 24,85	800	800	1	25178.0	44380	2	1	
JUL 26,85	JUL 25,85	800	800	1	24286.0	44381	2	1	
JUL 27,85	JUL 26,85	800	800	1	23759.0	44382	2	1	Q
JUL 28,85	JUL 27,85	800	800	1	23143.0	44383	2	1	
JUL 29,85	JUL 28,85	800	800	1	22902.0	44384	2	1	
JUL 30,85	JUL 29,85	800	800	1	23125.0	44385	2	1	
JUL 31,85	JUL 30,85	800	800	1	22830.0	44395	2	1	
AUG 1,85	JUL 31,85	800	800	1	23786.0	44396	2	1	
AUG 2,85	AUG 1,85	800	800	1	24446.0	44397	2	1	
AUG 3,85	AUG 2,85	800	800	1	24473.0	44398	2	1	
AUG 4,85	AUG 3,85	800	800	1	23214.0	44399	2	1	
AUG 5,85	AUG 4,85	800	800	1	23330.0	44400	2	1	
AUG 6,85	AUG 5,85	800	800	1	24384.0	44401	2	1	
AUG 7,85	AUG 6,85	800	800	1	22286.0	44411	2	1	D
AUG 8,85	AUG 7,85	800	800	1	22759.0	44412	2	1	
AUG 9,85	AUG 8,85	800	800	1	23232.0	44413	2	1	
AUG 10,85	AUG 9,85	800	800	1	23607.0	44414	2	1	
AUG 11,85	AUG 10,85	800	800	1	22420.0	44415	2	1	
AUG 12,85	AUG 11,85	800	800	1	23241.0	44416	2	1	
AUG 13,85	AUG 12,85	800	800	1	24170.0	44417	2	1	
AUG 14,85	AUG 13,85	800	800	1	22152.0	44427	2	1	
AUG 15,85	AUG 14,85	800	800	1	23527.0	44428	2	1	
AUG 16,85	AUG 15,85	800	800	1	22688.0	44429	2	1	
AUG 17,85	AUG 16,85	800	800	1	23634.0	44430	2	1	
AUG 18,85	AUG 17,85	800	800	1	22259.0	44431	2	1	
AUG 19,85	AUG 18,85	800	830	1	21902.0	44432	2	1	B
AUG 20,85	AUG 19,85	830	800	1	22420.0	44433	2	1	
AUG 21,85	AUG 20,85	800	800	1	22268.0	44443	2	1	
AUG 22,85	AUG 21,85	800	800	1	23455.0	44444	2	1	
AUG 23,85	AUG 22,85	800	800	1	22768.0	44445	2	1	
AUG 24,85	AUG 23,85	800	800	1	23670.0	44446	2	1	
AUG 25,85	AUG 24,85	800	800	1	22098.0	44447	2	1	
AUG 26,85	AUG 25,85	800	800	1	22366.0	44448	2	1	
AUG 27,85	AUG 26,85	800	800	1	21384.0	44449	2	1	
AUG 28,85	AUG 27,85	800	800	1	21607.0	44459	2	1	
AUG 29,85	AUG 28,85	800	800	1	24000.0	44460	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 21,85	JUL 20,85	0.09	0.44	0.08	0.099	<T	0.01	0.09
JUL 22,85	JUL 21,85	0.67	0.96	0.23	0.229		0.04	0.27
JUL 23,85	JUL 22,85	0.12	0.22	0.02	<T	0.034	<T	0.01
JUL 24,85	JUL 23,85	0.00	0.31	0.02	0.035	<T	0.00	0.03
JUL 25,85	JUL 24,85	5.78	9.46	0.76	1.125		0.06	0.82
JUL 26,85	JUL 25,85	6.73	13.10	0.89	2.340		0.05	0.93
JUL 27,85	JUL 26,85	0.03	<T	0.13	0.03	<T	0.024	<T
JUL 28,85	JUL 27,85	0.03	0.31	0.04	0.079	<T	0.02	0.03
JUL 29,85	JUL 28,85	0.99	5.68	0.25	0.604		0.07	0.16
JUL 30,85	JUL 29,85	0.72	4.81	0.27	0.468		0.03	0.16
JUL 31,85	JUL 30,85	0.00	<T	0.09	0.02	<T	0.023	<T
AUG 1,85	JUL 31,85	0.40	3.28	0.22	0.937		0.06	0.14
AUG 2,85	AUG 1,85	0.07	<T	0.17	0.03	<T	0.053	<T
AUG 3,85	AUG 2,85	0.05	<T	0.17	0.03	<T	0.053	<T
AUG 4,85	AUG 3,85	0.18	0.74	0.22	0.109	<T	0.02	0.06
AUG 5,85	AUG 4,85	0.05	0.22	0.03	<T	0.034	<T	0.00
AUG 6,85	AUG 5,85	21.74	20.47	1.52	2.636	<T	0.01	0.42
AUG 7,85	AUG 6,85	10.44	11.99	1.16	2.537	<T	0.00	0.56
AUG 8,85	AUG 7,85	1.62	8.35	0.43	2.111	<T	0.00	0.37
AUG 9,85	AUG 8,85	2.38	1.25	0.08	0.271	<T	0.01	0.19
AUG 10,85	AUG 9,85	0.05	0.81	0.08	0.266	<T	0.03	0.06
AUG 11,85	AUG 10,85	3.74	11.16	0.77	1.797	<T	0.01	0.38
AUG 12,85	AUG 11,85	0.43	0.91	0.06	0.184	<T	0.01	0.23
AUG 13,85	AUG 12,85	0.46	0.79	0.06	0.239	<T	0.02	0.06
AUG 14,85	AUG 13,85	0.63	5.38	0.31	1.243	<T	0.00	0.17
AUG 15,85	AUG 14,85	0.83	3.45	0.25	0.660	<T	0.00	0.21
AUG 16,85	AUG 15,85	1.36	2.78	0.06	0.674	<T	0.00	0.43
AUG 17,85	AUG 16,85	0.74	1.23	0.08	0.266	<T	0.00	0.21
AUG 18,85	AUG 17,85	0.40	3.11	0.25	0.956	<T	0.02	0.17
AUG 19,85	AUG 18,85	1.55	5.90	0.29	1.006	<T	0.00	0.45
AUG 20,85	AUG 19,85	0.04	0.63	0.08	0.057	<T	0.00	0.04
AUG 21,85	AUG 20,85	1.58	1.94	0.04	0.114	<T	0.00	0.33
AUG 22,85	AUG 21,85	P	P	P	P	P	P	P
AUG 23,85	AUG 22,85	0.23	0.49	0.05	0.078	<T	0.02	0.32
AUG 24,85	AUG 23,85	1.71	4.40	0.08	0.614	<T	0.02	0.27
AUG 25,85	AUG 24,85	2.03	8.92	0.24	1.552	<T	0.01	0.38
AUG 26,85	AUG 25,85	0.08	2.87	0.08	0.728	<T	0.21	0.10
AUG 27,85	AUG 26,85	6.35	6.74	0.19	0.656	<T	0.03	0.25
AUG 28,85	AUG 27,85	0.00	0.56	0.04	0.071	<T	0.00	0.00
AUG 29,85	AUG 28,85	1.48	4.34	0.08	0.960	<T	0.20	0.08

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 30,85	AUG 29,85	800	800	1	21283.0	44461	2	1	
AUG 31,85	AUG 30,85	800	800	1	23161.0	44462	2	1	
SEP 1,85	AUG 31,85	800	800	1	22830.0	44463	2	1	
SEP 2,85	SEP 1,85	800	800	1	21804.0	44464	2	1	
SEP 3,85	SEP 2,85	800	800	1	23250.0	44465	2	1	
SEP 4,85	SEP 3,85	800	800	1	23420.0	44475	2	1	Q
SEP 5,85	SEP 4,85	800	800	1	22071.0	44476	2	1	
SEP 6,85	SEP 5,85	800	800	1	22580.0	44477	2	1	
SEP 7,85	SEP 6,85	800	800	1	20428.0	44478	2	1	Q
SEP 8,85	SEP 7,85	800	800	1	21946.0	44479	2	1	
SEP 9,85	SEP 8,85	800	800	1	23223.0	44480	2	1	
SEP 10,85	SEP 9,85	800	800	1	23000.0	44481	2	1	
SEP 11,85	SEP 10,85	800	800	1	22455.0	44491	2	1	
SEP 12,85	SEP 11,85	800	800	1	24125.0	44492	2	1	
SEP 13,85	SEP 12,85	800	800	1	24536.0	44493	2	1	
SEP 14,85	SEP 13,85	800	800	1	23786.0	44494	2	1	
SEP 15,85	SEP 14,85	800	800	1	22741.0	44495	2	1	
SEP 16,85	SEP 15,85	800	800	1	22750.0	44496	2	1	
SEP 17,85	SEP 16,85	800	800	1	23089.0	44497	2	1	
SEP 18,85	SEP 17,85	800	800	1	22643.0	44508	2	1	D
SEP 19,85	SEP 18,85	800	800	1	22250.0	44509	2	1	Q
SEP 20,85	SEP 19,85	800	800	1	23545.0	44510	2	1	D
SEP 21,85	SEP 20,85	800	800	1	24732.0	44511	2	1	
SEP 22,85	SEP 21,85	800	800	1	23607.0	44512	2	1	
SEP 23,85	SEP 22,85	800	800	1	22875.0	44513	2	1	
SEP 24,85	SEP 23,85	800	800	1	22777.0	44514	2	1	
SEP 25,85	SEP 24,85	800	800	1	22071.0	44524	2	1	
SEP 26,85	SEP 25,85	800	800	1	23178.0	44525	2	1	
SEP 27,85	SEP 26,85	800	800	1	22920.0	44526	2	1	
SEP 28,85	SEP 27,85	800	800	1	22812.0	44527	2	1	
SEP 29,85	SEP 28,85	800	800	1	22009.0	44528	2	1	
SEP 30,85	SEP 29,85	800	800	1	23152.0	44529	2	1	
OCT 1,85	SEP 30,85	800	800	1	22420.0	44530	2	1	
OCT 2,85	OCT 1,85	800	800	1	22589.0	44540	2	1	
OCT 3,85	OCT 2,85	800	800	1	22473.0	44541	2	1	
OCT 4,85	OCT 3,85	800	800	1	23509.0	44542	2	1	
OCT 5,85	OCT 4,85	800	800	1	23893.0	44543	2	1	
OCT 6,85	OCT 5,85	800	800	1	22732.0	44544	2	1	
OCT 7,85	OCT 6,85	800	800	1	22768.0	44545	2	1	
OCT 8,85	OCT 7,85	800	800	1	22920.0	44546	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3	
AUG 30,85	AUG 29,85	2.32	7.20	0.16	1.282	<T	0.00	0.50	0.16
AUG 31,85	AUG 30,85	0.06	1.00	0.11	0.228	<T	0.00	0.07	0.11
SEP 1,85	AUG 31,85	0.03	0.62	0.08	0.177		0.03	<T	0.10
SEP 2,85	SEP 1,85	0.52	4.64	0.32	1.366	<T	0.02		0.34
SEP 3,85	SEP 2,85	0.33	2.50	0.10	0.496	<T	0.02		0.11
SEP 4,85	SEP 3,85	1.40	6.28	0.36	1.389	<T	0.00		0.36
SEP 5,85	SEP 4,85	0.06	2.27	0.13	0.647	<T	0.02	<T	0.16
SEP 6,85	SEP 5,85	0.03	1.29	0.06	0.422	<T	0.02	<T	0.09
SEP 7,85	SEP 6,85	0.03	1.33	0.10	0.406	<T	0.04	<T	0.13
SEP 8,85	SEP 7,85	0.09	8.71	0.37	2.177	<T	0.02		0.40
SEP 9,85	SEP 8,85	0.23	5.09	0.08	1.067	<T	0.02		0.11
SEP 10,85	SEP 9,85	0.03	0.35	0.04	0.132	<T	0.03	<T	0.08
SEP 11,85	SEP 10,85	0.21	0.85	0.03	0.202	<T	0.01		0.05
SEP 12,85	SEP 11,85	1.38	1.13	0.06	0.209	<T	0.01		0.08
SEP 13,85	SEP 12,85	1.44	1.39	<T	0.205	<T	0.01	<T	0.01
SEP 14,85	SEP 13,85	0.50	0.97	<T	0.222	<W	0.00		0.00
SEP 15,85	SEP 14,85	4.40	1.68	<T	0.090	<T	0.01	<T	0.03
SEP 16,85	SEP 15,85	<T	0.00	0.08	0.672	<T	0.01	<T	0.09
SEP 17,85	SEP 16,85	1.73	8.19	0.48	0.814		0.11		0.59
SEP 18,85	SEP 17,85	10.09	22.53	1.24	3.148	<T	0.00		1.25
SEP 19,85	SEP 18,85	3.59	11.74	0.65	2.327	<T	0.01		0.66
SEP 20,85	SEP 19,85	3.18	13.51	0.70	1.987		0.12		0.82
SEP 21,85	SEP 20,85	7.68	11.85	0.66	2.791		0.06		0.73
SEP 22,85	SEP 21,85	0.08	0.39	0.03	0.033	<T	0.03		0.06
SEP 23,85	SEP 22,85	3.37	13.08	0.50	2.712		0.09		0.59
SEP 24,85	SEP 23,85	7.07	18.88	1.01	2.043	<T	0.03		1.04
SEP 25,85	SEP 24,85	0.02	0.60	0.00	0.104	<T	0.02		0.02
SEP 26,85	SEP 25,85	0.06	0.44	0.05	0.152		0.06		0.10
SEP 27,85	SEP 26,85	2.68	6.51	0.35	0.951		0.07		0.42
SEP 28,85	SEP 27,85	2.63	6.36	0.08	0.451		0.05		0.13
SEP 29,85	SEP 28,85	1.00	5.82	0.29	1.387		0.10		0.39
SEP 30,85	SEP 29,85	3.43	10.55	0.40	2.258		0.23		0.63
OCT 1,85	SEP 30,85	6.96	13.61	0.90	2.890		0.11		1.01
OCT 2,85	OCT 1,85	0.12	1.87	0.11	0.488	<T	0.00		0.12
OCT 3,85	OCT 2,85	0.21	1.52	0.06	0.369	<T	0.01		0.07
OCT 4,85	OCT 3,85	0.28	3.41	0.30	0.789		0.04		0.34
OCT 5,85	OCT 4,85	2.03	5.32	0.48	1.132	<T	0.02		0.51
OCT 6,85	OCT 5,85	6.68	1.24	0.08	0.221	<T	0.01		0.09
OCT 7,85	OCT 6,85	2.93	0.45	<T	0.024	<T	0.01	<T	0.04
OCT 8,85	OCT 7,85	2.99	2.14	0.34	0.503		0.10		0.44

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
OCT 9,85	OCT 8,85	800	800	1	23259.0	44556	2	1	
OCT 10,85	OCT 9,85	800	800	1	21482.0	44557	2	1	
OCT 11,85	OCT 10,85	800	800	1	22670.0	44558	2	1	
OCT 12,85	OCT 11,85	800	800	1	23054.0	44559	2	1	
OCT 13,85	OCT 12,85	800	800	1	22089.0	44560	2	1	
OCT 14,85	OCT 13,85	800	800	1	23688.0	44561	2	1	
OCT 15,85	OCT 14,85	800	800	1	23027.0	44562	2	1	
OCT 16,85	OCT 15,85	800	800	1	22902.0	44572	2	1	
OCT 17,85	OCT 16,85	800	800	1	24589.0	44573	2	1	
OCT 18,85	OCT 17,85	800	800	1	25402.0	44574	2	1	
OCT 19,85	OCT 18,85	800	800	1	22330.0	44575	2	1	
OCT 20,85	OCT 19,85	800	800	1	23661.0	44576	2	1	
OCT 21,85	OCT 20,85	800	800	1	23152.0	44577	2	1	
OCT 22,85	OCT 21,85	800	800	1	23884.0	44578	2	1	
OCT 23,85	OCT 22,85	800	800	1	22750.0	44588	2	1	
OCT 24,85	OCT 23,85	800	800	1	23250.0	44589	2	1	
OCT 25,85	OCT 24,85	800	800	1	23732.0	44590	2	1	
OCT 26,85	OCT 25,85	800	800	1	24500.0	44591	2	1	
OCT 27,85	OCT 26,85	800	800	1	23607.0	44592	2	1	
OCT 28,85	OCT 27,85	800	800	1	24571.0	44593	2	1	
OCT 29,85	OCT 28,85	800	800	1	24643.0	44594	2	1	
OCT 30,85	OCT 29,85	800	800	1	23821.0	44604	2	1	
OCT 31,85	OCT 30,85	800	800	1	21348.0	44605	2	1	
NOV 1,85	OCT 31,85	800	800	1	25205.0	44606	2	1	
NOV 2,85	NOV 1,85	800	800	1	25330.0	44607	2	1	
NOV 3,85	NOV 2,85	800	800	1	23634.0	44608	2	1	
NOV 4,85	NOV 3,85	800	800	1	21973.0	44609	2	1	
NOV 5,85	NOV 4,85	800	800	1	21482.0	44610	2	1	
NOV 6,85	NOV 5,85	800	800	1	22893.0	44620	2	1	
NOV 7,85	NOV 6,85	800	800	1	21241.0	44621	2	1	
NOV 8,85	NOV 7,85	800	800	1	23044.0	44622	2	1	
NOV 9,85	NOV 8,85	800	800	1	24616.0	44623	2	1	
NOV 10,85	NOV 9,85	800	800	1	22339.0	44624	2	1	
NOV 11,85	NOV 10,85	800	800	1	23545.0	44625	2	1	
NOV 12,85	NOV 11,85	800	800	1	24482.0	44626	2	1	
NOV 13,85	NOV 12,85	800	800	1	21027.0	44636	2	1	
NOV 14,85	NOV 13,85	800	800	1	23580.0	44637	2	1	
NOV 15,85	NOV 14,85	800	800	1	23411.0	44638	2	1	
NOV 16,85	NOV 15,85	800	800	1	24982.0	44639	2	1	
NOV 17,85	NOV 16,85	800	800	1	22750.0	44640	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 9,85	OCT 8,85	10.52	5.55	0.69	1.324	0.11	0.02	0.80
OCT 10,85	OCT 9,85	0.86	5.31	0.35	0.747	<T 0.00	0.16	0.36
OCT 11,85	OCT 10,85	1.82	1.29	<T 0.00	0.145	<T 0.00	0.06	<T 0.00
OCT 12,85	OCT 11,85	2.18	1.96	<T 0.02	0.132	<W 0.00	0.06	0.02
OCT 13,85	OCT 12,85	1.66	2.00	0.15	0.058	<T 0.01	0.16	0.16
OCT 14,85	OCT 13,85	0.09	1.44	0.27	0.234	<T 0.00	0.06	0.27
OCT 15,85	OCT 14,85	0.78	1.87	0.16	0.219	<T 0.01	0.11	0.17
OCT 16,85	OCT 15,85	1.41	<T 0.14	0.10	<T 0.002	<T 0.00	0.00	0.10
OCT 17,85	OCT 16,85	1.76	<T 0.01	0.04	<W 0.001	<T 0.00	0.05	0.04
OCT 18,85	OCT 17,85	3.48	1.34	0.26	0.444	0.07	0.01	0.33
OCT 19,85	OCT 18,85	5.80	6.01	0.53	0.315	0.24	0.15	0.77
OCT 20,85	OCT 19,85	1.70	1.44	0.13	0.424	<T 0.01	0.05	0.15
OCT 21,85	OCT 20,85	0.05	0.35	0.03	0.045	<T 0.00	0.06	0.03
OCT 22,85	OCT 21,85	0.63	<T 0.05	0.04	<T 0.033	<T 0.00	0.05	0.04
OCT 23,85	OCT 22,85	1.68	3.87	0.55	0.705	<T 0.01	0.00	0.56
OCT 24,85	OCT 23,85	4.20	2.97	0.53	0.765	0.14	0.35	0.67
OCT 25,85	OCT 24,85	1.53	1.73	0.15	0.391	0.05	0.13	0.20
OCT 26,85	OCT 25,85	0.68	0.41	0.05	0.093	0.05	0.09	0.10
OCT 27,85	OCT 26,85	3.50	1.23	0.27	0.362	0.21	0.09	0.48
OCT 28,85	OCT 27,85	0.37	0.41	0.03	0.073	<T 0.03	0.05	0.06
OCT 29,85	OCT 28,85	0.20	0.53	0.00	0.103	0.05	0.17	0.05
OCT 30,85	OCT 29,85	U 87.16	4.20	0.03	0.568	<T 0.01	0.00	0.04
OCT 31,85	OCT 30,85	1.20	0.38	0.11	0.318	0.05	0.10	0.16
NOV 1,85	OCT 31,85	1.73	1.24	0.13	0.428	0.07	0.09	0.20
NOV 2,85	NOV 1,85	0.52	0.60	0.10	0.120	0.08	0.05	0.18
NOV 3,85	NOV 2,85	0.76	1.57	0.21	0.731	0.10	0.05	0.31
NOV 4,85	NOV 3,85	0.18	1.05	0.08	0.263	0.06	0.05	0.14
NOV 5,85	NOV 4,85	0.08	0.52	0.11	0.141	<T 0.04	0.10	0.14
NOV 6,85	NOV 5,85	2.72	1.58	0.10	0.187	<T 0.00	0.00	0.10
NOV 7,85	NOV 6,85	0.39	2.36	0.06	0.096	<T 0.00	0.15	0.06
NOV 8,85	NOV 7,85	1.67	1.35	0.12	0.284	<T 0.00	0.14	0.12
NOV 9,85	NOV 8,85	2.71	0.78	0.05	0.144	<T 0.01	0.09	0.07
NOV 10,85	NOV 9,85	3.75	0.68	0.11	0.080	<T 0.01	0.10	0.13
NOV 11,85	NOV 10,85	0.67	0.86	<T 0.02	0.065	<T 0.02	0.09	<T 0.05
NOV 12,85	NOV 11,85	0.45	0.95	0.08	0.155	0.04	0.05	0.13
NOV 13,85	NOV 12,85	0.25	1.25	0.18	0.287	<T 0.00	0.00	0.18
NOV 14,85	NOV 13,85	1.23	0.18	0.07	0.087	<W 0.00	0.16	0.07
NOV 15,85	NOV 14,85	1.15	1.89	0.07	0.237	<W 0.00	0.29	0.07
NOV 16,85	NOV 15,85	0.92	1.13	0.04	0.222	<T 0.19	<T 0.03	0.23
NOV 17,85	NOV 16,85	0.24	0.81	0.19	0.299	<T 0.01	0.08	0.21

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 18,85	NOV 17,85	800	800	1	21893.0	44641	2	1	
NOV 19,85	NOV 18,85	800	800	1	21893.0	44650	2	1	
NOV 20,85	NOV 19,85	800	800	1	22107.0	44651	2	1	
NOV 21,85	NOV 20,85	800	800	1	25080.0	44652	2	1	
NOV 22,85	NOV 21,85	800	800	1	24259.0	44653	2	1	
NOV 23,85	NOV 22,85	800	800	1	23000.0	44654	2	1	
NOV 24,85	NOV 23,85	800	800	1	23848.0	44655	2	1	
NOV 25,85	NOV 24,85	800	800	1	24232.0	44656	2	1	
NOV 26,85	NOV 25,85	800	800	1	25723.0	44657	2	1	
NOV 27,85	NOV 26,85	845	800	1	21678.0	44668	2	1	Q
NOV 28,85	NOV 27,85	800	800	1	24277.0	44669	2	1	
NOV 29,85	NOV 28,85	800	800	1	25178.0	44670	2	1	
NOV 30,85	NOV 29,85	800	800	1	24875.0	44671	2	1	
DEC 1,85	NOV 30,85	800	800	1	22768.0	44672	2	1	
DEC 2,85	DEC 1,85	800	800	1	22054.0	44673	2	1	
DEC 3,85	DEC 2,85	800	800	1	24446.0	44674	2	1	
DEC 4,85	DEC 3,85	800	800	1	24518.0	44684	2	1	
DEC 5,85	DEC 4,85	800	800	1	21348.0	44685	2	1	
DEC 6,85	DEC 5,85	800	800	1	23250.0	44686	2	1	E
DEC 7,85	DEC 6,85	800	800	1	23991.0	44687	2	1	
DEC 8,85	DEC 7,85	800	800	1	23428.0	44688	2	1	E
DEC 9,85	DEC 8,85	800	800	1	23536.0	44689	2	1	
DEC 10,85	DEC 9,85	800	800	1	23884.0	44690	2	1	
DEC 11,85	DEC 10,85	800	800	1	20625.0	44700	2	1	
DEC 12,85	DEC 11,85	800	800	1	21420.0	44701	2	1	
DEC 13,85	DEC 12,85	800	800	1	23750.0	44702	2	1	
DEC 14,85	DEC 13,85	800	800	1	24330.0	44703	2	1	
DEC 15,85	DEC 14,85	800	800	1	24054.0	44704	2	1	
DEC 16,85	DEC 15,85	800	800	1	23991.0	44705	2	1	
DEC 17,85	DEC 16,85	800	800	1	24071.0	44706	2	1	
DEC 18,85	DEC 17,85	800	800	1	23562.0	44717	2	1	
DEC 19,85	DEC 18,85	800	800	1	23339.0	44718	2	1	
DEC 20,85	DEC 19,85	800	800	1	23259.0	44719	2	1	
DEC 21,85	DEC 20,85	800	800	1	22661.0	44720	2	1	
DEC 22,85	DEC 21,85	800	800	1	23250.0	44721	2	1	
DEC 23,85	DEC 22,85	800	800	1	22500.0	44722	2	1	
DEC 24,85	DEC 23,85	800	800	1	22018.0	44723	2	1	
DEC 25,85	DEC 24,85	800	800	1	23304.0	44733	2	1	
DEC 26,85	DEC 25,85	800	800	1	23170.0	44734	2	1	
DEC 27,85	DEC 26,85	800	800	1	24634.0	44735	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 18

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 18,85	NOV 17,85	0.16	0.33	0.13	0.162	<M	0.00	0.13
NOV 19,85	NOV 18,85	1.84	3.94	0.51	1.292		0.10	0.61
NOV 20,85	NOV 19,85	4.87	4.40	0.63	1.121		0.24	0.87
NOV 21,85	NOV 20,85	0.55	2.08	0.11	0.400		0.04	0.16
NOV 22,85	NOV 21,85	0.72	1.08	0.05	0.156	<T	0.02	0.07
NOV 23,85	NOV 22,85	1.01	1.49	0.17	0.240		0.07	0.24
NOV 24,85	NOV 23,85	1.05	3.28	0.53	1.249		0.32	0.85
NOV 25,85	NOV 24,85	3.26	1.33	0.17	0.270	<M	0.00	0.17
NOV 26,85	NOV 25,85	10.51	1.56	0.06	0.030		0.04	0.10
NOV 27,85	NOV 26,85	0.57	2.36	0.28	0.375		0.06	0.33
NOV 28,85	NOV 27,85	5.48	1.82	0.08	0.345		0.06	0.14
NOV 29,85	NOV 28,85	0.52	1.20	0.09	0.263		0.08	0.17
NOV 30,85	NOV 29,85	0.63	3.50	0.40	1.070		0.14	0.54
DEC 1,85	NOV 30,85	0.87	3.04	0.44	0.708		0.06	0.49
DEC 2,85	DEC 1,85	1.47	1.55	0.36	0.561		0.06	0.42
DEC 3,85	DEC 2,85	0.72	1.03	0.06	0.220		0.06	0.12
DEC 4,85	DEC 3,85	6.49	0.90	0.02	0.113	<T	0.00	0.02
DEC 5,85	DEC 4,85	4.48	2.86	0.45	0.792		0.31	0.75
DEC 6,85	DEC 5,85	5.41	3.88	0.87	0.942		0.09	0.96
DEC 7,85	DEC 6,85	3.02	5.43	0.90	0.705	<M	0.00	0.90
DEC 8,85	DEC 7,85	5.55	5.43	0.80	1.533		0.13	0.93
DEC 9,85	DEC 8,85	5.26	3.96	0.16	0.315	<M	0.00	0.16
DEC 10,85	DEC 9,85	2.33	4.32	0.11	0.247	<M	0.00	0.11
DEC 11,85	DEC 10,85	0.55	2.92	0.15	0.322	<M	0.00	0.15
DEC 12,85	DEC 11,85	3.89	3.46	0.09	0.212	<M	0.00	0.09
DEC 13,85	DEC 12,85	2.86	2.83	0.31	0.486	<M	0.00	0.31
DEC 14,85	DEC 13,85	1.45	2.06	0.20	0.341	<T	0.03	0.23
DEC 15,85	DEC 14,85	2.62	1.59	0.22	0.386		0.07	0.30
DEC 16,85	DEC 15,85	4.99	2.13	0.33	0.543		0.06	0.39
DEC 17,85	DEC 16,85	2.23	1.79	0.08	0.220	<M	0.00	0.08
DEC 18,85	DEC 17,85	2.53	1.22	0.25	0.323	<T	0.01	0.27
DEC 19,85	DEC 18,85	3.85	0.72	0.06	0.187		0.06	0.12
DEC 20,85	DEC 19,85	1.83	1.19	0.17	0.306	<T	0.01	0.18
DEC 21,85	DEC 20,85	1.60	3.08	0.76	0.954		0.11	0.87
DEC 22,85	DEC 21,85	8.54	1.79	0.29	0.339	<T	0.01	0.30
DEC 23,85	DEC 22,85	22.44	4.88	0.85	1.272	<M	0.00	0.86
DEC 24,85	DEC 23,85	2.66	2.58	0.84	0.812	<T	0.02	0.86
DEC 25,85	DEC 24,85	6.04	<M 0.00	0.13	0.009	<M	0.00	0.13
DEC 26,85	DEC 25,85	7.40	1.87	0.09	0.264		0.02	0.11
DEC 27,85	DEC 26,85	9.07	2.93	0.39	0.654		0.02	0.41

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 19

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 28,85	DEC 27,85	800	800	1	24134.0	44736	2	1	
DEC 29,85	DEC 28,85	800	800	1	23571.0	44737	2	1	
DEC 30,85	DEC 29,85	800	800	1	23866.0	44738	2	1	
DEC 31,85	DEC 30,85	800	800	1	23589.0	44739	2	1	
JAN 1,86	DEC 31,85	800	800	1	22661.0	44749	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 20

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
DEC 28,85	DEC 27,85	2.10	1.17	0.11	0.315	<T 0.00	0.15	0.11
DEC 29,85	DEC 28,85	4.14	2.01	0.43	0.651	0.18	0.28	0.61
DEC 30,85	DEC 29,85	1.31	0.81	0.22	0.235	0.02	0.19	0.23
DEC 31,85	DEC 30,85	5.82	1.66	0.77	0.640	0.14	0.32	0.91
JAN 1,86	DEC 31,85	P 3.21	P 1.32	P 0.38	P 0.320	P 0.00	P 0.31	P 0.38

PART V

SOUTHEASTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
JAN 9,85	JAN 8,85	1100	800	1	113990.0	21551	2	1	A	F
JAN 10,85	JAN 9,85	800	800	1	24100.0	21552	2	1	QE	
JAN 11,85	JAN 10,85	800	800	1	28160.0	21553	2	1	Q	
JAN 12,85	JAN 11,85	800	800	1	26310.0	21554	2	1	Q	
JAN 16,85	JAN 15,85	1015	800	1	23180.0	21555	2	1	Q	
JAN 17,85	JAN 16,85	800	800	1	25880.0	21557	2	1		
JAN 18,85	JAN 17,85	800	800	1	24380.0	21558	2	1		
JAN 19,85	JAN 18,85	800	800	1	26370.0	21559	2	1		
JAN 20,85	JAN 19,85	800	800	1	27540.0	21560	2	1		
JAN 21,85	JAN 20,85	800	800	1	25430.0	21561	2	1		
JAN 22,85	JAN 21,85	800	800	1	27290.0	21562	2	1		
JAN 23,85	JAN 22,85	800	1430	1	7300.0	21564	2	1		F
JAN 24,85	JAN 23,85	1430	800	1	16840.0	21565	2	1		
JAN 25,85	JAN 24,85	800	800	1	24070.0	21566	2	1		
JAN 26,85	JAN 25,85	800	800	1	25910.0	21567	2	1		
JAN 27,85	JAN 26,85	800	800	1	27010.0	21568	2	1		
JAN 28,85	JAN 27,85	800	800	1	23570.0	21569	2	1		
JAN 29,85	JAN 28,85	800	800	1	26840.0	21570	2	1		
JAN 30,85	JAN 29,85	800	800	1	25610.0	21572	2	1		
JAN 31,85	JAN 30,85	800	800	1	26590.0	21573	2	1		
FEB 1,85	JAN 31,85	800	800	1	23210.0	21574	2	1		
FEB 2,85	FEB 1,85	800	800	1	25070.0	21575	2	1		
FEB 3,85	FEB 2,85	800	800	1	27050.0	21576	2	1		
FEB 4,85	FEB 3,85	800	800	1	24990.0	21577	2	1		
FEB 5,85	FEB 4,85	800	800	1	27380.0	21578	2	1		
FEB 6,85	FEB 5,85	800	800	1	27530.0	21580	2	1		
FEB 7,85	FEB 6,85	800	800	1	14100.0	21581	2	1		F
FEB 8,85	FEB 7,85	800	800	1	22000.0	21582	2	1		
FEB 9,85	FEB 8,85	800	800	1	27420.0	21583	2	1		
FEB 10,85	FEB 9,85	800	800	1	25970.0	21584	2	1		
FEB 11,85	FEB 10,85	800	800	1	23280.0	21585	2	1		
FEB 12,85	FEB 11,85	800	800	1	26110.0	21586	2	1		
FEB 13,85	FEB 12,85	800	800	1	67590.0	21588	2	1	QE	F
FEB 14,85	FEB 13,85	800	800	1	73980.0	21589	2	1	Q	F
FEB 15,85	FEB 14,85	800	800	1	50380.0	21590	2	1	Q	F
FEB 16,85	FEB 15,85	800	800	1	50720.0	21591	2	1	Q	F
FEB 17,85	FEB 16,85	800	800	1	51550.0	21592	2	1	Q	F
FEB 18,85	FEB 17,85	800	800	1	35660.0	21593	2	1	QC	
FEB 19,85	FEB 18,85	800	800	1	54520.0	21594	2	1	Q	F
FEB 20,85	FEB 19,85	800	800	1	55450.0	21596	2	1	Q	F

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 9,85	JAN 8,85	6.15	1.42	0.04	0.457	0.20	0.03	0.24
JAN 10,85	JAN 9,85	9.10	4.05	1.04	1.230	0.23	0.14	1.27
JAN 11,85	JAN 10,85	8.29	3.07	0.57	0.787	0.02	0.08	0.59
JAN 12,85	JAN 11,85	3.96	1.76	0.03	0.338	0.09	0.04	0.12
JAN 16,85	JAN 15,85	7.06	2.07	0.15	0.451	0.14	0.06	0.30
JAN 17,85	JAN 16,85	9.18	4.21	0.23	1.227	0.37	0.00	0.60
JAN 18,85	JAN 17,85	10.52	7.68	0.68	3.575	1.64	0.33	2.33
JAN 19,85	JAN 18,85	22.51	5.05	1.20	1.359	0.06	0.30	1.26
JAN 20,85	JAN 19,85	8.55	1.93	0.23	0.436	0.04	0.18	0.27
JAN 21,85	JAN 20,85	11.94	2.52	0.39	0.582	0.08	0.31	0.47
JAN 22,85	JAN 21,85	6.34	1.25	0.14	0.348	0.02	0.15	0.15
JAN 23,85	JAN 22,85	7.34	1.94	1.09	0.794	0.00	1.10	1.09
JAN 24,85	JAN 23,85	4.53	2.39	0.55	0.638	0.05	0.00	0.59
JAN 25,85	JAN 24,85	11.30	4.99	1.16	1.342	0.02	0.28	1.18
JAN 26,85	JAN 25,85	12.32	4.83	1.28	1.246	0.01	0.23	1.29
JAN 27,85	JAN 26,85	5.69	3.19	0.28	0.724	0.25	0.18	0.53
JAN 28,85	JAN 27,85	23.97	6.50	1.69	1.847	0.17	0.42	1.87
JAN 29,85	JAN 28,85	11.87	8.54	1.46	2.321	0.05	0.18	1.51
JAN 30,85	JAN 29,85	12.04	4.34	0.34	0.961	0.02	0.00	0.36
JAN 31,85	JAN 30,85	5.34	3.20	0.12	1.360	0.48	0.10	0.60
FEB 1,85	JAN 31,85	12.48	7.50	1.23	2.291	0.40	0.16	1.63
FEB 2,85	FEB 1,85	9.24	6.87	1.33	1.570	0.00	0.14	1.33
FEB 3,85	FEB 2,85	5.96	1.82	0.17	0.439	0.05	0.06	0.21
FEB 4,85	FEB 3,85	12.70	4.37	0.95	1.147	0.25	0.31	1.20
FEB 5,85	FEB 4,85	3.52	2.67	0.31	0.956	0.49	0.06	0.81
FEB 6,85	FEB 5,85	8.92	3.35	0.82	0.885	0.09	0.35	0.91
FEB 7,85	FEB 6,85	9.03	3.42	0.26	0.789	0.43	0.00	0.69
FEB 8,85	FEB 7,85	4.92	1.69	0.11	0.422	0.08	0.14	0.19
FEB 9,85	FEB 8,85	1.37	0.92	0.01	0.169	0.05	0.07	0.06
FEB 10,85	FEB 9,85	3.07	1.01	0.02	0.159	0.10	0.08	0.12
FEB 11,85	FEB 10,85	7.63	2.28	0.22	0.549	0.40	0.34	0.62
FEB 12,85	FEB 11,85	8.52	3.38	0.48	1.527	1.12	0.23	1.61
FEB 13,85	FEB 12,85	4.32	3.23	0.32	1.154	0.47	0.04	0.79
FEB 14,85	FEB 13,85	9.47	3.16	0.44	0.888	0.00	0.09	0.44
FEB 15,85	FEB 14,85	4.60	2.70	0.57	0.708	0.02	0.13	0.59
FEB 16,85	FEB 15,85	3.03	2.41	0.32	0.579	0.05	0.05	0.37
FEB 17,85	FEB 16,85	24.88	6.38	1.29	1.759	0.04	0.19	1.33
FEB 18,85	FEB 17,85	9.51	5.83	0.86	1.407	0.07	0.33	0.93
FEB 19,85	FEB 18,85	11.25	2.81	0.64	0.768	0.21	0.47	0.85
FEB 20,85	FEB 19,85	17.12	4.13	0.58	1.116	0.19	0.08	0.77

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 7,85	MAR 6,85	1100	800	1	21520.0	21597	2	1	
MAR 8,85	MAR 7,85	800	800	1	23480.0	21598	2	1	
MAR 9,85	MAR 8,85	800	800	1	25640.0	21599	2	1	
MAR 10,85	MAR 9,85	800	800	1	25820.0	21600	2	1	
MAR 11,85	MAR 10,85	800	800	1	13080.0	21601	2	1	
MAR 12,85	MAR 11,85	800	800	1	26220.0	21602	2	1	C F
MAR 13,85	MAR 12,85	800	800	1	23410.0	21604	2	1	
MAR 14,85	MAR 13,85	800	800	1	25930.0	21605	2	1	
MAR 15,85	MAR 14,85	800	800	1	24270.0	21606	2	1	
MAR 16,85	MAR 15,85	800	800	1	27590.0	21607	2	1	
MAR 17,85	MAR 16,85	800	800	1	27110.0	21608	2	1	
MAR 18,85	MAR 17,85	800	800	1	15410.0	21609	2	1	
MAR 19,85	MAR 18,85	800	800	1	27480.0	21610	2	1	C
MAR 20,85	MAR 19,85	800	800	1	24950.0	21612	2	1	
MAR 21,85	MAR 20,85	800	800	1	28020.0	21613	2	1	
MAR 22,85	MAR 21,85	800	800	1	25600.0	21614	2	1	
MAR 23,85	MAR 22,85	800	800	1	28800.0	21615	2	1	
MAR 24,85	MAR 23,85	800	800	1	28300.0	21616	2	1	
MAR 25,85	MAR 24,85	800	800	1	*****	21617	2	1	F
MAR 26,85	MAR 25,85	800	800	1	*****	21618	2	1	F
MAR 27,85	MAR 26,85	800	800	1	29630.0	21620	2	1	
MAR 29,85	MAR 28,85	1100	800	1	15720.0	21621	2	1	C
MAR 30,85	MAR 29,85	800	800	1	21080.0	21622	2	1	
MAR 31,85	MAR 30,85	800	800	1	25760.0	21623	2	1	
APR 1,85	MAR 31,85	800	800	1	26880.0	21624	2	1	
APR 2,85	APR 1,85	800	800	1	27980.0	21625	2	1	
APR 3,85	APR 2,85	800	800	1	28110.0	21626	2	1	
APR 4,85	APR 3,85	800	800	1	26580.0	21627	2	1	
APR 5,85	APR 4,85	800	800	1	*****	21629	2	1	
APR 10,85	APR 9,85	800	800	1	*****	21634	2	1	F
APR 11,85	APR 10,85	800	800	1	*****	21635	2	1	F
MAY 1,85	APR 30,85	1510	800	1	16160.0	21650	2	1	F
MAY 2,85	MAY 1,85	800	800	1	24400.0	21652	2	1	
MAY 3,85	MAY 2,85	800	800	1	29850.0	21653	2	1	
MAY 4,85	MAY 3,85	800	800	1	27610.0	21654	2	1	
MAY 5,85	MAY 4,85	800	800	1	25990.0	21655	2	1	
MAY 6,85	MAY 5,85	800	800	1	23180.0	21656	2	1	
MAY 7,85	MAY 6,85	800	800	1	24380.0	21657	2	1	
MAY 8,85	MAY 7,85	800	800	1	27770.0	21659	2	1	
MAY 9,85	MAY 8,85	1315	800	1	21150.0	21660	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 7,85	MAR 6,85	2.48	1.68	0.00	0.532	0.30	0.00	0.30
MAR 8,85	MAR 7,85	7.81	3.03	0.50	1.218	0.65	0.19	1.15
MAR 9,85	MAR 8,85	7.88	6.13	1.13	1.630	0.04	0.21	1.17
MAR 10,85	MAR 9,85	3.80	2.95	0.17	1.444	0.81	0.21	0.98
MAR 11,85	MAR 10,85	10.19	7.28	1.21	2.087	1.69	0.80	2.90
MAR 12,85	MAR 11,85	8.40	3.52	0.51	1.262	0.52	0.17	1.03
MAR 13,85	MAR 12,85	2.06	2.14	0.13	0.493	0.00	0.00	0.13
MAR 14,85	MAR 13,85	2.92	2.24	0.18	0.697	0.15	0.14	0.33
MAR 15,85	MAR 14,85	0.91	1.61	0.30	0.393	0.03	0.11	0.33
MAR 16,85	MAR 15,85	1.47	1.02	0.03	0.264	0.05	0.02	0.07
MAR 17,85	MAR 16,85	3.89	1.55	0.16	0.630	0.31	0.06	0.47
MAR 18,85	MAR 17,85	2.16	2.15	0.28	0.547	0.16	0.30	0.44
MAR 19,85	MAR 18,85	1.32	0.99	0.06	0.367	0.22	0.06	0.28
MAR 20,85	MAR 19,85	21.96	8.78	1.07	3.448	1.80	0.59	2.87
MAR 21,85	MAR 20,85	2.94	1.25	0.24	0.299	0.06	0.00	0.30
MAR 22,85	MAR 21,85	1.36	0.86	0.09	0.220	0.07	0.03	0.16
MAR 23,85	MAR 22,85	1.00	0.66	0.08	0.178	0.03	0.03	0.11
MAR 24,85	MAR 23,85	3.67	1.63	0.26	0.461	0.07	0.03	0.33
MAR 25,85	MAR 24,85	*****	*****	*****	*****	*****	*****	*****
MAR 26,85	MAR 25,85	*****	*****	*****	*****	*****	*****	*****
MAR 27,85	MAR 26,85	7.89	1.99	0.38	0.836	0.41	0.03	0.80
MAR 28,85	MAR 28,85	3.33	6.56	1.05	3.946	0.05	0.00	1.10
MAR 30,85	MAR 29,85	0.22	0.77	0.07	0.227	0.04	0.03	0.11
MAR 31,85	MAR 30,85	1.48	1.21	0.09	0.312	0.08	0.10	0.16
APR 1,85	MAR 31,85	3.13	2.91	0.31	0.829	0.02	0.10	0.33
APR 2,85	APR 1,85	6.81	4.94	0.49	2.181	0.05	0.23	0.54
APR 3,85	APR 2,85	2.97	2.28	0.35	0.633	0.00	0.16	0.35
APR 4,85	APR 3,85	0.39	0.42	0.06	0.161	0.00	0.00	0.07
APR 5,85	APR 4,85	*****	*****	*****	*****	*****	*****	*****
APR 10,85	APR 9,85	*****	*****	*****	*****	*****	*****	*****
APR 11,85	APR 10,85	*****	*****	*****	*****	*****	*****	*****
MAY 1,85	APR 30,85	6.57	5.76	0.86	1.215	0.26	0.00	1.13
MAY 2,85	MAY 1,85	0.44	0.29	0.10	0.100	0.00	0.28	0.10
MAY 3,85	MAY 2,85	0.01	0.94	0.07	0.257	0.00	0.00	0.07
MAY 4,85	MAY 3,85	0.15	0.95	0.09	0.246	0.02	0.21	0.11
MAY 5,85	MAY 4,85	1.39	0.74	0.21	0.800	0.09	0.22	0.30
MAY 6,85	MAY 5,85	2.05	1.77	0.76	1.457	0.14	0.72	0.90
MAY 7,85	MAY 6,85	1.49	1.56	0.34	0.422	0.00	0.07	0.35
MAY 8,85	MAY 7,85	1.84	0.29	0.16	0.208	0.00	0.32	0.16
MAY 9,85	MAY 8,85	0.91	0.76	0.05	0.455	0.01	0.00	0.06

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAY 10,85	MAY 9,85	800	800	1	27990.0	21661	2	1	
MAY 11,85	MAY 10,85	800	800	1	27720.0	21662	2	1	
MAY 12,85	MAY 11,85	800	800	1	26800.0	21663	2	1	
MAY 13,85	MAY 12,85	800	800	1	25180.0	21664	2	1	
MAY 14,85	MAY 13,85	800	800	1	26890.0	21665	2	1	
MAY 15,85	MAY 14,85	800	800	1	27340.0	21667	2	1	
MAY 16,85	MAY 15,85	800	800	1	25950.0	21668	2	1	
MAY 17,85	MAY 16,85	800	800	1	24830.0	21669	2	1	
MAY 18,85	MAY 17,85	800	800	1	27340.0	21670	2	1	
MAY 19,85	MAY 18,85	800	800	1	27040.0	21671	2	1	
MAY 20,85	MAY 19,85	800	800	1	25370.0	21672	2	1	
MAY 21,85	MAY 20,85	800	800	1	26550.0	21673	2	1	
MAY 22,85	MAY 21,85	800	800	1	27080.0	21675	2	1	
MAY 23,85	MAY 22,85	1430	800	1	18550.0	21676	2	1	
MAY 24,85	MAY 23,85	800	800	1	26430.0	21677	2	1	
MAY 25,85	MAY 24,85	800	800	1	27900.0	21678	2	1	
MAY 26,85	MAY 25,85	800	800	1	26240.0	21679	2	1	
MAY 27,85	MAY 26,85	800	800	1	23980.0	21680	2	1	
MAY 28,85	MAY 27,85	800	800	1	22010.0	21681	2	1	
MAY 29,85	MAY 28,85	800	800	1	26930.0	21683	2	1	
MAY 30,85	MAY 29,85	1345	800	1	19600.0	21684	2	1	
MAY 31,85	MAY 30,85	800	800	1	27810.0	21685	2	1	
JUN 1,85	MAY 31,85	800	800	1	25720.0	21686	2	1	
JUN 2,85	JUN 1,85	800	800	1	27200.0	21687	2	1	
JUN 3,85	JUN 2,85	800	800	1	26600.0	21688	2	1	
JUN 4,85	JUN 3,85	800	800	1	26950.0	21689	2	1	
JUN 5,85	JUN 4,85	800	800	1	27500.0	21691	2	1	
JUN 6,85	JUN 5,85	800	800	1	24080.0	21692	2	1	
JUN 7,85	JUN 6,85	800	800	1	25340.0	21693	2	1	
JUN 8,85	JUN 7,85	800	800	1	26440.0	21694	2	1	
JUN 9,85	JUN 8,85	800	800	1	26150.0	21695	2	1	
JUN 10,85	JUN 9,85	800	800	1	26300.0	21696	2	1	
JUN 11,85	JUN 10,85	800	800	1	27280.0	21697	2	1	
JUN 12,85	JUN 11,85	800	800	1	24106.0	21699	2	1	
JUN 14,85	JUN 12,85	800	800	1	*****	21700	2	1	
JUN 15,85	JUN 14,85	800	800	1	*****	21702	2	1	FA Z
JUN 16,85	JUN 15,85	800	800	1	*****	21703	2	1	FA
JUN 17,85	JUN 16,85	800	800	1	*****	21704	2	1	FA
JUN 18,85	JUN 13,85	800	800	1	102160.0	21701	2	1	FA XZ
JUN 18,85	JUN 17,85	800	800	1	*****	21705	2	1	FA

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE 1 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 10,85	MAY 9,85	15.42	5.69	0.82	1.300	0.36	0.01	1.18
MAY 11,85	MAY 10,85	20.52	18.44	1.33	4.180	0.61	0.19	1.93
MAY 12,85	MAY 11,85	6.46	11.39	1.24	2.645	0.48	0.16	1.72
MAY 13,85	MAY 12,85	9.29	12.64	1.30	2.874	0.15	5.10	1.45
MAY 14,85	MAY 13,85	2.59	2.94	0.59	0.776	0.13	0.24	0.72
MAY 15,85	MAY 14,85	3.57	3.81	0.55	0.755	0.11	0.08	0.66
MAY 16,85	MAY 15,85	3.36	8.10	0.89	1.629	0.16	0.05	1.04
MAY 17,85	MAY 16,85	4.07	8.70	1.00	2.206	0.12	1.38	1.12
MAY 18,85	MAY 17,85	1.14	4.28	0.39	1.053	<T 0.03	0.16	0.42
MAY 19,85	MAY 18,85	0.23	1.56	0.08	0.399	<W 0.00	0.16	0.08
MAY 20,85	MAY 19,85	3.17	2.80	0.30	0.681	0.08	0.60	0.38
MAY 21,85	MAY 20,85	3.00	6.41	0.65	1.555	0.08	0.54	0.73
MAY 22,85	MAY 21,85	0.82	1.00	0.28	0.256	<T 0.02	0.16	0.30
MAY 23,85	MAY 22,85	0.39	1.35	0.02	0.325	0.08	<T 0.00	0.10
MAY 24,85	MAY 23,85	1.22	1.90	0.26	0.411	0.09	0.00	0.35
MAY 25,85	MAY 24,85	1.12	2.98	0.30	0.730	0.13	0.27	0.43
MAY 26,85	MAY 25,85	1.38	2.71	0.53	0.510	0.16	0.00	0.69
MAY 27,85	MAY 26,85	3.50	3.30	0.46	1.100	0.18	1.23	0.64
MAY 28,85	MAY 27,85	1.06	2.60	0.37	0.971	<T 0.04	0.89	0.40
MAY 29,85	MAY 28,85	0.32	0.38	0.24	0.079	0.07	0.02	0.30
MAY 30,85	MAY 29,85	0.12	0.72	0.13	0.147	0.04	0.00	0.17
MAY 31,85	MAY 30,85	4.18	7.70	0.71	1.925	0.06	0.00	0.77
JUN 1,85	MAY 31,85	1.69	5.64	0.42	1.401	0.09	0.06	0.51
JUN 2,85	JUN 1,85	1.50	2.91	0.18	0.764	0.06	0.13	0.23
JUN 3,85	JUN 2,85	3.31	5.31	0.84	1.355	0.07	0.78	0.91
JUN 4,85	JUN 3,85	3.05	3.68	0.24	0.873	0.07	0.10	0.31
JUN 5,85	JUN 4,85	2.45	2.41	0.31	0.592	0.07	0.00	0.38
JUN 6,85	JUN 5,85	0.36	2.17	0.40	0.572	<T 0.01	0.15	0.41
JUN 7,85	JUN 6,85	0.03	0.80	0.15	0.228	<T 0.01	0.03	0.16
JUN 8,85	JUN 7,85	0.56	0.88	0.18	0.219	<T 0.03	0.14	0.21
JUN 9,85	JUN 8,85	3.09	6.05	0.57	1.330	<T 0.03	0.60	0.61
JUN 10,85	JUN 9,85	4.31	0.89	0.61	2.321	0.27	0.29	0.88
JUN 11,85	JUN 10,85	0.06	0.45	0.08	0.111	0.05	0.03	0.13
JUN 12,85	JUN 11,85	P 0.55	P 0.91	P 0.13	P 0.218	P 0.10	P 0.83	P 0.24
JUN 14,85	JUN 12,85	*****	*****	*****	*****	*****	*****	*****
JUN 15,85	JUN 14,85	*****	*****	*****	*****	*****	*****	*****
JUN 16,85	JUN 15,85	*****	*****	*****	*****	*****	*****	*****
JUN 17,85	JUN 16,85	*****	*****	*****	*****	*****	*****	*****
JUN 18,85	JUN 13,85	*****	*****	*****	*****	*****	*****	*****
JUN 18,85	JUN 17,85	*****	*****	*****	*****	*****	*****	*****

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
JUN 19,85	JUN 18,85	800	800	1	17040.0	21708	2	1	C	
JUN 20,85	JUN 19,85	800	800	1	24701.0	21709	2	1		
JUN 21,85	JUN 20,85	800	800	1	24933.0	21710	2	1		
JUN 22,85	JUN 21,85	800	800	1	24924.0	21711	2	1		
JUN 24,85	JUN 22,85	800	800	1	47681.0	21712	2	1	F	XZ
JUN 24,85	JUN 23,85	800	800	1	*****	21713	2	1	F	
JUN 25,85	JUN 24,85	800	800	1	58013.0	21714	2	1	F	FX
JUN 26,85	JUN 25,85	800	800	1	*****	21716	2	1	F	
JUN 27,85	JUN 26,85	800	800	1	16340.0	21717	2	1	Q	
JUN 28,85	JUN 27,85	800	800	1	24730.0	21718	2	1		
JUN 29,85	JUN 28,85	800	800	1	23929.0	21719	2	1		
JUN 30,85	JUN 29,85	800	800	1	23631.0	21720	2	1		
JUL 1,85	JUN 30,85	800	800	1	*****	21721	2	1	F	
JUL 2,85	JUL 1,85	800	800	1	*****	21722	2	1	F	
JUL 3,85	JUL 2,85	800	800	1	*****	21724	2	1	F	
JUL 4,85	JUL 3,85	800	800	1	*****	21725	2	1	F	
JUL 5,85	JUL 4,85	1020	800	1	21762.0	21726	2	1		
JUL 6,85	JUL 5,85	800	800	1	71629.0	21727	2	1	A	F
JUL 7,85	JUL 6,85	800	800	1	23696.0	21728	2	1		
JUL 8,85	JUL 7,85	800	800	1	*****	21729	2	1	F	
JUL 9,85	JUL 8,85	800	800	1	*****	21730	2	1	F	
JUL 10,85	JUL 9,85	1100	800	1	20693.0	21732	2	1		
JUL 11,85	JUL 10,85	800	800	1	23064.0	21733	2	1	E	
JUL 12,85	JUL 11,85	800	800	1	24533.0	21734	2	1		
JUL 13,85	JUL 12,85	800	800	1	25729.0	21735	2	1		
JUL 14,85	JUL 13,85	800	800	1	24171.0	21736	2	1		
JUL 15,85	JUL 14,85	800	800	1	23101.0	21737	2	1		
JUL 16,85	JUL 15,85	800	1200	1	26877.0	21738	2	1	Q	
JUL 17,85	JUL 16,85	1200	800	1	20187.0	21741	2	1	Q	
JUL 18,85	JUL 17,85	800	800	1	24009.0	21742	2	1		
JUL 19,85	JUL 18,85	800	800	1	24636.0	21743	2	1		
JUL 20,85	JUL 19,85	800	800	1	24308.0	21744	2	1		
JUL 21,85	JUL 20,85	800	800	1	23832.0	21745	2	1		
JUL 22,85	JUL 21,85	800	800	1	23617.0	21746	2	1		
JUL 23,85	JUL 22,85	800	800	1	49729.0	21747	2	1	Q	F
JUL 24,85	JUL 23,85	800	800	1	*****	21749	2	1	QF	
JUL 25,85	JUL 24,85	800	800	1	*****	21750	2	1	QF	
JUL 26,85	JUL 25,85	800	800	1	*****	21751	2	1	FQ	
JUL 27,85	JUL 26,85	800	800	1	*****	21752	2	1	QF	
JUL 28,85	JUL 27,85	800	800	1	*****	21753	2	1	FQ	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 8

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 19,85	JUN 18,85	P	1.65	P 1.72	P 0.36	P 0.413	P 0.15	P 0.51	P 0.58
JUN 20,85	JUN 19,85		0.57	1.63	0.22	0.355	0.09	0.11	0.31
JUN 21,85	JUN 20,85		0.75	0.97	0.17	0.232	0.06	0.15	0.23
JUN 22,85	JUN 21,85		0.97	1.77	0.37	0.423	0.08	0.11	0.46
JUN 24,85	JUN 22,85	*****	*****	*****	*****	*****	*****	*****	*****
JUN 24,85	JUN 23,85	*****	*****	*****	*****	*****	*****	*****	*****
JUN 25,85	JUN 24,85	*****	*****	*****	*****	*****	*****	*****	*****
JUN 26,85	JUN 25,85	*****	*****	*****	*****	*****	*****	*****	*****
JUN 27,85	JUN 26,85	*****	*****	1.35	0.00	0.157	0.08	0.00	0.08
JUN 28,85	JUN 27,85	*****	*****	1.50	0.18	0.306	0.19	0.00	0.37
JUN 29,85	JUN 28,85	*****	*****	1.64	0.08	0.243	0.10	0.02	0.17
JUN 30,85	JUN 29,85	*****	*****	2.50	0.31	0.659	<T 0.03	0.00	0.35
JUL 1,85	JUN 30,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 2,85	JUL 1,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 3,85	JUL 2,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 4,85	JUL 3,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 5,85	JUL 4,85	*****	*****	6.72	0.71	1.624	0.04	0.00	0.74
JUL 6,85	JUL 5,85	*****	*****	11.66	0.73	2.619	0.02	0.11	0.75
JUL 7,85	JUL 6,85	*****	*****	2.13	0.33	0.363	0.20	0.25	0.54
JUL 8,85	JUL 7,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 9,85	JUL 8,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 10,85	JUL 9,85	*****	*****	11.70	0.79	1.828	0.10	0.03	0.88
JUL 11,85	JUL 10,85	*****	*****	1.31	0.13	0.317	<T 0.02	0.00	0.15
JUL 12,85	JUL 11,85	*****	*****	0.41	0.06	0.095	0.13	0.00	0.20
JUL 13,85	JUL 12,85	*****	*****	2.65	0.42	0.644	0.26	0.10	0.68
JUL 14,85	JUL 13,85	*****	*****	10.80	0.98	2.568	0.19	0.27	1.17
JUL 15,85	JUL 14,85	*****	*****	12.13	0.90	2.849	0.10	0.37	1.00
JUL 16,85	JUL 15,85	*****	*****	3.02	0.48	0.914	0.11	0.00	0.60
JUL 17,85	JUL 16,85	*****	*****	0.40	0.08	0.063	<T 0.00	0.30	0.08
JUL 18,85	JUL 17,85	*****	*****	0.21	0.08	0.012	<T 0.01	0.09	0.09
JUL 19,85	JUL 18,85	*****	*****	0.57	0.19	0.062	0.09	0.09	0.28
JUL 20,85	JUL 19,85	*****	*****	18.19	1.28	4.002	0.03	0.58	1.31
JUL 21,85	JUL 20,85	*****	*****	2.94	0.18	0.778	<T 0.00	0.13	0.19
JUL 22,85	JUL 21,85	*****	*****	4.11	0.42	0.838	0.08	0.43	0.49
JUL 23,85	JUL 22,85	*****	*****	0.26	0.06	0.081	0.05	0.08	0.10
JUL 24,85	JUL 23,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 25,85	JUL 24,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 26,85	JUL 25,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 27,85	JUL 26,85	*****	*****	*****	*****	*****	*****	*****	*****
JUL 28,85	JUL 27,85	*****	*****	*****	*****	*****	*****	*****	*****

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 29,85	JUL 28,85	800	800	1	*****	21754	2	1	FQ
JUL 30,85	JUL 29,85	800	800	1	*****	21755	2	1	FQ
JUL 31,85	JUL 30,85	1310	800	1	20335.0	21757	2	1	
AUG 1,85	JUL 31,85	800	800	1	22364.0	21758	2	1	
AUG 2,85	AUG 1,85	800	800	1	25323.0	21759	2	1	
AUG 3,85	AUG 2,85	800	800	1	25245.0	21760	2	1	
AUG 4,85	AUG 3,85	800	800	1	23412.0	21761	2	1	
AUG 5,85	AUG 4,85	800	800	1	23951.0	21762	2	1	
AUG 6,85	AUG 5,85	800	800	1	26499.0	21763	2	1	
AUG 7,85	AUG 6,85	800	800	1	22903.0	21765	2	1	
AUG 8,85	AUG 7,85	1055	800	1	19502.0	21766	2	1	Q
AUG 9,85	AUG 8,85	800	800	1	22501.0	21767	2	1	
AUG 10,85	AUG 9,85	800	800	1	23608.0	21768	2	1	
AUG 11,85	AUG 10,85	800	800	1	23981.0	21769	2	1	
AUG 12,85	AUG 11,85	800	800	1	24921.0	21770	2	1	
AUG 13,85	AUG 12,85	800	800	1	26029.0	21771	2	1	
AUG 14,85	AUG 13,85	800	800	1	21148.0	21773	2	1	
AUG 15,85	AUG 14,85	1440	800	1	17081.0	21774	2	1	Q
AUG 16,85	AUG 15,85	800	800	1	21785.0	21775	2	1	
AUG 17,85	AUG 16,85	800	800	1	24180.0	21776	2	1	
AUG 18,85	AUG 17,85	800	800	1	23207.0	21777	2	1	
AUG 19,85	AUG 18,85	800	800	1	24559.0	21778	2	1	
AUG 20,85	AUG 19,85	800	800	1	26342.0	21779	2	1	
AUG 21,85	AUG 20,85	800	800	1	22883.0	21781	2	1	
AUG 22,85	AUG 21,85	1225	800	1	20178.0	21782	2	1	
AUG 23,85	AUG 22,85	800	800	1	24069.0	21783	2	1	
AUG 24,85	AUG 23,85	800	800	1	24696.0	21784	2	1	
AUG 25,85	AUG 24,85	800	800	1	21942.0	21785	2	1	
AUG 26,85	AUG 25,85	800	800	1	21442.0	21786	2	1	
AUG 27,85	AUG 26,85	800	1300	1	27822.0	21787	2	1	
AUG 28,85	AUG 27,85	1305	800	1	16329.0	21789	2	1	Q
AUG 29,85	AUG 28,85	800	800	1	24020.0	21790	2	1	
AUG 30,85	AUG 29,85	800	800	1	23706.0	21791	2	1	
AUG 31,85	AUG 30,85	800	800	1	23638.0	21792	2	1	
SEP 1,85	AUG 31,85	800	800	1	23216.0	21793	2	1	
SEP 2,85	SEP 1,85	800	800	1	23030.0	21794	2	1	
SEP 3,85	SEP 2,85	800	800	1	24912.0	21795	2	1	
SEP 4,85	SEP 3,85	800	1400	1	26891.0	21797	2	1	
SEP 5,85	SEP 4,85	1615	800	1	16719.0	21798	2	1	Q
SEP 6,85	SEP 5,85	800	800	1	22256.0	21799	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 29,85	JUL 28,85	*****	*****	*****	*****	*****	*****	*****
JUL 30,85	JUL 29,85	*****	*****	*****	*****	*****	*****	*****
JUL 31,85	JUL 30,85	0.00	0.16	0.06	<W 0.000	<T 0.00	0.00	0.06
AUG 1,85	JUL 31,85	0.01	0.37	0.11	0.080	<T 0.01	0.00	0.12
AUG 2,85	AUG 1,85	0.01	0.25	0.07	<T 0.031	<T 0.01	0.00	0.08
AUG 3,85	AUG 2,85	0.47	0.29	0.14	<W 0.001	0.05	0.04	0.19
AUG 4,85	AUG 3,85	1.02	1.04	0.44	0.258	0.12	0.04	0.56
AUG 5,85	AUG 4,85	0.96	1.81	0.34	0.377	0.11	0.04	0.45
AUG 6,85	AUG 5,85	6.32	15.97	0.86	3.294	0.04	0.08	0.90
AUG 7,85	AUG 6,85	3.39	5.64	0.85	1.191	0.11	0.22	0.96
AUG 8,85	AUG 7,85	1.91	0.00	0.67	0.000	<T 0.00	0.00	0.67
AUG 9,85	AUG 8,85	0.87	0.00	0.52	0.000	<T 0.00	0.48	0.52
AUG 10,85	AUG 9,85	0.23	0.00	0.31	0.000	<T 0.02	0.08	0.33
AUG 11,85	AUG 10,85	2.26	0.00	0.66	0.000	<T 0.02	0.25	0.68
AUG 12,85	AUG 11,85	0.06	0.00	0.09	0.000	<T 0.01	0.08	0.10
AUG 13,85	AUG 12,85	0.13	0.00	0.10	0.000	0.04	0.07	0.15
AUG 14,85	AUG 13,85	2.40	<T 0.00	0.87	<W 0.000	<T 0.00	1.46	0.88
AUG 15,85	AUG 14,85	3.02	0.00	0.62	0.000	0.02	0.00	0.64
AUG 16,85	AUG 15,85	0.66	0.00	0.02	0.000	<T 0.00	0.00	0.02
AUG 17,85	AUG 16,85	0.97	1.99	0.02	0.467	<T 0.00	0.00	0.02
AUG 18,85	AUG 17,85	1.01	2.08	0.12	0.454	0.04	0.00	0.16
AUG 19,85	AUG 18,85	2.85	4.24	0.69	1.030	0.07	0.04	0.77
AUG 20,85	AUG 19,85	1.41	2.44	0.36	0.647	0.11	0.04	0.47
AUG 21,85	AUG 20,85	0.69	1.67	0.08	0.428	<T 0.01	0.35	0.09
AUG 22,85	AUG 21,85	0.30	1.69	0.00	0.508	<T 0.01	0.00	0.01
AUG 23,85	AUG 22,85	0.65	1.37	0.15	0.405	<T 0.03	0.84	0.18
AUG 24,85	AUG 23,85	0.60	2.88	0.15	1.235	0.25	0.17	0.41
AUG 25,85	AUG 24,85	0.86	7.43	0.31	2.336	0.29	0.46	0.59
AUG 26,85	AUG 25,85	0.20	2.38	0.18	1.808	0.11	0.29	0.28
AUG 27,85	AUG 26,85	1.16	5.86	0.53	1.519	0.05	0.11	0.58
AUG 28,85	AUG 27,85	0.20	6.13	0.18	1.503	0.05	0.30	0.23
AUG 29,85	AUG 28,85	0.35	4.00	0.12	1.344	<T 0.01	0.20	0.13
AUG 30,85	AUG 29,85	0.49	0.47	0.18	0.128	0.04	0.58	0.22
AUG 31,85	AUG 30,85	0.46	1.40	0.11	0.308	<T 0.01	0.16	0.13
SEP 1,85	AUG 31,85	0.34	1.39	0.18	0.303	0.09	0.17	0.27
SEP 2,85	SEP 1,85	1.02	5.52	0.29	1.500	<T 0.01	0.86	0.30
SEP 3,85	SEP 2,85	1.00	4.18	0.15	1.025	<T 0.01	0.15	0.16
SEP 4,85	SEP 3,85	2.68	8.89	0.67	2.056	0.07	0.16	0.74
SEP 5,85	SEP 4,85	0.87	2.88	0.10	1.273	<T 0.02	0.20	0.12
SEP 6,85	SEP 5,85	0.32	1.31	0.20	0.968	<T 0.01	0.19	0.22

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
SEP 7,85	SEP 6,85	800	800	1	21825.0	21800	2	1	
SEP 8,85	SEP 7,85	800	800	1	21462.0	21801	2	1	
SEP 9,85	SEP 8,85	800	800	1	24020.0	21802	2	1	
SEP 10,85	SEP 9,85	800	800	1	25676.0	21803	2	1	
SEP 11,85	SEP 10,85	800	800	1	23667.0	21805	2	1	
SEP 12,85	SEP 11,85	800	800	1	25039.0	21806	2	1	
SEP 13,85	SEP 12,85	800	800	1	25157.0	21807	2	1	
SEP 14,85	SEP 13,85	800	800	1	25225.0	21808	2	1	
SEP 15,85	SEP 14,85	800	800	1	23883.0	21809	2	1	
SEP 16,85	SEP 15,85	800	800	1	24020.0	21810	2	1	
SEP 17,85	SEP 16,85	800	800	1	25343.0	21811	2	1	
SEP 18,85	SEP 17,85	800	800	1	21420.0	21813	2	1	
SEP 19,85	SEP 18,85	800	800	1	23730.0	21814	2	1	
SEP 20,85	SEP 19,85	800	800	1	23310.0	21815	2	1	
SEP 21,85	SEP 20,85	800	800	1	24430.0	21816	2	1	
SEP 22,85	SEP 21,85	800	800	1	24580.0	21817	2	1	
SEP 23,85	SEP 22,85	800	800	1	22800.0	21818	2	1	
SEP 24,85	SEP 23,85	800	800	1	25280.0	21819	2	1	
SEP 25,85	SEP 24,85	800	800	1	21290.0	21821	2	1	
SEP 26,85	SEP 25,85	800	800	1	23750.0	21822	2	1	
SEP 27,85	SEP 26,85	800	800	1	23770.0	21823	2	1	
SEP 28,85	SEP 27,85	800	800	1	22660.0	21824	2	1	
SEP 29,85	SEP 28,85	800	800	1	23630.0	21825	2	1	
SEP 30,85	SEP 29,85	800	800	1	23020.0	21826	2	1	
OCT 1,85	SEP 30,85	800	800	1	25430.0	21827	2	1	
OCT 2,85	OCT 1,85	800	800	1	23316.0	21829	2	1	
OCT 3,85	OCT 2,85	800	800	1	23422.0	21830	2	1	
OCT 4,85	OCT 3,85	800	800	1	23941.0	21831	2	1	
OCT 5,85	OCT 4,85	800	800	1	24431.0	21832	2	1	
OCT 6,85	OCT 5,85	800	800	1	23941.0	21833	2	1	
OCT 7,85	OCT 6,85	800	800	1	25372.0	21834	2	1	
OCT 8,85	OCT 7,85	800	800	1	26813.0	21835	2	1	
OCT 9,85	OCT 8,85	800	800	1	24100.0	21837	2	1	
OCT 10,85	OCT 9,85	800	800	1	23382.0	21838	2	1	
OCT 11,85	OCT 10,85	800	800	1	23373.0	21839	2	1	
OCT 12,85	OCT 11,85	800	800	1	24578.0	21840	2	1	
OCT 13,85	OCT 12,85	800	800	1	24186.0	21841	2	1	
OCT 14,85	OCT 13,85	800	800	1	23079.0	21842	2	1	
OCT 15,85	OCT 14,85	800	800	1	24794.0	21843	2	1	
OCT 16,85	OCT 15,85	800	800	1	22158.0	21845	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 7,85	SEP 6,85	0.45	4.45	0.55	1.330	0.09	0.65	0.64
SEP 8,85	SEP 7,85	0.72	13.38	1.21	3.403	<T	0.29	1.24
SEP 9,85	SEP 8,85	0.73	1.38	0.11	0.563	0.04	0.14	0.16
SEP 10,85	SEP 9,85	1.01	1.06	0.20	0.196	0.19	0.44	0.39
SEP 11,85	SEP 10,85	0.00	0.39	0.06	0.044	0.04	0.00	0.10
SEP 12,85	SEP 11,85	0.28	0.96	0.06	0.261	<T	0.03	0.09
SEP 13,85	SEP 12,85	0.05	0.20	0.03	0.031	<T	0.03	0.06
SEP 14,85	SEP 13,85	0.24	<T	0.07	0.071	<T	0.02	0.09
SEP 15,85	SEP 14,85	0.64	1.05	0.06	0.284	0.04	0.19	0.10
SEP 16,85	SEP 15,85	0.80	2.13	0.10	0.605	0.13	0.19	0.23
SEP 17,85	SEP 16,85	0.53	4.27	0.24	1.274	0.32	0.18	0.56
SEP 18,85	SEP 17,85	4.15	13.88	0.68	0.157	0.03	0.11	0.71
SEP 19,85	SEP 18,85	11.20	19.40	1.58	0.837	<T	0.01	1.60
SEP 20,85	SEP 19,85	4.84	20.56	1.41	0.000	0.24	0.61	1.65
SEP 21,85	SEP 20,85	8.37	24.49	1.45	2.471	0.05	0.75	1.50
SEP 22,85	SEP 21,85	0.32	0.42	0.10	0.000	0.08	0.21	0.19
SEP 23,85	SEP 22,85	1.07	9.79	0.43	0.000	0.10	0.28	0.53
SEP 24,85	SEP 23,85	1.38	14.77	0.89	0.000	0.04	0.33	0.94
SEP 25,85	SEP 24,85	0.07	1.66	0.15	0.000	<T	0.00	0.15
SEP 26,85	SEP 25,85	0.57	2.12	0.33	0.581	0.10	0.14	0.43
SEP 27,85	SEP 26,85	0.75	4.22	0.43	0.191	0.12	0.35	0.54
SEP 28,85	SEP 27,85	0.40	4.34	0.14	0.333	<T	0.00	0.14
SEP 29,85	SEP 28,85	2.36	6.36	0.54	1.218	0.46	0.99	1.00
SEP 30,85	SEP 29,85	4.16	12.44	1.07	3.238	0.12	0.36	1.19
OCT 1,85	SEP 30,85	10.77	17.63	1.06	3.295	0.03	0.44	1.09
OCT 2,85	OCT 1,85	1.01	3.78	0.24	0.945	0.10	0.21	0.34
OCT 3,85	OCT 2,85	0.41	2.31	0.31	0.493	0.08	0.09	0.39
OCT 4,85	OCT 3,85	0.12	2.51	0.33	0.628	0.14	0.17	0.46
OCT 5,85	OCT 4,85	0.83	5.78	0.80	1.465	<T	0.03	0.83
OCT 6,85	OCT 5,85	1.10	1.84	0.15	0.503	<T	0.03	0.18
OCT 7,85	OCT 6,85	0.54	<T	0.10	0.070	<T	0.01	0.11
OCT 8,85	OCT 7,85	1.28	2.73	0.27	0.440	0.18	0.22	0.45
OCT 9,85	OCT 8,85	5.24	5.69	0.38	1.661	0.27	0.00	0.65
OCT 10,85	OCT 9,85	8.36	8.35	0.41	2.771	0.69	0.28	1.09
OCT 11,85	OCT 10,85	2.72	3.04	0.09	0.611	0.07	0.15	0.15
OCT 12,85	OCT 11,85	0.21	0.82	0.00	0.195	<T	0.02	0.02
OCT 13,85	OCT 12,85	1.60	2.53	0.00	0.735	0.05	0.14	0.05
OCT 14,85	OCT 13,85	1.28	5.07	0.09	0.825	0.16	0.15	0.25
OCT 15,85	OCT 14,85	0.18	1.42	0.00	0.395	0.15	0.26	0.15
OCT 16,85	OCT 15,85	0.93	1.77	0.04	0.441	0.06	0.83	0.09

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
OCT 17,85	OCT 16,85	800	800	1	23108.0	21846	2	1		
OCT 18,85	OCT 17,85	800	800	1	25402.0	21847	2	1		
OCT 19,85	OCT 18,85	800	800	1	23902.0	21848	2	1		
OCT 20,85	OCT 19,85	800	800	1	24147.0	21849	2	1		
OCT 21,85	OCT 20,85	800	800	1	24490.0	21850	2	1		
OCT 22,85	OCT 21,85	800	800	1	24657.0	21851	2	1		
OCT 23,85	OCT 22,85	800	800	1	24794.0	21853	2	1		
OCT 24,85	OCT 23,85	1235	800	1	20815.0	21854	2	1	Q	
OCT 25,85	OCT 24,85	800	800	1	24059.0	21855	2	1		
OCT 26,85	OCT 25,85	800	800	1	26225.0	21856	2	1		
OCT 27,85	OCT 26,85	800	800	1	25470.0	21857	2	1		
OCT 28,85	OCT 27,85	800	800	1	25901.0	21858	2	1		
OCT 29,85	OCT 28,85	800	800	1	27538.0	21859	2	1	QC	
OCT 30,85	OCT 29,85	1425	800	1	21178.0	21861	2	1		
OCT 31,85	OCT 30,85	800	800	1	24814.0	21862	2	1		
NOV 1,85	OCT 31,85	800	800	1	25715.0	21863	2	1		
NOV 2,85	NOV 1,85	800	800	1	26401.0	21864	2	1		
NOV 3,85	NOV 2,85	800	800	1	25323.0	21865	2	1		
NOV 4,85	NOV 3,85	800	800	1	25313.0	21866	2	1		
NOV 5,85	NOV 4,85	800	800	1	25088.0	21867	2	1		
NOV 6,85	NOV 5,85	800	800	1	22364.0	21869	2	1		
NOV 7,85	NOV 6,85	800	800	1	*****	21870	2	1	F	
NOV 8,85	NOV 7,85	1220	800	1	20217.0	21871	2	1	Q	
NOV 9,85	NOV 8,85	800	800	1	26499.0	21872	2	1		
NOV 10,85	NOV 9,85	800	800	1	22628.0	21873	2	1		
NOV 11,85	NOV 10,85	800	800	1	23863.0	21874	2	1		
NOV 12,85	NOV 11,85	800	800	1	26391.0	21875	2	1		
NOV 13,85	NOV 12,85	800	800	1	21972.0	21877	2	1		
NOV 14,85	NOV 13,85	1230	800	1	20453.0	21878	2	1		
NOV 15,85	NOV 14,85	800	800	1	23373.0	21879	2	1		
NOV 16,85	NOV 15,85	800	800	1	26401.0	21880	2	1		
NOV 17,85	NOV 16,85	800	800	1	24353.0	21881	2	1		
NOV 18,85	NOV 17,85	800	800	1	25343.0	21882	2	1		
NOV 19,85	NOV 18,85	800	800	1	25745.0	21883	2	1		
NOV 22,85	NOV 19,85	800	800	1	78743.0	21885	2	1	A	Z
NOV 23,85	NOV 22,85	800	800	1	26029.0	21886	2	1		
NOV 24,85	NOV 23,85	800	800	1	25470.0	21887	2	1		
NOV 25,85	NOV 24,85	800	800	1	26823.0	21888	2	1		
NOV 26,85	NOV 25,85	800	800	1	26205.0	21889	2	1		
NOV 27,85	NOV 26,85	800	800	1	26627.0	21893	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 17,85	OCT 16,85	1.31	0.70	<T	0.00	0.164	<T	0.01
OCT 18,85	OCT 17,85	2.03	1.23		0.13	0.297		0.20
OCT 19,85	OCT 18,85	7.26	8.12		0.99	2.313		1.26
OCT 20,85	OCT 19,85	2.35	2.95		0.14	0.788	<T	0.03
OCT 21,85	OCT 20,85	0.17	0.78		0.05	0.185	<T	0.01
OCT 22,85	OCT 21,85	0.94	1.18		0.13	0.295		0.07
OCT 23,85	OCT 22,85	3.31	2.02		0.46	0.425		0.25
OCT 24,85	OCT 23,85	1.17	1.79		0.25	0.422	<T	0.34
OCT 25,85	OCT 24,85	2.39	2.22		0.23	0.594		0.10
OCT 26,85	OCT 25,85	0.71	0.51		0.07	0.145	<T	0.03
OCT 27,85	OCT 26,85	8.57	1.58		0.56	0.443		0.20
OCT 28,85	OCT 27,85	3.74	1.02		0.24	0.243		0.08
OCT 29,85	OCT 28,85	0.40	0.34		0.04	0.029	<T	0.02
OCT 30,85	OCT 29,85	0.48	<T	0.05	0.11	0.037		0.06
OCT 31,85	OCT 30,85	3.64	1.33		0.14	0.384		0.26
NOV 1,85	OCT 31,85	3.21	1.95		0.27	0.740		0.62
NOV 2,85	NOV 1,85	0.92	0.80		0.15	0.162		0.29
NOV 3,85	NOV 2,85	0.21	0.20		0.14	0.436		0.05
NOV 4,85	NOV 3,85	0.25	1.15		0.13	0.475		0.10
NOV 5,85	NOV 4,85	0.24	1.72		0.10	0.719		0.20
NOV 6,85	NOV 5,85	0.34	1.66		0.12	0.460		0.17
NOV 7,85	NOV 6,85	*****	*****	*****	*****	*****	*****	*****
NOV 8,85	NOV 7,85	1.25	0.60		0.23	0.682		0.04
NOV 9,85	NOV 8,85	1.53	<T	0.04	0.18	0.224		0.05
NOV 10,85	NOV 9,85	1.12	0.36		0.14	0.267		0.10
NOV 11,85	NOV 10,85	0.13	0.47		0.08	0.159	<T	0.03
NOV 12,85	NOV 11,85	0.52	1.26		0.06	0.598		0.46
NOV 13,85	NOV 12,85	2.29	0.83		0.15	0.548		0.18
NOV 14,85	NOV 13,85	1.48	0.95		0.07	0.405	<T	0.00
NOV 15,85	NOV 14,85	1.24	1.85		0.21	0.558		0.17
NOV 16,85	NOV 15,85	3.75	1.49		0.06	0.570		0.15
NOV 17,85	NOV 16,85	1.52	0.18		0.21	0.382		0.63
NOV 18,85	NOV 17,85	1.14	2.89		0.34	1.126		0.32
NOV 19,85	NOV 18,85	3.69	4.40		0.53	1.497		0.10
NOV 22,85	NOV 19,85	2.39	3.88		0.34	1.073		0.22
NOV 23,85	NOV 22,85	2.68	1.54		0.18	0.592		0.23
NOV 24,85	NOV 23,85	2.92	4.48		0.60	2.048		0.89
NOV 25,85	NOV 24,85	2.73	1.83		0.40	0.752		0.09
NOV 26,85	NOV 25,85	3.70	1.30		0.14	0.397		0.10
NOV 27,85	NOV 26,85	0.42	3.35		0.50	1.096		0.73

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
NOV 28,85	NOV 27,85	800	800	1	25676.0	21894	2	1		
NOV 29,85	NOV 28,85	800	800	1	26303.0	21895	2	1		
NOV 30,85	NOV 29,85	800	800	1	24755.0	21896	2	1		
DEC 1,85	NOV 30,85	800	800	1	23383.0	21897	2	1		
DEC 2,85	DEC 1,85	800	800	1	23971.0	21898	2	1		
DEC 3,85	DEC 2,85	800	800	1	25823.0	21899	2	1		
DEC 4,85	DEC 3,85	1105	800	1	50323.0	21901	2	1	A	F
DEC 5,85	DEC 4,85	800	800	1	25255.0	21902	2	1		
DEC 6,85	DEC 5,85	800	800	1	24921.0	21903	2	1		
DEC 7,85	DEC 6,85	800	800	1	25764.0	21904	2	1		
DEC 8,85	DEC 7,85	800	800	1	24912.0	21905	2	1		
DEC 9,85	DEC 8,85	800	800	1	25696.0	21906	2	1		
DEC 10,85	DEC 9,85	800	800	1	*****	21909	2	1	F	
DEC 11,85	DEC 10,85	800	800	1	25539.0	21907	2	1		
DEC 12,85	DEC 11,85	800	800	1	24294.0	21910	2	1		
DEC 13,85	DEC 12,85	800	800	1	25500.0	21911	2	1		
DEC 14,85	DEC 13,85	800	800	1	24069.0	21912	2	1		
DEC 15,85	DEC 14,85	800	800	1	26235.0	21913	2	1		
DEC 16,85	DEC 15,85	800	800	1	25803.0	21914	2	1		
DEC 17,85	DEC 16,85	800	800	1	25813.0	21915	2	1		
DEC 18,85	DEC 17,85	800	800	1	26156.0	21917	2	1		
DEC 19,85	DEC 18,85	800	800	1	27048.0	21918	2	1		
DEC 20,85	DEC 19,85	800	800	1	25676.0	21919	2	1		
DEC 21,85	DEC 20,85	800	800	1	25607.0	21920	2	1		
DEC 22,85	DEC 21,85	800	800	1	25176.0	21921	2	1		
DEC 23,85	DEC 22,85	800	800	1	23451.0	21922	2	1		
DEC 24,85	DEC 23,85	800	800	1	24382.0	21923	2	1		
DEC 25,85	DEC 24,85	800	800	1	26009.0	21924	2	1		

55

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 28,85	NOV 27,85	5.93	3.59	0.62	0.811	0.09	0.17	0.71
NOV 29,85	NOV 28,85	3.18	0.62	0.14	0.811	0.14	0.13	0.29
NOV 30,85	NOV 29,85	2.11	0.33	0.18	1.801	0.17	0.00	0.35
DEC 1,85	NOV 30,85	1.65	4.16	0.18	1.756	1.12	0.15	1.31
DEC 2,85	DEC 1,85	1.30	1.85	0.19	0.556	0.04	0.06	0.23
DEC 3,85	DEC 2,85	2.14	0.94	0.04	0.011	0.06	0.06	0.10
DEC 4,85	DEC 3,85	3.28	1.22	0.05	0.031	0.37	0.00	0.42
DEC 5,85	DEC 4,85	3.26	3.09	0.53	1.110	0.49	<W 0.00	1.02
DEC 6,85	DEC 5,85	3.54	3.78	0.43	1.095	0.29	<W 0.00	0.72
DEC 7,85	DEC 6,85	7.15	6.80	1.50	2.126	0.24	<W 0.00	1.74
DEC 8,85	DEC 7,85	6.68	6.35	0.93	2.099	0.00	<W 0.00	0.93
DEC 9,85	DEC 8,85	0.73	<T 0.04	0.15	0.060	<T 0.02	<T 0.03	0.17
DEC 10,85	DEC 9,85	*****	*****	*****	*****	*****	*****	*****
DEC 11,85	DEC 10,85	0.53	2.67	1.10	0.758	0.04	0.31	1.15
DEC 12,85	DEC 11,85	2.75	2.19	0.81	0.561	0.08	0.41	0.89
DEC 13,85	DEC 12,85	4.98	3.46	1.06	0.858	0.06	0.50	1.12
DEC 14,85	DEC 13,85	2.42	2.84	<T 0.00	0.794	0.02	0.00	0.02
DEC 15,85	DEC 14,85	3.28	1.76	0.35	0.538	0.09	0.22	0.44
DEC 16,85	DEC 15,85	9.80	3.34	0.81	0.896	0.05	0.27	0.87
DEC 17,85	DEC 16,85	3.88	2.22	0.57	0.663	0.04	0.34	0.61
DEC 18,85	DEC 17,85	4.04	1.77	0.65	0.464	0.04	0.24	0.70
DEC 19,85	DEC 18,85	4.97	1.04	0.13	0.251	0.08	0.16	0.21
DEC 20,85	DEC 19,85	9.82	4.26	0.98	1.257	0.51	0.21	1.49
DEC 21,85	DEC 20,85	25.80	11.41	1.06	3.457	1.19	0.83	2.24
DEC 22,85	DEC 21,85	22.41	7.80	1.31	2.255	0.53	0.45	1.84
DEC 23,85	DEC 22,85	26.24	4.36	1.27	1.217	0.06	0.57	1.33
DEC 24,85	DEC 23,85	7.55	3.70	0.71	0.965	0.05	0.34	0.76
DEC 25,85	DEC 24,85	22.30	2.70	0.36	0.655	0.05	0.21	0.41

56

PART VI

NORTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 2,85	JAN 1,85	700	700	1	24877.0	30411	2	1	
JAN 3,85	JAN 2,85	830	700	1	22221.0	30413	2	1	
JAN 4,85	JAN 3,85	700	700	1	22522.0	30414	2	1	
JAN 5,85	JAN 4,85	700	700	1	22428.0	30415	2	1	
JAN 6,85	JAN 5,85	700	700	1	22325.0	30416	2	1	
JAN 7,85	JAN 6,85	700	700	1	23330.0	30417	2	1	
JAN 8,85	JAN 7,85	700	700	1	23863.0	30418	2	1	
JAN 8,85	JAN 8,85	700	815	1	241.0	30420	2	1	FXZ
JAN 9,85	JAN 8,85	830	700	1	23321.0	30421	2	1	
JAN 10,85	JAN 9,85	700	700	1	24610.0	30422	2	1	
JAN 11,85	JAN 10,85	700	700	1	37809.0	30423	2	1	C
JAN 12,85	JAN 11,85	700	700	1	39029.0	30424	2	1	C
JAN 13,85	JAN 12,85	700	700	1	38557.0	30425	2	1	C
JAN 14,85	JAN 13,85	700	700	1	38651.0	30426	2	1	C
JAN 15,85	JAN 14,85	700	700	1	39158.0	30427	2	1	C
JAN 16,85	JAN 15,85	700	700	1	24258.0	30429	2	1	
JAN 17,85	JAN 16,85	700	700	1	24585.0	30430	2	1	
JAN 18,85	JAN 17,85	700	700	1	24361.0	30431	2	1	
JAN 19,85	JAN 18,85	700	700	1	25916.0	30432	2	1	
JAN 20,85	JAN 19,85	700	700	1	26509.0	30433	2	1	
JAN 21,85	JAN 20,85	700	700	1	24473.0	30434	2	1	
JAN 22,85	JAN 21,85	700	700	1	23803.0	30435	2	1	
JAN 23,85	JAN 22,85	700	700	1	23339.0	30437	2	1	
JAN 24,85	JAN 23,85	700	700	1	24430.0	30438	2	1	
JAN 25,85	JAN 24,85	700	700	1	24602.0	30439	2	1	
JAN 26,85	JAN 25,85	700	700	1	25229.0	30440	2	1	
JAN 27,85	JAN 26,85	700	700	1	24945.0	30441	2	1	
JAN 28,85	JAN 27,85	700	700	1	24533.0	30442	2	1	
JAN 29,85	JAN 28,85	700	700	1	24447.0	30443	2	1	
JAN 30,85	JAN 29,85	700	700	1	32619.0	30445	2	1	
JAN 31,85	JAN 30,85	700	700	1	29137.0	30446	2	1	
FEB 1,85	JAN 31,85	700	700	1	33848.0	30447	2	1	
FEB 2,85	FEB 1,85	700	700	1	34131.0	30448	2	1	
FEB 3,85	FEB 2,85	700	700	1	33745.0	30449	2	1	
FEB 4,85	FEB 3,85	700	700	1	33891.0	30450	2	1	
FEB 5,85	FEB 4,85	700	700	1	33719.0	30451	2	1	
FEB 6,85	FEB 5,85	700	700	1	32009.0	30454	2	1	
FEB 7,85	FEB 6,85	700	700	1	32353.0	30455	2	1	
FEB 8,85	FEB 7,85	700	700	1	32628.0	30456	2	1	
FEB 9,85	FEB 8,85	700	700	1	32739.0	30457	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 2

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3				
JAN 2,85	JAN 1,85		0.73	0.26	0.09	0.071	<W	0.00	<T	0.07	0.09		
JAN 3,85	JAN 2,85		2.41	1.81	0.19	0.528		0.23	<T	0.00	0.42		
JAN 4,85	JAN 3,85		2.50	1.40	0.24	0.867		0.56	<T	0.18	0.79		
JAN 5,85	JAN 4,85	<T	0.32	0.62	0.11	0.128	<W	0.00	<T	0.12	0.12		
JAN 6,85	JAN 5,85	<T	0.32	0.51	0.07	0.140	<W	0.00	<T	0.12	0.07		
JAN 7,85	JAN 6,85	<T	0.12	0.97	0.04	0.076	<W	0.00	<T	0.17	0.05		
JAN 8,85	JAN 7,85		0.02	0.69	<T	0.03	0.058	<W	0.00	<W	0.01	0.03	
JAN 8,85	JAN 8,85	<W	0.00	<W	0.00	<T	0.000	<W	0.00	<W	0.00	0.00	
JAN 9,85	JAN 8,85		0.15	0.65	<T	0.01	0.112	<W	0.00	<W	0.00	0.01	
JAN 10,85	JAN 9,85		1.44	0.57		0.092	<W	0.00	<W	0.01	0.08		
JAN 11,85	JAN 10,85	<W	0.01	<T	0.10	<W	0.00	0.030	<W	0.00	<W	0.00	
JAN 12,85	JAN 11,85		0.05	<T	0.10	<W	0.00	0.020	<W	0.00	<W	0.00	
JAN 13,85	JAN 12,85		0.14	<T	0.10	<W	0.00	0.023	0.01	<W	0.00	0.01	
JAN 14,85	JAN 13,85		0.01	<T	0.10	<W	0.00	0.029	<W	0.00	<W	0.00	
JAN 15,85	JAN 14,85		0.01	<T	0.10	<W	0.00	0.029	<W	0.00	<W	0.00	
JAN 16,85	JAN 15,85		2.35	0.83	0.04	0.129		0.03	<T	0.01	0.08		
JAN 17,85	JAN 16,85		4.02	1.43	0.12	0.581		0.40	<W	0.01	0.52		
JAN 18,85	JAN 17,85		0.63	1.39	0.11	0.350	<W	0.00	<W	0.01	0.12		
JAN 19,85	JAN 18,85		2.59	1.94	<T	0.03	0.281		0.02	<W	0.01	0.05	
JAN 20,85	JAN 19,85		1.90	1.47	<W	0.00	0.184		0.02	<W	0.01	0.02	
JAN 21,85	JAN 20,85		0.97	0.98	<T	0.01	0.087	<W	0.00	<W	0.01	0.01	
JAN 22,85	JAN 21,85		0.72	0.59	<W	0.00	0.053	<W	0.00	<W	0.01	<W	0.00
JAN 23,85	JAN 22,85		0.47	0.98		0.07	0.170	<T	0.00		0.08	0.07	
JAN 24,85	JAN 23,85		0.56	1.52		0.09	0.281	<W	0.00	<T	0.09	0.10	
JAN 25,85	JAN 24,85		0.67	1.63		0.02	0.184	<W	0.00	<W	0.01	0.02	
JAN 26,85	JAN 25,85		0.33	1.19	<T	0.03	0.150	<W	0.00	<W	0.01	0.03	
JAN 27,85	JAN 26,85		2.66	1.17		0.18	0.241		0.04		0.25	0.22	
JAN 28,85	JAN 27,85		0.75	1.02		0.06	0.168	<W	0.00		0.13	0.06	
JAN 29,85	JAN 28,85		3.87	1.11		0.14	0.250	<T	0.01		0.09	0.16	
JAN 30,85	JAN 29,85		1.77	0.83		0.16	0.191	<W	0.00	<T	0.07	0.16	
JAN 31,85	JAN 30,85		0.15	0.55	<T	0.03	0.069	<W	0.00	<W	0.00	0.03	
FEB 1,85	JAN 31,85		0.66	0.54		0.05	0.077	<W	0.00	<W	0.00	0.05	
FEB 2,85	FEB 1,85		1.45	0.59		0.04	0.096	<W	0.00	<W	0.00	0.04	
FEB 3,85	FEB 2,85		2.89	0.69		0.10	0.122	<T	0.02	<W	0.00	0.11	
FEB 4,85	FEB 3,85		0.54	0.59		0.06	0.136	<T	0.01	<W	0.00	0.07	
FEB 5,85	FEB 4,85		0.93	0.54		0.08	0.100		0.03	<W	0.00	0.11	
FEB 6,85	FEB 5,85		0.64	0.69		0.07	0.147	<W	0.00		0.05	0.07	
FEB 7,85	FEB 6,85		0.54	0.62		0.06	0.089	<W	0.00		0.05	0.06	
FEB 8,85	FEB 7,85	<T	0.21	0.37	0.03	0.065	<W	0.00	<T	0.02	0.03	0.03	
FEB 9,85	FEB 8,85		0.57	0.40	0.03	0.065	<W	0.00	<T	0.02	0.03	0.03	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE 1 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 10,85	FEB 9,85	700	700	1	32310.0	30458	2	1	
FEB 11,85	FEB 10,85	700	700	1	32447.0	30459	2	1	
FEB 12,85	FEB 11,85	700	815	1	35395.0	30460	2	1	
FEB 13,85	FEB 12,85	830	700	1	30806.0	30462	2	1	
FEB 14,85	FEB 13,85	700	700	1	32739.0	30463	2	1	
FEB 15,85	FEB 14,85	700	700	1	32628.0	30464	2	1	
FEB 16,85	FEB 15,85	700	700	1	32258.0	30465	2	1	
FEB 17,85	FEB 16,85	700	700	1	32421.0	30466	2	1	
FEB 18,85	FEB 17,85	700	700	1	32353.0	30467	2	1	
FEB 19,85	FEB 18,85	700	700	1	32490.0	30468	2	1	
FEB 20,85	FEB 19,85	700	700	1	32241.0	30470	2	1	
FEB 21,85	FEB 20,85	700	700	1	31700.0	30471	2	1	
FEB 22,85	FEB 21,85	700	700	1	31622.0	30472	2	1	
FEB 24,85	FEB 22,85	700	700	1	63683.0	30473	2	1	
FEB 25,85	FEB 24,85	700	700	1	32095.0	30474	2	1	A Z
FEB 26,85	FEB 25,85	700	700	1	31914.0	30475	2	1	
FEB 26,85	FEB 26,85	700	800	1	1108.0	30476	2	1	
FEB 27,85	FEB 26,85	800	700	1	31966.0	30478	2	1	FZ
FEB 28,85	FEB 27,85	700	700	1	32799.0	30479	2	1	
MAR 1,85	FEB 28,85	700	700	1	32138.0	30480	2	1	
MAR 2,85	MAR 1,85	700	700	1	32920.0	30481	2	1	
MAR 3,85	MAR 2,85	700	700	1	33057.0	30482	2	1	
MAR 4,85	MAR 3,85	700	700	1	33178.0	30483	2	1	
MAR 5,85	MAR 4,85	700	700	1	33487.0	30484	2	1	
MAR 6,85	MAR 5,85	700	700	1	32799.0	30492	2	1	
MAR 7,85	MAR 6,85	700	700	1	32919.0	30491	2	1	
MAR 8,85	MAR 7,85	700	700	1	32482.0	30490	2	1	
MAR 9,85	MAR 8,85	700	700	1	32911.0	30489	2	1	
MAR 10,85	MAR 9,85	700	700	1	32679.0	30488	2	1	
MAR 11,85	MAR 10,85	700	700	1	32301.0	30487	2	1	
MAR 12,85	MAR 11,85	700	700	1	32731.0	30486	2	1	
MAR 13,85	MAR 12,85	700	700	1	32516.0	30494	2	1	
MAR 14,85	MAR 13,85	700	700	1	33478.0	30495	2	1	
MAR 15,85	MAR 14,85	700	700	1	33521.0	30496	2	1	
MAR 17,85	MAR 15,85	700	700	1	67171.0	30497	2	1	
MAR 18,85	MAR 17,85	700	700	1	33410.0	30498	2	1	A Z
MAR 19,85	MAR 18,85	700	700	1	33865.0	30499	2	1	
MAR 19,85	MAR 19,85	700	800	1	1014.0	30500	2	1	
MAR 20,85	MAR 19,85	800	700	1	33564.0	30502	2	1	FXZ
MAR 21,85	MAR 20,85	700	700	1	35523.0	30503	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 10,85	FEB 9,85	0.44	0.47	0.07	0.101	<W	0.00	0.07
FEB 11,85	FEB 10,85	2.25	1.21	0.10	0.317	<W	0.00	0.10
FEB 12,85	FEB 11,85	0.94	1.53	0.06	0.241	<W	0.00	0.07
FEB 13,85	FEB 12,85	0.40	0.39	0.03	0.048	<W	0.00	0.03
FEB 14,85	FEB 13,85	<T	0.14	0.02	0.062	<W	0.00	0.03
FEB 15,85	FEB 14,85	0.78	0.46	0.02	0.047	<W	0.00	0.03
FEB 16,85	FEB 15,85	1.28	0.66	0.05	0.112	<W	0.00	0.05
FEB 17,85	FEB 16,85	1.34	1.48	0.11	0.289	<W	0.00	0.11
FEB 18,85	FEB 17,85	1.59	0.65	0.03	0.070	<W	0.00	0.03
FEB 19,85	FEB 18,85	0.90	0.65	0.04	0.081	<W	0.00	0.04
FEB 20,85	FEB 19,85	0.79	0.87	0.10	0.211	<T	0.02	0.12
FEB 21,85	FEB 20,85	0.22	1.42	0.08	0.637		0.25	0.33
FEB 22,85	FEB 21,85	0.06	1.14	0.09	0.417		0.10	0.19
FEB 24,85	FEB 22,85	0.15	1.32	0.10	0.335	<W	0.00	0.11
FEB 25,85	FEB 24,85	0.06	1.10	0.10	0.294	<W	0.00	0.10
FEB 26,85	FEB 25,85	0.06	1.29	0.04	0.495		0.11	0.15
FEB 26,85	FEB 26,85	0.00	<W	0.00	0.135	<W	0.00	0.00
FEB 27,85	FEB 26,85	0.22	0.44	0.02	0.079	<W	0.00	0.02
FEB 28,85	FEB 27,85	0.78	0.49	0.09	0.165	<W	0.00	0.09
MAR 1,85	FEB 28,85	<T	0.18	0.10	0.044	<W	0.00	0.03
MAR 2,85	MAR 1,85	0.77	0.73	0.00	0.107	<W	0.00	0.00
MAR 3,85	MAR 2,85	0.44	0.58	0.00	0.088	<W	0.00	0.00
MAR 4,85	MAR 3,85	<T	0.17	0.31	0.068	<W	0.00	0.00
MAR 5,85	MAR 4,85	0.34	0.27	0.00	0.030	<W	0.00	0.00
MAR 6,85	MAR 5,85	0.42	0.22	0.02	0.051	<T	0.02	0.04
MAR 7,85	MAR 6,85	0.80	0.70	0.09	0.206		0.05	0.15
MAR 8,85	MAR 7,85	0.48	1.02	0.14	0.312		0.06	0.20
MAR 9,85	MAR 8,85	0.91	1.10	0.10	0.305	<T	0.01	0.11
MAR 10,85	MAR 9,85	1.04	0.34	0.10	0.108	<T	0.02	0.12
MAR 11,85	MAR 10,85	1.09	0.22	0.09	0.066	<T	0.02	0.10
MAR 12,85	MAR 11,85	<T	0.09	0.02	0.058	<W	0.00	0.03
MAR 13,85	MAR 12,85	0.40	0.25	0.07	0.066	<W	0.00	0.07
MAR 14,85	MAR 13,85	0.13	0.48	0.02	0.121	<W	0.00	0.02
MAR 15,85	MAR 14,85	0.07	0.42	0.00	0.113	<W	0.00	0.00
MAR 17,85	MAR 15,85	0.07	0.45	0.02	0.109	<T	0.00	0.02
MAR 18,85	MAR 17,85	0.13	0.60	0.03	0.151	<W	0.00	0.03
MAR 19,85	MAR 18,85	0.48	0.39	0.12	0.104		0.03	0.15
MAR 19,85	MAR 19,85	0.00	<W	0.00	0.000	<W	0.00	0.00
MAR 20,85	MAR 19,85	0.18	0.18	0.02	0.042		0.02	0.04
MAR 21,85	MAR 20,85	0.04	0.26	0.00	0.047		0.04	0.04

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 22,85	MAR 21,85	700	700	1	34810.0	30504	2	1	
MAR 23,85	MAR 22,85	700	700	1	34613.0	30505	2	1	
MAR 24,85	MAR 23,85	700	700	1	35206.0	30506	2	1	
MAR 25,85	MAR 24,85	700	700	1	35120.0	30507	2	1	
MAR 26,85	MAR 25,85	700	700	1	35034.0	30508	2	1	
MAR 27,85	MAR 26,85	700	700	1	33770.0	30510	2	1	
MAR 28,85	MAR 27,85	700	700	1	34810.0	30511	2	1	
MAR 29,85	MAR 28,85	700	700	1	34664.0	30512	2	1	
MAR 30,85	MAR 29,85	700	700	1	35317.0	30513	2	1	
MAR 31,85	MAR 30,85	700	700	1	35034.0	30514	2	1	
APR 1,85	MAR 31,85	700	700	1	35334.0	30515	2	1	
APR 2,85	APR 1,85	700	700	1	34905.0	30516	2	1	
APR 3,85	APR 2,85	700	700	1	34011.0	30519	2	1	
APR 4,85	APR 3,85	700	700	1	35334.0	30520	2	1	
APR 5,85	APR 4,85	700	700	1	35128.0	30521	2	1	
APR 6,85	APR 5,85	700	700	1	35111.0	30522	2	1	
APR 7,85	APR 6,85	700	700	1	35343.0	30523	2	1	
APR 8,85	APR 7,85	700	700	1	35747.0	30524	2	1	
APR 9,85	APR 8,85	700	700	1	35953.0	30525	2	1	
APR 11,85	APR 9,85	700	700	1	67635.0	30527	2	1	Z
APR 12,85	APR 11,85	700	700	1	34587.0	30528	2	1	
APR 18,85	APR 16,85	745	700	1	74948.0	30529	2	1	Z
APR 19,85	APR 18,85	700	700	1	38024.0	30530	2	1	
APR 20,85	APR 19,85	700	700	1	37259.0	30531	2	1	
APR 22,85	APR 20,85	700	700	1	75214.0	30532	2	1	Z
APR 23,85	APR 22,85	700	700	1	37826.0	30533	2	1	
APR 23,85	APR 23,85	700	810	1	1477.0	30534	2	1	FZ
MAY 15,85	MAY 14,85	1410	700	1	25546.0	30536	2	1	
MAY 16,85	MAY 15,85	700	700	1	35704.0	30537	2	1	
MAY 17,85	MAY 16,85	700	700	1	36662.0	30538	2	1	
MAY 18,85	MAY 17,85	700	700	1	36862.0	30539	2	1	
MAY 19,85	MAY 18,85	700	700	1	38778.0	30540	2	1	
MAY 20,85	MAY 19,85	700	700	1	37725.0	30541	2	1	
MAY 21,85	MAY 20,85	700	700	1	38567.0	30542	2	1	
MAY 22,85	MAY 21,85	700	700	1	35031.0	30551	2	1	
MAY 23,85	MAY 22,85	700	700	1	34536.0	30552	2	1	
MAY 24,85	MAY 23,85	700	700	1	33988.0	30553	2	1	
MAY 25,85	MAY 24,85	700	700	1	34557.0	30554	2	1	
MAY 26,85	MAY 25,85	700	700	1	35041.0	30555	2	1	
MAY 27,85	MAY 26,85	700	700	1	35241.0	30556	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3					
MAR 22,85	MAR 21,85	0.98	0.61	0.17	0.249	0.18	<T	0.12	0.35				
MAR 23,85	MAR 22,85	0.72	0.84	0.26	0.323	0.17	<T	0.12	0.43				
MAR 24,85	MAR 23,85	0.66	0.77	0.14	0.215	0.03	<W	0.00	0.17				
MAR 25,85	MAR 24,85	0.24	0.29	<T	0.059	<T	<W	0.00	<T	0.02			
MAR 26,85	MAR 25,85	0.86	1.49	0.11	0.473	<T	<T	0.12	0.12				
MAR 27,85	MAR 26,85	0.50	2.05	0.16	0.588	0.05		0.48	0.21				
MAR 28,85	MAR 27,85	0.04	0.52	<T	0.105	<W	0.00	<W	0.00	0.01			
MAR 29,85	MAR 28,85	<W	0.01	0.58	<W	0.00	<W	0.00	<W	0.00			
MAR 30,85	MAR 29,85	<W	0.01	0.29	<W	0.00	<W	0.00	<W	0.00			
MAR 31,85	MAR 30,85	0.90	0.60	<W	0.00	0.057	<W	0.00	<W	0.00			
APR 1,85	MAR 31,85	0.07	0.34	<W	0.00	0.057	<W	0.00	<W	0.00			
APR 2,85	APR 1,85	0.09	0.23	<W	0.00	0.062	<W	0.00	<T	0.12	<W	0.00	
APR 3,85	APR 2,85	<T	0.05	0.24	<W	0.00	0.048	<W	0.00	<T	0.06	<W	0.00
APR 4,85	APR 3,85	0.07	0.54	<W	0.00	0.060	<W	0.00	<W	0.00	<W	0.00	
APR 5,85	APR 4,85	<W	0.01	<T	0.09	<W	0.00	<W	0.00	<W	0.00		
APR 6,85	APR 5,85	0.47	1.06	<W	0.00	0.058	<W	0.00	<T	0.09	<W	0.00	
APR 7,85	APR 6,85	0.18	0.60	<W	0.00	0.071	<W	0.00	<W	0.00	<W	0.00	
APR 8,85	APR 7,85	0.15	0.54	<W	0.00	0.057	<W	0.00	<W	0.00	<W	0.00	
APR 9,85	APR 8,85	0.07	0.78	<W	0.00	0.080	<W	0.00	<W	0.00	<W	0.00	
APR 11,85	APR 9,85	P	0.25	P	0.69	P	0.183	P	0.00	P	0.06	P	0.06
APR 12,85	APR 11,85	P	0.19	P	0.58	P	0.152	P	0.01	P	0.12	P	0.04
APR 18,85	APR 16,85	0.03	<W	0.00	<T	0.01	<W	0.00	<W	0.00	<T	0.03	0.01
APR 19,85	APR 18,85	<T	0.14	0.61	0.07	0.152	<W	0.00	<T	0.09	0.07		
APR 20,85	APR 19,85	0.12	0.62	0.00	0.155	<W	0.00	0.17	0.00				
APR 22,85	APR 20,85	0.04	0.28	0.03	0.062	<W	0.00	<T	0.05	0.03			
APR 23,85	APR 22,85	0.05	<W	0.00	<W	0.00	0.016	<W	0.00	<T	0.06	<W	0.00
APR 23,85	APR 23,85	P	0.90	P	0.00	P	0.000	P	0.00	P	1.35	P	0.00
MAY 15,85	MAY 14,85	0.04	0.00	<T	0.02	0.038	<T	0.01	<T	0.04	<T	0.03	
MAY 16,85	MAY 15,85	0.10	<T	0.00	0.03	<W	0.000	<T	0.01	0.14	0.04		
MAY 17,85	MAY 16,85	<W	0.01	0.00	<W	0.00	<T	0.003	<T	0.01	<W	0.00	0.01
MAY 18,85	MAY 17,85	0.01	0.00	<T	0.01	0.048	<T	0.01	<W	0.00	<T	0.02	
MAY 19,85	MAY 18,85	0.06	0.00	<T	0.01	0.048	<T	0.01	<W	0.00	<T	0.02	
MAY 20,85	MAY 19,85	<W	0.01	<T	0.00	<W	0.00	0.010	<T	0.01	<W	0.00	0.01
MAY 21,85	MAY 20,85	<W	0.01	<T	0.00	<W	0.000	<T	0.01	<W	0.00	0.01	
MAY 22,85	MAY 21,85	<T	0.00	0.00	0.01	0.056	<T	0.00	<T	0.00	0.01		
MAY 23,85	MAY 22,85	0.02	0.69	0.02	0.061	<T	0.01	0.02	0.03				
MAY 24,85	MAY 23,85	0.06	0.41	0.03	0.058	<T	0.01	0.08	0.04				
MAY 25,85	MAY 24,85	<W	0.01	0.43	<T	0.09	0.090	<T	0.01	<W	0.00	<T	0.10
MAY 26,85	MAY 25,85	<T	0.04	0.14	0.02	0.068	<T	0.01	<T	0.04	0.03		
MAY 27,85	MAY 26,85	<T	0.04	0.14	0.02	0.050	<T	0.01	<T	0.04	0.03		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAY 28,85	MAY 27,85	700	700	1	33588.0	30557	2	1	
MAY 29,85	MAY 28,85	700	700	1	35252.0	30544	2	1	
MAY 30,85	MAY 29,85	700	700	1	33336.0	30545	2	1	
MAY 31,85	MAY 30,85	700	700	1	33315.0	30546	2	1	
JUN 1,85	MAY 31,85	700	700	1	34462.0	30547	2	1	
JUN 2,85	JUN 1,85	700	700	1	34778.0	30548	2	1	
JUN 3,85	JUN 2,85	700	700	1	35009.0	30549	2	1	
JUN 4,85	JUN 3,85	700	700	1	33662.0	30550	2	1	
JUN 4,85	JUN 4,85	700	815	1	1905.0	30560	2	1	FXZ
JUN 5,85	JUN 4,85	815	700	1	35462.0	30561	2	1	X
JUN 6,85	JUN 5,85	700	700	1	35209.0	30562	2	1	
JUN 7,85	JUN 6,85	700	700	1	35209.0	30563	2	1	
JUN 8,85	JUN 7,85	700	700	1	35167.0	30564	2	1	
JUN 9,85	JUN 8,85	700	700	1	35609.0	30565	2	1	
JUN 10,85	JUN 9,85	700	700	1	36388.0	30566	2	1	
JUN 11,85	JUN 10,85	700	700	1	34336.0	30567	2	1	
JUN 11,85	JUN 11,85	840	1500	1	11421.0	30569	2	1	FZ
JUN 12,85	JUN 11,85	1500	1500	1	33769.0	30570	2	1	
JUN 13,85	JUN 12,85	1500	1500	1	33086.0	30571	2	1	
JUN 14,85	JUN 13,85	1500	1500	1	33165.0	30572	2	1	
JUN 15,85	JUN 14,85	1500	1500	1	33343.0	30573	2	1	
JUN 16,85	JUN 15,85	1500	1500	1	33155.0	30574	2	1	
JUN 17,85	JUN 16,85	1500	1500	1	33274.0	30575	2	1	
JUN 18,85	JUN 17,85	1500	800	1	18950.0	30576	2	1	
JUN 25,85	JUN 25,85	750	1820	1	15512.0	30577	2	1	A Z
JUN 27,85	JUN 25,85	1820	800	1	55334.0	30578	2	1	A Z
JUN 27,85	JUN 27,85	800	2300	1	24943.0	30579	2	1	A Z
JUN 30,85	JUN 27,85	2300	1650	1	97891.0	30580	2	1	A Z
JUL 1,85	JUN 30,85	1650	1650	1	36949.0	30581	2	1	
JUL 2,85	JUL 1,85	1650	900	1	*****	30582	2	1	A
JUL 10,85	JUL 9,85	840	800	1	25973.0	30586	2	1	
JUL 11,85	JUL 10,85	800	800	1	26241.0	30587	2	1	
JUL 12,85	JUL 11,85	800	800	1	26122.0	30588	2	1	
JUL 13,85	JUL 12,85	800	800	1	26944.0	30589	2	1	
JUL 14,85	JUL 13,85	800	800	1	25944.0	30590	2	1	
JUL 15,85	JUL 14,85	800	800	1	25439.0	30591	2	1	
JUL 16,85	JUL 15,85	800	800	1	26231.0	30592	2	1	
JUL 17,85	JUL 16,85	800	700	1	24239.0	30594	2	1	
JUL 18,85	JUL 17,85	700	700	1	24656.0	30595	2	1	
JUL 19,85	JUL 18,85	700	700	1	23823.0	30596	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3	NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
MAY 28,85	MAY 27,85	0.06	<W	0.00	0.02	<W	0.000	<T	0.01		0.08		0.03
MAY 29,85	MAY 28,85	0.18		0.00	0.05		0.009	<T	0.00		0.00		0.05
MAY 30,85	MAY 29,85	<T 0.19		0.00	0.02		0.078	<T	0.01	<T	0.05		0.03
MAY 31,85	MAY 30,85	0.01		0.00	0.01		0.008	<T	0.00	<W	0.00		0.01
JUN 1,85	MAY 31,85	0.02		0.00	<T 0.00		0.000	<T	0.00	<T	0.02	<T	0.00
JUN 2,85	JUN 1,85	<W 0.01		0.00	<T 0.00		0.007	<T	0.00	<W	0.00	<T	0.00
JUN 3,85	JUN 2,85	0.01		0.00	<T 0.00		0.000	<T	0.00	<W	0.00	<T	0.00
JUN 4,85	JUN 3,85	0.01		0.00	<W 0.00	<W	0.000	<T	0.00	<T	0.00		0.00
JUN 4,85	JUN 4,85	0.00		0.00	<T 0.00	<W	0.000	<T	0.00	<T	0.00	<T	0.00
JUN 5,85	JUN 4,85	0.00		0.00	0.00		0.000	<T	0.00	<T	0.00		0.00
JUN 6,85	JUN 5,85	<T 0.04		0.20	0.02		0.011	<T	0.00	<T	0.04		0.03
JUN 7,85	JUN 6,85	0.14		0.40	0.04		0.067	<T	0.01		0.07		0.05
JUN 8,85	JUN 7,85	<T 0.02		0.37	0.05		0.050	<T	0.01	<T	0.02		0.06
JUN 9,85	JUN 8,85	<T 0.02		0.37	0.02		0.000	<T	0.01	<T	0.02		0.03
JUN 10,85	JUN 9,85	0.02		0.25	<T 0.01		0.021	<T	0.00	<T	0.02	<T	0.01
JUN 11,85	JUN 10,85	0.12		0.56	0.04		0.057	<T	0.00		0.07		0.04
JUN 11,85	JUN 11,85	0.00		0.09	<T 0.00	<T	0.000	<T	0.00	<T	0.00	<T	0.00
JUN 12,85	JUN 11,85	0.00		0.27	<T 0.00		0.085	<T	0.00	<T	0.00	<T	0.00
JUN 13,85	JUN 12,85	0.07		0.31	<T 0.01		0.084	<T	0.00	<T	0.09	<T	0.01
JUN 14,85	JUN 13,85	0.15		0.28	<W 0.00		0.084	<T	0.01		0.22		0.01
JUN 15,85	JUN 14,85	0.05		0.91	0.08		0.263	<T	0.02	<T	0.06		0.11
JUN 16,85	JUN 15,85	0.25		2.12	0.07		0.514	<T	0.01		0.19		0.08
JUN 17,85	JUN 16,85	0.05		0.22	<T 0.02		0.031	<T	0.01	<T	0.06	<T	0.02
JUN 18,85	JUN 17,85	0.06		0.12	<T 0.02		0.028	<T	0.02	<T	0.06	<T	0.03
JUN 25,85	JUN 25,85	0.04		0.19	<T 0.02		0.032	<T	0.02	<T	0.06	<T	0.03
JUN 27,85	JUN 25,85	0.04		0.20	<T 0.01		0.056	<W 0.00		<T	0.05		0.01
JUN 27,85	JUN 27,85	0.03		0.68	<T 0.02		0.190	<T	0.01	<T	0.04	<T	0.03
JUN 30,85	JUN 27,85	<T 0.02		0.59	0.04		0.129	<T	0.01	<T	0.02		0.05
JUL 1,85	JUN 30,85	<T 0.03		0.68	0.06		0.177	<T	0.01	<T	0.03		0.06
JUL 2,85	JUL 1,85	*****		*****	*****		*****	*****	*****	*****	*****	*****	*****
JUL 10,85	JUL 9,85	<W 0.01		0.39	<T 0.03		0.098	<T	0.01	<W	0.01	<T	0.04
JUL 11,85	JUL 10,85	<W 0.01		0.27	<T 0.02		0.068	<T	0.01	<W	0.01	<T	0.03
JUL 12,85	JUL 11,85	0.14		0.39	<T 0.03		0.097	<T	0.01		0.20	<T	0.04
JUL 13,85	JUL 12,85	*****		0.86	*****		0.233	0.05	*****	*****	*****	*****	*****
JUL 14,85	JUL 13,85	0.12		2.90	0.22		0.753	0.05	0.04		0.27		0.27
JUL 15,85	JUL 14,85	0.01		0.32	0.03		0.090	0.01	0.01		0.01		0.04
JUL 16,85	JUL 15,85	0.01	<T	0.16	<T 0.02		0.039	<T	0.01	<T	0.01	<T	0.03
JUL 17,85	JUL 16,85	<T 0.02		0.42	0.08		0.084	<T	0.02	<T	0.02		0.10
JUL 18,85	JUL 17,85	0.19		1.83	0.12		0.397	<T	0.03		0.14		0.14
JUL 19,85	JUL 18,85	<T 0.14		2.44	0.09		0.568	<T	0.02	<T	0.06		0.11

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 20,85	JUL 19,85	700	700	1	24854.0	30597	2	1	
JUL 21,85	JUL 20,85	700	700	1	24576.0	30598	2	1	
JUL 22,85	JUL 21,85	700	700	1	26676.0	30599	2	1	
JUL 23,85	JUL 22,85	700	700	1	26587.0	30600	2	1	
JUL 24,85	JUL 23,85	700	700	1	25934.0	30602	2	1	
JUL 25,85	JUL 24,85	700	700	1	23645.0	30603	2	1	
JUL 26,85	JUL 25,85	700	700	1	25924.0	30604	2	1	
JUL 27,85	JUL 26,85	700	700	1	25042.0	30605	2	1	
JUL 28,85	JUL 27,85	700	700	1	25171.0	30606	2	1	
JUL 29,85	JUL 28,85	700	700	1	26657.0	30607	2	1	
JUL 30,85	JUL 29,85	700	700	1	26349.0	30608	2	1	
JUL 31,85	JUL 30,85	700	700	1	25973.0	30610	2	1	
AUG 1,85	JUL 31,85	700	700	1	26221.0	30611	2	1	
AUG 2,85	AUG 1,85	700	700	1	25468.0	30612	2	1	
AUG 3,85	AUG 2,85	700	700	1	25725.0	30613	2	1	
AUG 4,85	AUG 3,85	700	700	1	25805.0	30614	2	1	
AUG 5,85	AUG 4,85	700	700	1	24646.0	30615	2	1	
AUG 6,85	AUG 5,85	700	700	1	24448.0	30616	2	1	
AUG 7,85	AUG 6,85	700	700	1	24933.0	30618	2	1	
AUG 8,85	AUG 7,85	700	700	1	26013.0	30619	2	1	
AUG 9,85	AUG 8,85	700	700	1	26110.0	30620	2	1	
AUG 10,85	AUG 9,85	700	700	1	24388.0	30621	2	1	
AUG 11,85	AUG 10,85	700	700	1	26785.0	30622	2	1	
AUG 12,85	AUG 11,85	700	700	1	27162.0	30623	2	1	
AUG 13,85	AUG 12,85	700	700	1	23843.0	30624	2	1	
AUG 14,85	AUG 13,85	700	700	1	23913.0	30626	2	1	
AUG 15,85	AUG 14,85	700	700	1	25062.0	30627	2	1	
AUG 16,85	AUG 15,85	700	700	1	24815.0	30628	2	1	
AUG 17,85	AUG 16,85	700	700	1	24171.0	30629	2	1	
AUG 18,85	AUG 17,85	700	700	1	23914.0	30630	2	1	
AUG 19,85	AUG 18,85	700	700	1	24488.0	30631	2	1	
AUG 20,85	AUG 19,85	700	700	1	25409.0	30632	2	1	
AUG 21,85	AUG 20,85	700	700	1	20704.0	30634	2	1	
AUG 22,85	AUG 21,85	700	700	1	24616.0	30635	2	1	
AUG 23,85	AUG 22,85	700	700	1	23200.0	30636	2	1	
AUG 24,85	AUG 23,85	700	700	1	20624.0	30637	2	1	
AUG 25,85	AUG 24,85	700	700	1	24597.0	30638	2	1	
AUG 26,85	AUG 25,85	700	700	1	24686.0	30639	2	1	
AUG 27,85	AUG 26,85	700	700	1	25290.0	30640	2	1	
AUG 28,85	AUG 27,85	700	700	1	24842.0	30642	2	1	C

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 10

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
JUL 20,85	JUL 19,85		0.05	0.45	0.05		0.132	<T	0.02	<T	0.06		0.07
JUL 21,85	JUL 20,85	<T	0.10	0.70	0.07		0.164	<T	0.02	<T	0.02		0.08
JUL 22,85	JUL 21,85		0.05	0.42	0.02	<T	0.020	<T	0.02	<T	0.05		0.04
JUL 23,85	JUL 22,85		0.02	0.19	0.03	<T	0.011	<T	0.01	<T	0.02		0.04
JUL 24,85	JUL 23,85		0.79	1.69	0.17		0.127		0.05	<T	0.01		0.22
JUL 25,85	JUL 24,85	<T	0.19	1.47	0.07		0.287	<T	0.01	<T	0.14		0.08
JUL 26,85	JUL 25,85	<T	0.15	0.30	0.04		0.059	<T	0.01	<T	0.09		0.05
JUL 27,85	JUL 26,85	<T	0.15	0.67	0.03		0.151	<T	0.00	<T	0.09		0.04
JUL 28,85	JUL 27,85		0.20	0.78	0.08		0.190	<T	0.01		0.17		0.10
JUL 29,85	JUL 28,85		0.04	0.36	0.03		0.076	<T	0.01	<T	0.05		0.04
JUL 30,85	JUL 29,85		0.07	0.14	0.02		0.011	<T	0.01	<T	0.09		0.03
JUL 31,85	JUL 30,85		0.02	0.12	0.00	<T	0.011	<T	0.00		0.03	<T	0.00
AUG 1,85	JUL 31,85		0.08	0.69	0.02		0.135	<T	0.01		0.11		0.03
AUG 2,85	AUG 1,85		0.11	0.52	0.05		0.149	<W	0.00		0.03		0.05
AUG 3,85	AUG 2,85		0.03	2.38	0.14		0.575		0.05		0.03		0.19
AUG 4,85	AUG 3,85		0.45	4.69	0.22		1.106		0.09		0.19		0.31
AUG 5,85	AUG 4,85		1.39	9.91	0.27		1.310	<W	0.00		0.36		0.27
AUG 6,85	AUG 5,85		0.04	2.95	0.05		0.636	<W	0.00		0.04		0.05
AUG 7,85	AUG 6,85		0.06	1.09	0.05		0.272	<T	0.01		0.09		0.06
AUG 8,85	AUG 7,85		0.02	0.16	0.05		0.059	<T	0.02	<T	0.01		0.07
AUG 9,85	AUG 8,85		0.16	1.15	0.14		0.260		0.07		0.05		0.20
AUG 10,85	AUG 9,85		0.07	2.02	0.12		0.473		0.06		0.09		0.19
AUG 11,85	AUG 10,85	<W	0.01	0.15	0.02	<T	0.039	<T	0.01	<W	0.00	<T	0.03
AUG 12,85	AUG 11,85	<T	0.04	0.34	0.03	<T	0.112	<T	0.02	<T	0.05	<T	0.05
AUG 13,85	AUG 12,85		0.08	1.14	0.05		0.316	<T	0.01	<T	0.10		0.07
AUG 14,85	AUG 13,85		0.06	0.84	0.06		0.211	<T	0.01	<T	0.09		0.08
AUG 15,85	AUG 14,85		0.12	0.44	0.04		0.131	<T	0.01	<T	0.17		0.05
AUG 16,85	AUG 15,85	<T	0.07	0.93	0.09		0.263	<T	0.01	<T	0.09		0.10
AUG 17,85	AUG 16,85	<T	0.22	1.45	0.16		0.395	<T	0.03	<T	0.13		0.19
AUG 18,85	AUG 17,85	<T	0.10	1.68	0.10		0.482	<T	0.01	<T	0.13		0.11
AUG 19,85	AUG 18,85	<W	0.02	0.01	0.00	<W	0.001	<T	0.00	<W	0.01	<T	0.00
AUG 20,85	AUG 19,85	<W	0.01	0.04	0.01	<T	0.011	<T	0.01	<W	0.01	<T	0.02
AUG 21,85	AUG 20,85		0.00	0.15	0.00	<T	0.014	<W	0.00	<T	0.00		0.00
AUG 22,85	AUG 21,85		0.19	0.05	0.03	<T	0.012	<W	0.00		0.27		0.03
AUG 23,85	AUG 22,85		0.12	0.83	0.05		0.206	<W	0.00		0.16		0.05
AUG 24,85	AUG 23,85		0.07	1.99	0.07		0.390	<T	0.01		0.08		0.08
AUG 25,85	AUG 24,85		0.06	1.80	0.05		0.317	<W	0.00		0.07		0.05
AUG 26,85	AUG 25,85		2.12	2.60	0.04		0.244	<W	0.00		0.31		0.04
AUG 27,85	AUG 26,85		0.52	2.89	0.06		0.703	<W	0.00		0.23		0.07
AUG 28,85	AUG 27,85		0.00	0.00	0.01	<T	0.022	<W	0.00		0.01		0.01

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 29,85	AUG 28,85	700	700	1	25359.0	30643	2	1	
AUG 30,85	AUG 29,85	700	700	1	24983.0	30644	2	1	
AUG 31,85	AUG 30,85	700	700	1	24923.0	30645	2	1	X
SEP 1,85	AUG 31,85	700	700	1	24636.0	30646	2	1	
SEP 2,85	SEP 1,85	700	700	1	25557.0	30647	2	1	
SEP 3,85	SEP 2,85	700	700	1	23953.0	30648	2	1	
SEP 4,85	SEP 3,85	700	700	1	21684.0	30650	2	1	X
SEP 5,85	SEP 4,85	700	700	1	24200.0	30651	2	1	
SEP 6,85	SEP 5,85	700	700	1	24319.0	30652	2	1	
SEP 7,85	SEP 6,85	700	700	1	23804.0	30653	2	1	
SEP 8,85	SEP 7,85	700	700	1	25805.0	30654	2	1	
SEP 9,85	SEP 8,85	700	700	1	26271.0	30655	2	1	
SEP 10,85	SEP 9,85	700	700	1	25696.0	30657	2	1	
SEP 11,85	SEP 10,85	700	700	1	22516.0	30658	2	1	
SEP 12,85	SEP 11,85	700	700	1	26231.0	30659	2	1	
SEP 13,85	SEP 12,85	700	700	1	25765.0	30660	2	1	
SEP 14,85	SEP 13,85	700	700	1	25141.0	30661	2	1	
SEP 15,85	SEP 14,85	700	700	1	26667.0	30662	2	1	
SEP 16,85	SEP 15,85	700	700	1	26162.0	30663	2	1	
SEP 17,85	SEP 16,85	700	700	1	24210.0	30664	2	1	
SEP 18,85	SEP 17,85	700	700	1	24281.0	30666	2	1	C
SEP 19,85	SEP 18,85	700	700	1	24161.0	30667	2	1	
SEP 20,85	SEP 19,85	700	700	1	23418.0	30668	2	1	
SEP 21,85	SEP 20,85	700	700	1	24458.0	30669	2	1	
SEP 22,85	SEP 21,85	700	700	1	25557.0	30670	2	1	
SEP 23,85	SEP 22,85	700	700	1	24597.0	30671	2	1	
SEP 24,85	SEP 23,85	700	700	1	23497.0	30672	2	1	
SEP 25,85	SEP 24,85	700	700	1	25603.0	30674	2	1	C
SEP 26,85	SEP 25,85	700	700	1	26172.0	30675	2	1	
SEP 27,85	SEP 26,85	700	700	1	26172.0	30676	2	1	
SEP 28,85	SEP 27,85	700	700	1	25637.0	30677	2	1	
SEP 29,85	SEP 28,85	700	700	1	26399.0	30678	2	1	
SEP 30,85	SEP 29,85	700	700	1	24240.0	30679	2	1	
OCT 1,85	SEP 30,85	700	700	1	17187.0	30680	2	1	B
OCT 9,85	OCT 8,85	700	700	1	25956.0	30682	2	1	
OCT 10,85	OCT 9,85	700	700	1	26370.0	30683	2	1	
OCT 11,85	OCT 10,85	700	700	1	26429.0	30684	2	1	
OCT 12,85	OCT 11,85	700	700	1	25508.0	30685	2	1	
OCT 13,85	OCT 12,85	700	700	1	23695.0	30686	2	1	
OCT 14,85	OCT 13,85	700	700	1	27053.0	30687	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 29,85	AUG 28,85	0.04	0.52	0.02	0.149	<W 0.00	<T 0.05	0.02
AUG 30,85	AUG 29,85	0.15	0.61	0.06	0.151	<W 0.00	0.21	0.06
AUG 31,85	AUG 30,85	*****	*****	*****	*****	*****	*****	*****
SEP 1,85	AUG 31,85	2.26	2.44	0.09	0.610	<W 0.00	3.38	0.09
SEP 2,85	SEP 1,85	0.01	0.20	0.02	0.041	<W 0.00	<T 0.01	0.02
SEP 3,85	SEP 2,85	0.04	<T 0.17	<T 0.01	0.022	<W 0.00	<T 0.05	0.01
SEP 4,85	SEP 3,85	0.00	<T 0.00	<T 0.00	0.000	<W 0.00	<T 0.00	0.00
SEP 5,85	SEP 4,85	0.07	1.33	0.06	0.354	<W 0.00	<T 0.09	0.06
SEP 6,85	SEP 5,85	0.07	1.12	0.04	0.322	<W 0.00	<T 0.09	0.04
SEP 7,85	SEP 6,85	<T 0.02	1.64	0.09	0.444	<W 0.00	<T 0.01	0.09
SEP 8,85	SEP 7,85	0.02	0.20	0.04	0.051	<W 0.00	<T 0.01	0.04
SEP 9,85	SEP 8,85	0.01	0.23	0.01	0.060	<W 0.00	<T 0.00	0.01
SEP 10,85	SEP 9,85	0.01	<T 0.01	<T 0.00	<W 0.000	<T 0.00	<T 0.00	<T 0.00
SEP 11,85	SEP 10,85	0.00	0.63	0.00	0.124	<W 0.00	0.00	0.00
SEP 12,85	SEP 11,85	0.05	0.20	0.03	<T 0.020	<T 0.02	0.07	0.05
SEP 13,85	SEP 12,85	0.06	0.59	0.02	0.147	<T 0.02	0.07	0.05
SEP 14,85	SEP 13,85	0.11	0.96	0.07	0.270	<T 0.02	0.15	0.09
SEP 15,85	SEP 14,85	0.95	2.40	0.16	0.545	0.20	0.18	0.35
SEP 16,85	SEP 15,85	2.53	5.66	0.16	1.215	0.18	0.45	0.34
SEP 17,85	SEP 16,85	0.83	6.37	0.24	1.623	<T 0.02	0.98	0.27
SEP 18,85	SEP 17,85	0.06	8.32	0.21	2.092	<T 0.02	0.09	0.23
SEP 19,85	SEP 18,85	0.13	7.58	0.19	1.854	0.17	0.18	0.36
SEP 20,85	SEP 19,85	<T 0.11	3.55	0.18	0.770	0.12	<T 0.14	0.29
SEP 21,85	SEP 20,85	0.01	<T 0.05	<T 0.01	<T 0.001	<T 0.01	<T 0.00	<T 0.03
SEP 22,85	SEP 21,85	0.01	<T 0.12	<T 0.01	<T 0.011	<W 0.00	<T 0.00	0.02
SEP 23,85	SEP 22,85	0.01	<T 0.13	<T 0.01	<W 0.001	<W 0.00	<T 0.00	0.02
SEP 24,85	SEP 23,85	0.08	0.30	0.02	0.002	<W 0.00	<T 0.10	0.02
SEP 25,85	SEP 24,85	<T 0.06	0.24	0.02	0.009	<T 0.00	<T 0.08	0.02
SEP 26,85	SEP 25,85	0.01	0.35	0.04	0.059	<T 0.02	<T 0.01	0.06
SEP 27,85	SEP 26,85	<T 0.09	0.69	0.05	0.135	<T 0.03	<T 0.01	0.08
SEP 28,85	SEP 27,85	<T 0.09	0.43	0.08	0.167	<T 0.01	<T 0.01	0.09
SEP 29,85	SEP 28,85	0.01	<T 0.04	0.01	<T 0.001	<T 0.00	<T 0.01	0.01
SEP 30,85	SEP 29,85	0.02	<T 0.01	0.01	<W 0.001	<W 0.00	<T 0.01	0.01
OCT 1,85	SEP 30,85	0.06	<W 0.01	<T 0.00	<W 0.002	<W 0.00	<T 0.07	0.00
OCT 9,85	OCT 8,85	0.11	0.51	0.04	0.107	<T 0.03	0.03	0.07
OCT 10,85	OCT 9,85	0.01	0.27	0.00	0.039	<T 0.02	<T 0.00	0.02
OCT 11,85	OCT 10,85	<T 0.24	0.91	0.06	0.266	<T 0.02	<T 0.00	0.08
OCT 12,85	OCT 11,85	0.72	1.22	0.14	0.364	<T 0.03	<T 0.00	0.17
OCT 13,85	OCT 12,85	0.01	0.98	0.06	0.286	<T 0.02	<T 0.00	0.09
OCT 14,85	OCT 13,85	*****	0.63	*****	0.140	0.04	*****	*****

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS	
									FIELD	OFFICE
OCT 15,85	OCT 14,85	700	700	1	26677.0	30688	2	1		
OCT 16,85	OCT 15,85	700	700	1	25827.0	30690	2	1		
OCT 17,85	OCT 16,85	700	700	1	26221.0	30691	2	1		
OCT 18,85	OCT 17,85	700	700	1	25221.0	30692	2	1		
OCT 19,85	OCT 18,85	700	700	1	25042.0	30693	2	1		
OCT 20,85	OCT 19,85	700	700	1	26340.0	30694	2	1		
OCT 21,85	OCT 20,85	700	700	1	25983.0	30695	2	1		
OCT 22,85	OCT 21,85	700	700	1	26152.0	30696	2	1		
OCT 23,85	OCT 22,85	700	700	1	25934.0	30698	2	1	A	
OCT 24,85	OCT 23,85	700	700	1	24785.0	30699	2	1		
OCT 25,85	OCT 24,85	700	700	1	25528.0	30700	2	1		
OCT 26,85	OCT 25,85	700	700	1	25221.0	30701	2	1		
OCT 27,85	OCT 26,85	700	700	1	26816.0	30702	2	1		
OCT 28,85	OCT 27,85	700	700	1	26598.0	30703	2	1		
OCT 29,85	OCT 28,85	700	700	1	26657.0	30704	2	1		
OCT 30,85	OCT 29,85	700	700	1	26023.0	30706	2	1		
OCT 31,85	OCT 30,85	700	700	1	24646.0	30707	2	1		
NOV 1,85	OCT 31,85	700	700	1	25567.0	30708	2	1		
NOV 2,85	NOV 1,85	700	700	1	23735.0	30709	2	1		
NOV 3,85	NOV 2,85	700	700	1	27489.0	30710	2	1		
NOV 4,85	NOV 3,85	700	700	1	27578.0	30711	2	1		
NOV 5,85	NOV 4,85	700	700	1	27162.0	30712	2	1		
NOV 6,85	NOV 5,85	700	700	1	27043.0	30715	2	1		
NOV 7,85	NOV 6,85	700	700	1	24884.0	30716	2	1		
NOV 8,85	NOV 7,85	700	700	1	26281.0	30717	2	1		
NOV 9,85	NOV 8,85	700	700	1	26360.0	30718	2	1		
NOV 10,85	NOV 9,85	700	700	1	27142.0	30719	2	1		
NOV 11,85	NOV 10,85	700	700	1	27450.0	30720	2	1		
NOV 12,85	NOV 11,85	700	700	1	26756.0	30721	2	1		
NOV 13,85	NOV 12,85	700	700	1	26627.0	30723	2	1		
NOV 14,85	NOV 13,85	700	700	1	26974.0	30724	2	1		
NOV 15,85	NOV 14,85	700	700	1	26390.0	30725	2	1		
NOV 16,85	NOV 15,85	700	700	1	25409.0	30726	2	1		
NOV 17,85	NOV 16,85	700	700	1	23685.0	30727	2	1		
NOV 18,85	NOV 17,85	700	700	1	23081.0	30728	2	1		
NOV 19,85	NOV 18,85	700	700	1	23854.0	30729	2	1		
NOV 27,85	NOV 26,85	700	700	1	27707.0	30731	2	1	E	
NOV 28,85	NOV 27,85	700	700	1	26360.0	30732	2	1		
NOV 29,85	NOV 28,85	700	700	1	24636.0	30733	2	1		
NOV 30,85	NOV 29,85	700	700	1	26122.0	30734	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 15,85	OCT 14,85	0.50	0.42	0.00	0.114	<T	0.02	0.02
OCT 16,85	OCT 15,85	<T 0.01	0.80	0.00	0.176	<W	0.00	0.00
OCT 17,85	OCT 16,85	0.35	0.59	0.19	0.183	<T	0.02	0.21
OCT 18,85	OCT 17,85	1.09	1.29	0.12	0.388		0.06	0.18
OCT 19,85	OCT 18,85	0.58	0.50	0.11	0.171	<T	0.03	0.14
OCT 20,85	OCT 19,85	0.07	0.17	0.04	0.039	<T	0.02	0.06
OCT 21,85	OCT 20,85	0.80	0.33	0.05	0.117	<T	0.03	0.08
OCT 22,85	OCT 21,85	1.88	2.20	0.24	0.709	<T	0.03	0.27
OCT 23,85	OCT 22,85	0.90	5.93	0.31	1.881		0.06	0.37
OCT 24,85	OCT 23,85	1.16	1.12	0.13	0.375		0.05	0.18
OCT 25,85	OCT 24,85	<T 0.30	0.46	0.07	0.109		0.04	0.12
OCT 26,85	OCT 25,85	1.46	0.27	0.13	0.110		0.07	0.21
OCT 27,85	OCT 26,85	0.48	0.44	0.10	0.160		0.05	0.15
OCT 28,85	OCT 27,85	0.48	0.52	0.04	0.170	<T	0.00	0.04
OCT 29,85	OCT 28,85	0.93	0.55	0.11	0.198	<T	0.01	0.12
OCT 30,85	OCT 29,85	0.86	0.62	0.16	0.232		0.04	0.20
OCT 31,85	OCT 30,85	<T 0.14	0.57	0.03	0.133	<T	0.00	0.03
NOV 1,85	OCT 31,85	0.76	1.92	0.16	0.568	<T	0.01	0.18
NOV 2,85	NOV 1,85	<T 0.28	1.40	0.16	0.433	<T	0.00	0.16
NOV 3,85	NOV 2,85	0.61	1.82	0.04	0.211	<W	0.00	0.05
NOV 4,85	NOV 3,85	0.71	0.84	0.03	0.119	<T	0.00	0.03
NOV 5,85	NOV 4,85	<T 0.02	0.74	0.03	0.112	<T	0.00	0.03
NOV 6,85	NOV 5,85	0.02	1.01	0.02	0.214	<T	0.00	0.02
NOV 7,85	NOV 6,85	<T 0.18	0.69	0.05	0.202	<T	0.00	0.05
NOV 8,85	NOV 7,85	0.41	0.77	0.09	0.239	<T	0.00	0.09
NOV 9,85	NOV 8,85	<T 0.14	0.62	<T 0.02	0.115	<W	0.00	0.02
NOV 10,85	NOV 9,85	<T 0.14	0.82	<T 0.01	0.130	<T	0.00	0.01
NOV 11,85	NOV 10,85	0.07	0.59	<T 0.03	0.138	<T	0.01	0.04
NOV 12,85	NOV 11,85	<T 0.17	1.06	0.06	0.160	<W	0.00	0.06
NOV 13,85	NOV 12,85	0.01	0.21	0.17	0.095	<W	0.00	0.17
NOV 14,85	NOV 13,85	<T 0.10	1.21	0.16	0.150		0.03	0.19
NOV 15,85	NOV 14,85	<T 0.10	1.77	0.13	0.503		0.06	0.19
NOV 16,85	NOV 15,85	<T 0.03	0.57	0.06	0.119	<T	0.00	0.07
NOV 17,85	NOV 16,85	<T 0.03	1.21	0.07	0.213	<T	0.00	0.07
NOV 18,85	NOV 17,85	0.03	2.28	0.15	0.565	<T	0.00	0.15
NOV 19,85	NOV 18,85	0.03	0.36	<T 0.00	0.138	<W	0.00	0.00
NOV 27,85	NOV 26,85	*****	1.56	*****	0.353		0.09	*****
NOV 28,85	NOV 27,85	0.61	1.41	0.13	0.229		0.12	0.24
NOV 29,85	NOV 28,85	0.00	1.26	0.14	0.265		0.10	0.24
NOV 30,85	NOV 29,85	0.23	1.65	0.13	0.403		0.32	0.45

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 1,85	NOV 30,85	700	700	1	26905.0	30735	2	1	
DEC 2,85	DEC 1,85	700	700	1	26449.0	30736	2	1	
DEC 3,85	DEC 2,85	700	700	1	26746.0	30737	2	1	
DEC 4,85	DEC 3,85	700	700	1	26816.0	30739	2	1	
DEC 5,85	DEC 4,85	700	700	1	24418.0	30740	2	1	
DEC 6,85	DEC 5,85	700	700	1	24250.0	30741	2	1	
DEC 7,85	DEC 6,85	700	700	1	24577.0	30742	2	1	
DEC 8,85	DEC 7,85	700	700	1	25934.0	30743	2	1	
DEC 9,85	DEC 8,85	700	700	1	24963.0	30744	2	1	
DEC 10,85	DEC 9,85	700	700	1	25825.0	30745	2	1	
DEC 11,85	DEC 10,85	700	700	1	26588.0	30747	2	1	
DEC 12,85	DEC 11,85	700	700	1	24745.0	30748	2	1	
DEC 13,85	DEC 12,85	700	700	1	24389.0	30749	2	1	
DEC 14,85	DEC 13,85	700	700	1	26231.0	30750	2	1	
DEC 15,85	DEC 14,85	700	700	1	24765.0	30751	2	1	
DEC 16,85	DEC 15,85	700	700	1	26816.0	30752	2	1	
DEC 17,85	DEC 16,85	700	700	1	27152.0	30753	2	1	
DEC 18,85	DEC 17,85	700	700	1	27469.0	30755	2	1	
DEC 19,85	DEC 18,85	700	700	1	26766.0	30756	2	1	
DEC 20,85	DEC 19,85	700	700	1	26568.0	30757	2	1	
DEC 21,85	DEC 20,85	700	700	1	25567.0	30758	2	1	
DEC 22,85	DEC 21,85	700	700	1	24745.0	30759	2	1	
DEC 23,85	DEC 22,85	700	700	1	25310.0	30760	2	1	
DEC 24,85	DEC 23,85	700	700	1	26925.0	30761	2	1	
DEC 25,85	DEC 24,85	700	700	1	26360.0	30763	2	1	
DEC 26,85	DEC 25,85	700	700	1	27083.0	30764	2	1	
DEC 27,85	DEC 26,85	700	700	1	25954.0	30765	2	1	
DEC 28,85	DEC 27,85	700	700	1	25914.0	30766	2	1	
DEC 29,85	DEC 28,85	700	700	1	26489.0	30767	2	1	
DEC 30,85	DEC 29,85	700	700	1	26736.0	30768	2	1	
DEC 31,85	DEC 30,85	700	700	1	26439.0	30769	2	1	
JAN 1,86	DEC 31,85	700	700	1	25013.0	30771	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
DEC 1,85	NOV 30,85	0.01	1.12	0.09	0.224	0.07	<T	0.15
DEC 2,85	DEC 1,85	0.01	0.53	0.03	0.068	0.07	<T	0.10
DEC 3,85	DEC 2,85	0.28	0.49	0.09	0.076	0.06	<T	0.15
DEC 4,85	DEC 3,85	0.06	0.53	0.06	0.113	0.02	<T	0.08
DEC 5,85	DEC 4,85	3.53	2.46	0.83	0.882	0.10	<W	0.93
DEC 6,85	DEC 5,85	0.67	1.94	0.36	0.517	0.00	<W	0.36
DEC 7,85	DEC 6,85	2.78	2.08	0.74	0.795	0.13	<W	0.87
DEC 8,85	DEC 7,85	1.32	2.28	0.84	1.004	0.33	<W	1.16
DEC 9,85	DEC 8,85	<T	1.53	0.06	0.162	0.00	<T	0.06
DEC 10,85	DEC 9,85	<T	1.90	0.08	0.234	0.01	<T	0.10
DEC 11,85	DEC 10,85	1.07	1.40	0.06	0.199	0.00	<T	0.06
DEC 12,85	DEC 11,85	1.90	1.71	0.11	0.244	0.00	<T	0.11
DEC 13,85	DEC 12,85	0.75	1.16	0.12	0.237	0.01	<T	0.14
DEC 14,85	DEC 13,85	0.54	0.74	0.14	0.106	0.06	<T	0.20
DEC 15,85	DEC 14,85	1.93	0.70	0.19	0.123	0.06	0.33	0.26
DEC 16,85	DEC 15,85	2.13	1.39	0.10	0.272	0.00	<T	0.11
DEC 17,85	DEC 16,85	0.73	1.01	0.06	0.204	0.00	<T	0.06
DEC 18,85	DEC 17,85	0.36	0.52	0.01	0.065	0.01	0.03	0.03
DEC 19,85	DEC 18,85	0.50	0.38	0.03	0.076	0.01	0.18	0.05
DEC 20,85	DEC 19,85	0.88	0.76	0.13	0.133	0.01	0.06	0.14
DEC 21,85	DEC 20,85	1.07	1.07	0.09	0.187	0.01	0.42	0.11
DEC 22,85	DEC 21,85	1.86	3.00	0.51	0.850	0.14	0.11	0.65
DEC 23,85	DEC 22,85	0.45	0.80	0.04	0.160	0.01	0.07	0.05
DEC 24,85	DEC 23,85	0.54	0.90	<T	0.085	0.00	0.06	0.01
DEC 25,85	DEC 24,85	0.58	0.69	0.00	0.099	0.00	0.00	0.00
DEC 26,85	DEC 25,85	0.35	0.78	0.01	0.180	0.04	0.18	0.05
DEC 27,85	DEC 26,85	1.05	0.70	0.06	0.188	0.03	<T	0.09
DEC 28,85	DEC 27,85	<T	0.82	0.03	0.178	0.04	<T	0.07
DEC 29,85	DEC 28,85	0.08	0.65	0.01	0.118	0.09	0.11	0.10
DEC 30,85	DEC 29,85	0.34	0.34	0.01	0.079	0.09	0.11	0.10
DEC 31,85	DEC 30,85	1.15	0.65	0.10	0.288	0.17	<T	0.27
JAN 1,86	DEC 31,85	P	P	P	P	P	P	P

MOEE
SCI & TECH BRANCH
LIBRARY

TD
195.54
.06
D35
1987

1985 daily ambient air
concentration listings.
77844